



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### **Usage guidelines**

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### **About Google Book Search**

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



GODFREY LOWELL CABOT SCIENCE LIBRARY  
*of the Harvard College Library*

This book is  
**FRAGILE**

and circulates only with permission.

Please handle with care  
and consult a staff member  
before photocopying.

Thanks for your help in preserving  
Harvard's library collections.



# NAVAL ARCHITECTURE:

A TREATISE

ON

SHIP-BUILDING,

AND

THE RIG OF CLIPPERS,

WITH SUGGESTIONS FOR A NEW METHOD OF LAYING DOWN VESSELS.

BY

LORD ROBERT MONTAGU, A.M.

LONDON:

COLBURN AND CO., PUBLISHERS,

GREAT MARLBOROUGH STREET.

1852.

~~~~~  
Notice is hereby given that the Author of this work reserves to himself the right of publishing a Translation in France.

Eng 5058.52.5  
✓

HARVARD COLLEGE LIBRARY N  
DEXTER FUND  
Nov 24, 1925

LONDON:  
Printed by Schulze and Co., 13, Poland Street.

8221  
71

# CONTENTS.

---

|                        | Page |
|------------------------|------|
| INTRODUCTION . . . . . | 1    |

## CHAPTER I.

|                                          |    |
|------------------------------------------|----|
| The principle of ship-building . . . . . | 9  |
| The midship section and stern . . . . .  | 19 |
| The stern . . . . .                      | 28 |
| The sheer-plan . . . . .                 | 29 |

## CHAPTER II.

|                             |    |
|-----------------------------|----|
| The dividing-line . . . . . | 31 |
|-----------------------------|----|

## CHAPTER III.

|                                                                        |    |
|------------------------------------------------------------------------|----|
| On the calculation of areas, volumes, and centres of gravity . . . . . | 41 |
|------------------------------------------------------------------------|----|

## CHAPTER IV.

|                                              | Page |
|----------------------------------------------|------|
| On the metacentre and on stability . . . . . | 60   |

## CHAPTER V.

|                                        |    |
|----------------------------------------|----|
| On uneasy motion and rolling . . . . . | 80 |
| Centre of lateral resistance . . . . . | 89 |

## CHAPTER VI.

|                                                         |     |
|---------------------------------------------------------|-----|
| On resistance . . . . .                                 | 93  |
| On the resistance against a vessel's progress . . . . . | 103 |

## CHAPTER VII.

|                                 |     |
|---------------------------------|-----|
| The curve of sections . . . . . | 138 |
|---------------------------------|-----|

## CHAPTER VIII.

|                                                    |     |
|----------------------------------------------------|-----|
| On the disposition and extent of canvass . . . . . | 150 |
|----------------------------------------------------|-----|

## CHAPTER IX.

|                                            |     |
|--------------------------------------------|-----|
| Rigging and management of yachts . . . . . | 159 |
| Masts . . . . .                            | 163 |
| Sails . . . . .                            | 166 |
| Ballasting . . . . .                       | 169 |

CONTENTS.

vii

TABLES.

|                                                                                                         | Page |
|---------------------------------------------------------------------------------------------------------|------|
| I.—Proper angles of sails . . . . .                                                                     | 173  |
| II.—Weight of vessels (average) . . . . .                                                               | 173  |
| III.—Table of the specific gravity and strength to resist a<br>transverse strain of materials . . . . . | 174  |
| IV.—Weight and comparative strength of materials . . . . .                                              | 174  |
| V.—Table of winds . . . . .                                                                             | 174  |
| VI.—Table of chains . . . . .                                                                           | 175  |



## INTRODUCTION.

---

WITHIN the last few years, Naval Architecture has obtained, among the unprofessional members of society, a greater amount of interest than used formerly to be bestowed upon it. The rivalry which exists between the merchant navies of Great Britain, and her offspring in the Western World, has made each party seek, in the quality of their ships, that advantage which they could not obtain in the market. And the competition of the steam companies on the two shores of the Atlantic has given an impulse to research, also, in that department of science. It is but a short time since the clipper builders of England have been taught that the science of ship-building has not progressed with the rapidity which it has attained in America, nor

reached the same eminence in practice. In the architecture of merchant vessels alone, England can justly at present claim precedence. It is, however, to yacht-building that I shall more particularly devote the following pages; but the remarks made upon this small department of the science can, as far as they are true, be applied to the other descriptions of vessels. With few exceptions, these pleasure-vessels are constructed with the object of speed, even at the expense, to a certain extent, of comfort and accommodation. In merchant vessels, on the other hand, there are two ends proposed, capacity and velocity. These are conflicting interests; the flat floor which is conducive to the former is detrimental to the latter—the sharpness and fine lines requisite to the latter, of course obliges the builder to content himself with a less amount of bulk. In these craft, it becomes desirable to attain to the maximum in the combination of these qualities: to balance the capacity and velocity, so that the volume of cargo transported each year shall be the greatest possible—to increase the beam, for instance, instead of having so flat a floor (thus giving an equal bulk and a greater velocity), and to fill the lines of the bow a little more, because this has not so great an effect in impeding the way, as lessening the taper of the stern. But yet merchant vessels labour under many disadvantages: those which frequent

our shallow mud harbours *must* have flat floors ; and of the rest, the nature and disposition of the cargo, in a vessel which had not a flat floor, would raise the centre of gravity of the ship higher than is desirable. And again, as these vessels are, in general, underhanded, it is necessary both to be content with small sails, and to keep the centre of effort rather low. This latter requisition again reacts on the construction by requiring, with the full bow and run, a more upright stern-post and buttock-lines.

But yet, on the other hand, it is, on prudential grounds, important even in merchant vessels to provide for a certain velocity. For the effect of a wind in carrying away spars, or in careening a ship, is much greater on a slow vessel than on a fast one. Suppose the wind had the force of a considerable storm (*viz.*, 14·88 lbs. on each square foot), and moving at the rate of fifty-five miles an hour. Then, if one of two vessels advanced five miles an hour, and the other at the rate of ten miles, the relative velocity of the wind to the first would be fifty miles, and to the second, forty-five miles ; and the relative pressures would respectively be as  $\overline{50}^2$  and  $\overline{45}^2$  ; or, as 2500, and as 2025. The pressure, in the first case, being 12·3 lbs. per square foot, and in the second, 9·9 lbs. ; so that the whole pressure on a sail of 20 feet by 20 feet, or 400

square feet would, in the first case, be 4920, and in the second, 3960 lbs ; and the quick vessel would have to sustain a force less by 960 lbs, acting at the end of a long lever. And, moreover, a ship with a rising floor might be going about her business when off a lee-shore, whilst one with a flat floor would be going bodily to leeward.

But besides these prudential reasons, there are also mercantile considerations which would induce an increase of speed in our merchant vessels. By a month's delay in a passage from China, a merchant might have to brook the loss of a considerable sum in interest, or he might even miss the market altogether.

In men-of-war more accommodation, in proportion, is necessary than in yachts, and stowage for a large amount of stores. The weight of the armament also requires a large displacement. But, after the attainment of these objects, speed becomes the paramount consideration. It becomes a question then, whether placing the guns further apart, should not give the necessary displacement, and also allow the attainment of greater speed ; whether, I mean, the ships of each class should not have a greater length in proportion to their breadth and depth.

The reader will see that the science of ship-building becomes a more complicated question

when it treats of merchant vessels or men-of-war. Conflicting interests have then to be reconciled in such a manner, that the maximum of advantage should be attained. For these reasons, I prefer confining my attention to the pure science, and leaving the modification, to suit each particular case, of the rules here laid down, to those most interested in the result, or best qualified to judge of the end to be sought.

When revolving in my mind these and other considerations, and seeing the importance of obtaining velocity, and perceiving the interest which is at present attached to this subject, I thought to find an excuse for offering a few suggestions upon it, and venturing to add to the number of books which are already flooding shop and stall. I hope it may not seem presumptuous in me to advance opinions on a subject to which naval architects have lately devoted increased exertions. The generality of ship-builders have not acquired a knowledge of the higher mechanics, and of the motion of fluids. These will, perhaps, excuse me for hoping that a study of mathematics, combined with the consideration of various theories on Naval Architecture, and the observation of models of known vessels, may enable me to start some new idea on the subject. And the more learned in the profession will pardon my desire to bring forward a principle

which I hope may prove useful, and believe to be new. And I may further venture to express a wish that its simplicity may not be taken for worthlessness, nor disregard attend that which does not appear striking. Last winter I got upon the track of this invention, and, after much attention and some experiments, I thought to have discovered a fundamental error, which vitiated mathematical inquiries, and caused the results of experiments to be wrongly applied.

The Great Exhibition contained many models of noted vessels, by which I might test the value of my theory; and receiving corroboration from these examples, I ventured to publish a few pages in elucidation of it; and the former part of this work is, in fact, a second edition of that pamphlet. But if that which I then wrote be really true (which I may be allowed to flatter myself is the case) it becomes necessary to adapt the old forms of calculation to my new notion, and apply the results of former experiments to the method now proposed. Those mathematical formulæ which had relation to vessels at rest, are unaffected by the present theory; but those of which the subject was the motion of a vessel through the water, must all be altered. For they were calculated on the assumption that the water passed along the surface of the vessel in the direction of the water-lines, or in horizontal

planes ; while, in fact, the curve which any particle of water would describe is totally different.

The results of experiments have also been wrongly applied, in consequence of a confusion which arose from the following cause: most of the pieces of wood used in these experiments were either solids of revolution, or had a form, such that the sides were vertical. In these, the lines described by the water in dividing and closing around the body when in motion, were the same curve as the line of flotation when the body was at rest. The results depended in reality on the shape of the former line, as the latter had nothing to do with the water when the solid was not at rest. But they were supposed to depend upon the shape of the latter; and the same qualities were wrongly assumed to belong to any ship which possessed water-lines of a similar curve.

Hence, if my fundamental principle be right—if it prove not to be a hasty deduction—if it be not an overweening conceit which makes me imagine that I could invent anything more correct than that which the most eminent ship-builders have unsuspectingly practised, then is this work plainly not uncalled for, and its introduction needs no apology. If, on the other hand, any mistakes which may have escaped my notice, should prove to be fundamental errors, then let those who have

spent their time in the perusal of the following treatise, take the pleasure of assisting the **cause** of truth as the reward of their labour, nor **blame** me for failing in my endeavours to be useful to society.

R. M.

CROMORE, COLERAINE,  
FEBRUARY 5, 1852.

A

## TREATISE ON SHIP-BUILDING.

---

### CHAPTER I.

AN inquirer into the science of Naval Architecture may either confine himself to the dry theories of mathematicians, or follow the surer method of experiment and induction. Mathematicians have demonstrated the curve which offers the least resistance in its passage through the water; but they have not sufficient data to ascertain either the shape for a vessel which would offer least resistance, nor the best form of midship section, nor various other requisites for a perfect vessel. Their attempts to construct vessels have, for these reasons, been, for the most part, abortive.

The empiricist, on the other hand, collects from different countries models of the fastest vessels, whether ships or boats, square-rigged or fitted with

the various forms of fore-and-aft sails. He inquires into the capabilities of each as proved by experiment, and tries to discover their bad points. But he soon becomes as much bewildered as the mathematical inquirer. Among the swiftest vessels, he sees some with full, and some with sharp bows; some with great beam, others narrow; some with a great draught of water, others shallow; some with much rise in the floor, others comparatively flat; some with little gripe, or the forefoot almost entirely cut away, while others have been improved by the addition of a greater gripe, and a bow lengthened below the water.

Is there then any principle in building? he may ask; is it all the work of blind chance? The theorist rants about capacities and equal areas. The common sailor laughs and assevers that it is impossible to know what salt-water may fancy. But is it altogether as hopeless a task to discover some one principle pervading *every* swift vessel of whatever form, as it would be to take the dimensions of Neptune's car, or find equations to the surfaces of waves? Why have such different forms of building attained to an equal success? And why do many vessels, built according to theories and the results of experiment, fail so signally when tried with vessels built by common smugglers?

Builders form their vessels by the water-lines,

ribbon- and buttock-lines ; and consider that the curves of these lines are of paramount importance. But they have not asked themselves why they should be so ; whether any of them can have much to do with the passage of the water along the vessel's body ; whether the water divides, in fact, in the direction of any of these lines. Why have they not inquired into the real direction which the water takes when it divides, and bestowed all their care upon the improvement of these lines ? And then they might take the models of famous vessels, and find what shape it was proper to give to the dividing-line, and extract a principle from chaos and confusion ; and perceive the unity in a mass of apparently antagonistic facts and conflicting results.

And how then does the water divide ? It may be expected, *à priori*, that a flat film of water, from the cutwater, will pass along the body of a ship in the same direction as that which any other flat thing would naturally take—as a thin plank, for instance.\* This is not a conclusive argument, but a natural supposition. But there is a fact which materially strengthens this assumption : I allude to the fact



\* The plank is supposed to be of indefinite breadth, because the dividing-lines are not parallel. In a clinker-built boat, the planks are cut with a "sney," for this reason, the lower edges only representing the dividing-lines.


that clinker-built vessels have a decided superiority over carvel-built vessels of the same form. Now, if the water does not divide in the direction of the planks, the land of every plank must offer considerable, very considerable resistance to the progress of the vessel. But, on the other hand, if the water does really escape, according to our *à priori* notion, in the natural direction of a plank, then these lands will offer no resistance. And as the mere clinker-building gives a decided superiority, it is clear that the lands do not offer resistance, and that the water naturally divides along the planks. Now, over timbers which are vertical—as in the run of the stern, for instance—the water, or a narrow plank, will pass in a horizontal direction; and over timbers which are quite horizontal, the water, or narrow plank, would take a line lying in a vertical plane parallel to the line of the vessel's motion. In each of these cases, the line described by the plank or by the water in its motion is at right angles to the timbers. And if a timber be forced out a little from the vertical position, so as to make a small angle with the vertical, the line described by the water or plank will take a slightly downward direction. And as the angle of inclination of the timber increases, the water or plank will take a more and more downward direction; but it will always cut the timbers at right angles. (I am of course supposing the

timbers to be in vertical planes perpendicular to the direction of the vessel's motion ; and I am not at present supposing the surface of the water as anything but a perfectly plane surface.)

The reason why the water passes along the body of the ship in lines which cut the vertical sections at right angles, is that the ship's sides at every point (when the ship is in motion) give an impulse to the water, which impulse is normal to the surface of the side at that point. And therefore the plane, in which the directions of the impulses from two adjacent points, must be contained, must of necessity cut, at right-angles, the surface of the ship's side which lies between.

View this moreover in another light. It is a philosophical principle that nature performs every thing with the least effort ; and fluids in motion between two points on any surface will take the shortest line on that surface. Now, the dividing-line is the shortest line which can be drawn on the surface of a vessel from any given point on the stem-post to the stern. This will be manifest if the line in question be projected on a plane parallel to the planes of the timbers (*i. e.* in the body plan, if the sections are perpendicular to the surface of the water).

Let  $Bl$ ,  $Ak$ , be two adjacent sections ; and let  $Dd$  be a dividing-line. Then the line  $Dd$  is the



shortest line that can be drawn from the point  $D$ , in the circumference of the section  $Bk$ , to the circumference of the section  $Ak$ ; for, if not, let  $Dt$  be shorter.

Draw  $DO$  perpendicular to the planes of the sections, and let it meet the section  $Ak$  in  $O$ . Join  $Od$ ,  $Ot$ . Then, as the distance between the sections is supposed to be small, and the dividing-lines are supposed to have an easy curvature, we may suppose the arcs,  $Dd$ ,  $Dt$ , to be arcs of circles. Now, as the dividing-lines cut the circumferences of all the sections at right-angles, and as  $DO$  is perpendicular to the plane of  $Ak$ , therefore the plane  $DdO$  is perpendicular to the plane of  $Ak$ , and at right angles to the circumference  $Ak$ ; and therefore  $Od$  is at right-angles to the circumference  $Ak$ ; and  $Od$  is the shortest line which can be drawn from the point  $O$  to the circumference  $Ak$ .

$$\therefore Od < Ot$$

$$\text{and } DO^2 + Od^2 < DO^2 + Ot^2$$

$$\text{or } \text{chord } Dd^2 < \text{chord } Dt^2$$

$$\text{and } \text{arc } Dd < \text{arc } Dt.$$

Similarly,  $Dd$  is less than any other arc drawn from the point  $D$  to the circumference  $Ak$ .

The same may be proved with reference to that part of a dividing line which is intercepted by any other two sections. And hence the whole of any dividing-line is the shortest line which can be drawn from the same point in the stem-post, over the surface of the vessel to the stern.

This consideration will afford us the readiest way of describing a dividing-line in the body plan of a vessel. Instead of the established system of laying down the plans of vessels by the water-lines, and applying to the water-lines the shapes indicated by experiment to be the best for the dividing-lines, I would propose the following method, deduced from the principles advanced above :

1. For the sheer-plan, draw the keel, the stem and the stern-post, and mark in the line of flotation, or load-water-line. Then erect the sections at right angles to the load-water-line.\*

2. Next determine the shape of the midship section, and lay it down in the body-plan. Draw a straight line across it for the load-water-line.†

---

\* If the sections were drawn, as is usually done, at right-angles to the keel, the dividing-lines would not cut the sections at right-angles. In the copy of the lines which is afterwards made for the use of the builder, the sections may be altered (in the sheer- and body-plans) so as to represent sections perpendicular to the keel.

† The plane on which the sections are projected, for the body-plan, is perpendicular to the water; not perpendicular to the

From a point in the stem-post, somewhere about the height of the load-water-mark, or a little above it, draw a curved line to a point in the midship section, to represent the direction in which the particles of water, from the surface at the stem, are to be made to divide along the body. This is the principal dividing-line.\* I have said "a *curved* line," because, if the line were straight, the circumferences of the sections at their points of intersection with this line, would be parallel to each other, because any dividing line cuts them all at right-angles. This is the case with some vessels, but it *need* not be so. To determine the nature of the curve this must be done :

3. In the sheer plan lay off the points in the stem-post midship section and stern-post through which this line is to pass. Through these assumed




rabbet of the keel, as in the established method. Hence the water-lines, in the body-plan, are straight lines, and the sections do not terminate in one point.

\* It must be borne in mind, that a dividing-line is not a single line, like a ribbon-line. The dividing-lines are as numerous as the particles of water which surround the ship. The whole surface of a ship's bottom may be supposed to be made up of an infinite number of dividing-lines. But we choose one only to work with, and choose that one which will be about the largest on the whole surface of the vessel. When the drawing is finished, it must be proved with other dividing-lines.

points draw a fair curve by means of the batten. Then,

4. In the body-plan lay off the heights at which this curve cuts all the other sections, and draw

through these several points lines parallel to the water-line. (The intersections of these lines with the dividing-line will, of course, be the points of inter-



section of the sections with the dividing-line.) The form of the curve in the body-plan comes now to be determined.

5. This is done by laying off, in the half-breadth plan, the three points already mentioned, through which the line must pass, and drawing through these points the curve which may be given to the batten. This gives the breadths to be measured, in the body-plan, along the lines which we have drawn at certain heights parallel to the water-line; and the curve may then be described.

That dividing-line which commences at the load-water-mark on the stem-post, is now laid down—the greatest dividing-line, most probably, which the proposed vessel will have. In the above figure, let  $OAD$  be this curve, as determined by the sheer

C

and half-breadth plans ;  $a, b, c, d$ , its intersections with the lines drawn parallel to the water-line.

6. To sketch in these sections is our present object. For this purpose, take for centre the point  $O$ , (the point on the stem-post from whence the dividing-line is taken), and draw the arc of a circle through the point  $a$ . Next take  $a$  for centre, and draw an arc through  $b$ . Then take  $b$  for centre, and draw an arc through  $A$ ; if this arc should cut the circumference of the midship section instead of touching it at  $A$ , then the point  $A$  must be moved so that the arc should only touch. This operation must be continued for the after-body by taking successively for centres the points  $A, c, d$ . The circumference of each of the sections must be tangential to each of the arcs respectively at their intersections with the dividing-line. The remaining part of each section is, at first, sketched in by eye, and then proved by other dividing-lines at various elevations. In sketching the sections, a pliable steel spring is of great use. It makes all the sections of a fair and similar curve, and so saves much trouble afterwards in correcting. The whole has now to be proved by water-lines, ribbon-lines and buttock-lines (according to the established method), and corrected where any inequalities in the surface may appear.


This is the principle which I would propose for guidance in the construction of vessels. This principle explains the success of vessels of such various forms. Vessels with full bows, for instance, have a dividing-line running in such a direction that its projection on the sheer-plan shows a greater curvature than that in the half-breadth plan; while the dividing-line of sharp bows shows a greater curvature when projected in the half-breadth plan than in the sheer-plan. In each of these cases, however, the curvature, taking all in all, may be the same.

#### THE MIDSHIP SECTION AND STERN.

From the foregoing remarks, it will appear that the whole form of the vessel depends very much upon the shape of the midship section, of the stern, and of the sheer-plan. In fact, these three are the only parts of the vessel of which the form is entirely assumed at pleasure. Of these, the midship section is the most important; and we shall therefore commence by considering it.

The part of a midship section which is below the water, has in general, been of a form approaching either to a square or to a triangle. The former obtained very extensively some years ago, but is now only retained in merchant vessels and some men-of-war. As the water is displaced with greater

ease near its surface than deeper down, it is clear that the chief breadth should be near the load-water-line. And besides this, it is well-known that a sharp ship, even under close-reefed topsails, will be going ahead, while a flat-floored ship drives bodily to leeward. The midship section which approaches to the triangular form, requires, of course, in order to have the same displacement, a greater beam than that which approaches to a square. And it is a great, although common error, to suppose that, in order to reduce the plane of resistance, the breadth must be diminished. This is not at all the case. A vessel of the same length and tonnage must displace exactly the same volume of water, either in breadth or depth. And a narrow vessel, to have the same displacement, must have a flat floor. Let the diagram\* represent the im-



mersed part of the midship section of two vessels, each of which is divided into four equal rectangular triangles :

$a'b'$  being equal to  $ab$ .  $b'd' = bd$ .  $a'd' = ad$ , &c.


Now, the plane of the midship section is clearly

---

\* The following observation is contained in an article contributed by my father, in the year 1824, to a periodical styled "Papers relative to Naval Architecture."


the same in each. The question, therefore, arises :  
 1. Which gives a body of least resistance? 2.  
 Which has the most stability?

1. The broad midship section will be made to have a body which, in motion, will disturb the water less than any body to which the narrow can belong. [In other words, the curves in which the water will divide can be made narrower with the broad midship section, than with the narrow one.] For the run of the vessel may be tapered off in the form of two wedges; the one from the bilge of the midship section (a part which is narrow and



deep down in the water), being tapered off to the stern-post (as  $A a$ ,  $D d$ ). That from the upper part of the midship section,

(which is broad and shallow), being tapered towards a line *nearly* at right-angles to the stern-post (as  $A b$ ,  $D c$ ). [In other words, the water from the lower part of the midship section must move along a curved line lying nearly in a horizontal plane. While the water from the upper part must, in its motion, describe a curve lying in a somewhat vertical plane; for it need not be made to escape at the stern-post, but under the counter  $D c$ .] The load-water-line can then be



given a form such as that in the diagram ; which, with a decrease in resist-

ance, is both productive of greater bearing, and brings the centre of gravity more aft. The centre of effort of the sails can then be more aft, and the bows will be less pressed down. And, as the head-sail will be decreased, the vessel will be eased in pitching. It has often been exclaimed that this fulness in the load-water-line must increase the resistance ; but it must be remembered, that the water does not divide along the load-water-line ; and we have just shown above how the resistance may therewith be lessened. [The load-water-line of the ' Mary Taylor ' is not unlike this.]\*



\* And an additional reason for the advantage in this form is as follows : the water which has passed along the whole length of the ship is more disturbed than the water more forward would be under similar circumstances ; and hence it has less supporting power. Add to this that it has a tendency to fly off at a tangent, and so offers less upward pressure to the stern. Or this may be put into other words ; the density of the water at the bows is increased by the motion of the vessel, while that at the stern is diminished ; the centre of gravity of the displacement, when the vessel is in motion, will therefore be thrown in advance of the point where the centre of displacement happens to be when the vessel is at rest, and before the centre of gravity of the ship ; the

On the other hand, the run, in a vessel with the narrow and flat midship section, must be tapered almost entirely in one direction, from the bilge to the counter. Whence the water from under the floor must escape upwards, in the direction of the buttock-lines, to the counter; describing a curve whose breadth is equal to the whole depth of the vessel. And the water near the surface closes horizontally, describing a curve the breadth of which is the half-breadth of the vessel. These two currents converge, and meeting at the stern, cause an eddy and dead-water, which the vessel has to drag in her wake.\*

~~~~~

bows consequently are pressed up and the stern subsides. This would always take place in vessels with little bearing aft, if the centre of effort of the sails were not either before or above the *point velique*. For this malposition of the *point velique* tends to press the bows down, and so counteracts the tendency of the stern to settle. But a great deal of power is lost in this useless antagonism. A broad stern, a more buoyant after-part to the vessel with the centre of effort of the sails no higher than the *point velique*, nor in advance of the vertical through the centre of gravity of the ship, would be much more conducive to velocity. (We hope the reader bears in mind that although the water-line is to be very full at the stern, yet it is requisite that the dividing-lines should be very fine.)

\* What we have just been saying applies, of course, chiefly to sailing-vessels. Those which do not require a hold upon the water may be broad and very shallow; in which case the objection to a flat floor does not obtain.


Again, when the vessel with the rising floor is heeled over, an increased surface is presented for support; and the water, pressing against a much larger volume to leeward than to windward, assists in making the vessel weatherly. This is the case with the Bermuda boats, which are said to "fetch to windward of the place they look up for." An extreme rise in floor, however, only holds good for small yachts. For, if the power is only at the surface of the water, the vessel in falling over, meets, from the great increase of immersion, with a considerable reaction; she is buoyed up and rendered uneasy. For this reason it is better, except in small boats with the centre of gravity very low, to preserve the same breadth for  $15^{\circ}$  above and below the load-water-line; so that, when inclined, the immersion and emersion should be about the same, without the centre of gravity being raised. Sir W. Symond's vessels and the New York pilot-boats have very rising floors.

2. Which form is most conducive to stability? Stability may be acquired either by beam or by depth. By beam, because the upward pressure of the water acts upon a longer lever; and by depth, because the ballast acts at the end of a longer lever. In both these requisites the second form of midship section is clearly superior.

The stability which arises from breadth of beam

is, for the same tonnage, to be preferred for all vessels, except perhaps mere racing craft. The stability arising from depth is rather advantageous only for vessels which are always running gunwale under, and assists, of course, in going to windward.\* The power from the former principle is *constantly* tending to prevent inclination; but the power decreases as the inclination increases. In the latter, it would appear, at first sight, that the power only begins to act as the vessel begins to

list, and increases with the inclination; and this would be the case if the vessel were without weight, and the ballast only were con-




sidered. But as the weight of the vessel must also be taken into account, it will be seen that the only real advantage in the depth is, that the ballast can be stowed lower, and so the centre of gravity of the

---

\* Mr. Wanhill of Poole, builds, with success, vessels of great depth and narrow; of course merely for racing. He also, has practised, without being aware, the principle which I propose; for when he commenced building, he hauled up his vessels which had been some time afloat, and observed where the copper was bright. The next vessel he built less full in that place. And so he did until he found that the copper of his vessels was equally bright all over.

whole ship be brought down. In the diagram, let  $C$  be the centre of gravity of the whole vessel,  $o$  of the displacement. Then the forces in question are the weight of the whole ship, ballast, &c., which may be supposed to be collected at  $C$ ; and the upward pressure of the water,  $P$ , which may be supposed to act at  $o$  with a moment equal to the product of  $P$  into the distance from  $P$  to a vertical line through  $C$ . This will probably be greater even in the broad midship section.

It is well to have a slight concavity in the bilge of the midship section of yachts, or of men-of-war, in order to resist the weight of ballast, and also to shorten the dividing-lines. For the effect will be to make the run commence further forward. But there must be some bow timber in which there is



no hollowness; and the dividing-lines must not converge, that is, the length of circumference of a section intercepted between two adjacent dividing-lines, on the straight or convex bow timber,

must not be greater than that intercepted between the same dividing-lines on any section more aft. If the convergence, however, be slight, it is not of consequence, because the increased density in the water, produced by the convergency, will add to the buoyancy at that part of the vessel.

This inflection tends also to decrease lee-way; because an inflected surface offers more resistance for the passage of the water than a simple curve. But there is no exact form of midship section to be prescribed. Some use a semi-parabola with the origin on the water-line, and it has been found to succeed very well.

The point in the midship section to which the chief dividing-line has to be taken, has not been as yet determined. If, from the load-water-mark on the stem-post, it were taken to the nearest point (in the body-plan) of the circumference of the midship section, then the projection of that dividing-line in the body plan, for the fore part of the vessel, would be a straight line, and the bow timbers would, at that part, be parallel. For if the chief dividing-line in this case were not a straight line, it would not meet the midship section at right angles. (This is the case in the 'Mary Taylor,' with the exception of the first two sections in the bow). If the fore body is not to be of such a form, the point must be assumed at pleasure; or the following plan must be adopted in order to find the place to which the chief dividing-line should be brought, that it might be as easy as possible: divide the angle between the bilge and stern-post into as many parts as there are sections before the midship section (the sections being supposed at

equal distances). The dividing-line taken over these lines, as if they were sections, will give the best point in the midship section for the dividing-line to be taken through.

#### THE STERN.

Quarters, which flange off at right angles from the stern-post, are, for two reasons, not good. The first is that, when the vessel is heeled over, they drag in the water; and the other is the very sudden increase of bearing which is thereby produced; and the vessel when thrown down on her stern by a sea meeting her, is pitched forward again with violence; and if the bows happen to be also very full, she will be pitched back till all grins again. If the vessel be very long, this pitching and 'scending will not be so violent; and the quarters then may flange off more suddenly. However, it may be urged with reason, that when a vessel is going very fast through the water, the fluid does not divide quite in the natural curve, but has a tendency, in the after-body, to fly off at a tangent; that the stern has then less support, and will sink unless a rapid increase of bearing is presented to the water. If the quarters make an angle of  $15^{\circ}$  or  $20^{\circ}$  with the water, they will not drag, or cause dead-water, when the vessel is careened, and will

not be too sudden, although a sufficiently great increase of bearing will be presented to the water.

The stern should be very broad. It increases the stability, brings the centre of gravity of the displacement further aft, and is also better when running before the wind in anything of a sea.

The low, overhanging stern usually given to our yachts is very pretty, but not nearly so safe when going before a sea, as a shorter and higher stern.

#### THE SHEER-PLAN.

The third feature which is entirely assumed at pleasure, is the sheer-plan. In England it is usual to give nearly an even draught of water fore and aft. In America, on the contrary, they used to give their schooners nearly twice as much depth aft. The latter plan enables a vessel to carry less head-sail, and by this means eases her pitching. The former method gives increased bearing below. The stern-post should, for the sake of the steering, be nearly upright. This rule is, nevertheless, not all-important; and the subsequent arrangements in the form of the body might render necessary a great deviation from it.

The amount of sheer is a matter of fashion and caprice. The use of it is both to throw the water off the deck, and to act like an inverted arch in

supporting the extremities of the ship, which have so little bearing below to give them the necessary support from the water. The bows and stern generally sink one or two inches on launching, and continue to do so as long as the ship is afloat. A curvature in the keel, such as that in the 'America,' would also tend to prevent hogging.

It is a matter of importance to have the gunwale no higher out of water than is necessary to prevent the decks being drowned, because every inch of it tends to impede her way on a wind, and to send her to leeward. When a sea meets her bows, it first rises considerably above the load-water-line; but as it passes along, the vessel is heaved up over it, and the stern again sinks into it. Hence the wave, when amidships, is not much higher than the load-water-line, and the deck ought, therefore, not to be very much above that. The stern need not be so high as the bows if it be broad.

## CHAPTER II.

THE dividing-line, which we have taken as our guide in forming the body of the vessel, has been described by the batten through the three given points. No particular curve has been assigned to it. Its *projections* in the sheer and half-breadth plans have been curves, which the batten naturally assumed. It is necessary, therefore, to ascertain by experiment, what sort of curve, of single or double curvature, should be given to the dividing-lines; or what kind of curve, of simple curvature, its projections in the sheer and half-breadth plans, should assume.

If experiments be made by drawing bodies of certain shapes through the water, noticing both the rates at which they travel respectively, and the weights required to move them, we shall learn which body offers least resistance to the water; and by ascertaining its dividing-lines, we shall know

supporting the extremities of the ship so little bearing below to give them support from the water. The bows generally sink one or two inches on a calm. A curvature in the keel, such as 'America,' would also tend to prevent

It is a matter of importance to have the decks being drowned, because it tends to impede her way on a windward sea. When a sea breeze first rises considerably above the vessel, and the stern again sinks into the wave, when amidships, is not much above the load-water-line, and the deck is not to be very much above that. The bows if it be

in *BCD*, with the same

though the water be much  
motive power :

gains only  $\frac{3}{12}$  more velo-  
city than that applied to *BCD*.

obtained from numerous  
*velocities*, a blunt bow-  
resistance in nearly the  
same *velocities*. And as the  
weightness of the bow has  
resistance.

moved through the water at  
depth; and it was found that  
(with a flat bow-end,) obtained,  
at a depth of six feet below,  
velocity,  $\frac{1}{10}$  more velocity than  
at the surface. But at a high velocity,  
the velocity at the surface

(with the sharp bow-end)  
velocity, when moved close below  
depth when sunk to a depth of  
velocity was not great. But  
at high velocity, its speed at the  
depth was more than below.  
It appears that, for a high velocity, it

D


what form a dividing-line should have, and where its greatest breadth should be. And if these bodies are so formed as to have :

1. Two horizontal planes for their upper and under surfaces, and vertical superficieses for their sides ; then the dividing-lines will be all the same, and of the same form as the water-line.

2. If the sides are vertical planes, parallel to the line of motion, and the under side is a superficies, such, that its intersections with planes perpendicular to the line of motion shall be horizontal lines, then the dividing-lines will be all similar and in vertical planes.

3. If the body be a solid of revolution, the dividing-lines will all be similar, and the same as the water-line.

Numbers of experiments have been made, and it is thence ascertained that, if there be taken two



cuniform bodies,  $ABDC$ , and  $BCD$ , of which the greater is formed of a part,  $BCD$ , the same as the smaller body, with another part,  $ABC$ , of

which the upper and under surface is an equilateral triangle ; and if the bodies are moved through the water with the end  $D$  aftermost ; and (1) if the bodies are moved slowly, then the body,  $AD$ ,

obtains  $\frac{1}{2}$  more velocity than *BCD*, with the same motive power:

But (2) if the motion through the water be much increased by an addition of motive power :

Then the body, *AD*, obtains only  $\frac{2}{3}$  more velocity with the same power as that applied to *BCD*.

And, in general, it is ascertained from numerous experiments that, at *high velocities*, a blunt bow-end does not increase the resistance in nearly the same proportion as at low velocities. And as the speed is increased, the bluntness of the bow has less effect in increasing the resistance.

The bodies were also moved through the water at six feet below the surface ; and it was found that the body *ABC* (with the flat bow-end,) obtained, when close below the surface,  $\frac{4}{5}$  more velocity than when moved at a depth of six feet below, provided the velocity was not great. But at a high velocity, it obtained only  $\frac{1}{5}$  more velocity at the surface than it did below.

And the body *AD* (with the sharp bow-end) obtained  $\frac{2}{5}$  more velocity, when moved close below the surface, than it did when sunk to a depth of six feet, provided the velocity was not great. But when moved at a high velocity, its speed at the surface was only  $\frac{1}{5}$  more than below.

From this it appears that, for a high velocity, it

D

is no great advantage to have a sharpness at much depth below the surface.

Also, it is a fact that when bodies are moved through the water, the resistance of the fluid to the bows does not decrease in the same ratio in which the dividing-lines of the bow are made more acute.

By experiments made in Sweden, it was proved that bodies with sharp bow-ends, obtain greater velocity through the water than bodies with full bow-ends, when, by equal powers, moved *slowly* through the water. But bodies with full bow-ends obtain a greater velocity than bodies with sharp bow-ends, when, by equal powers, forced rapidly through the water. Thus, a body of the form *AD* moves much more easily, at high velocities, with the *butt* end *A*, foremost; but at low velocities it moves more easily with the sharp end, *D*, foremost. And we observe this fact in the works of nature; for whales, cod, dolphins, porpoises, and other fast-swimming fish, have a full entrance and a long, tapering tail.

Moreover, it has been ascertained by experiment, that the taper of the stern-end must increase with the velocity at which the body is to be moved, and that the suction is a minimum for all the different velocities at which a ship may sail, when the

dividing-lines of the stern make an angle of  $13^{\circ} 17'$  with the keel.


A Thames wherry is built so as to go fast when lightly laden, but is formed for a slower pace, with more bearings, when sunk deeper in the water. The parts low down in the water have much more taper than those higher up; and when greatly immersed, the part at the surface of the water presents a sharp appearance in the bow, but full aft.

It is supposed in theory, that the resistance to the bows varies as the square of the velocity. Experiment shows that it does not increase quite so rapidly as this law would indicate. Neither does the suction at the stern increase in the same ratio.

From all this we learn that, for high velocities, the dividing lines of the bow may be made fuller, and those of the stern *must* be more tapered; that, for the same resistance, they can be fuller in the bow, at a part deep down in the water, than at the surface. Also, it has been found advantageous that in the half-breadth plan, the greatest dividing-line should have, at least, six times the length before the midship section, that it has half-breadth at the midship section.

If the dividing lines of the bow be made very sharp, and there be a great rise in floor at the

midship section, and the stern-post be perpendicular, then there will be a hollow in the water-lines of the bow. If this concavity be too great,








then two converging currents of water will be formed, and an eddy, or rather increase of density in the water, is produced, just abaft the bow. But if the concavity is so slight that any two adjacent dividing-lines do not converge, then it is not deleterious.

The dividing-lines must be made fuller at the bows until this object is attained.



Just as these papers were about to be placed in the publisher's hands, I have been enabled, by the kindness of the Rev. Hervey Goodwin, to get a sight of the first volume of Beaufoy's "Nautical Experiments." A great number of the results in this book are not applicable to our business, because of the straight lines and angles in the forms of the bodies used, while in ships there are employed only curves of different kinds. A summary of the results arrived at would, however, be useful.

The diagram represents the top or bottom surfaces of five of the models used in the experiments.



In (1),  $XA$  is a triangular cuneus of 3 feet in length;  $rb$  is also 3 feet in length;  $rs$  being a segment of a circle of 8 feet radius;  $sb$  being a tangent 1 foot in length.

In (2)  $rc$  is also 3 feet in length.

In (3)  $rg$  consists of segments of a circle of 1 foot radius.

In (4)  $rcr$  is a semi-cylinder of 6 inches radius.

In (5)  $XA$  is  $4\frac{1}{2}$  feet in length.

	Motive power in lbs.	Relative velocity.	Motive power.	Velocity.	Motive power.	Velocity.	Resistance without friction, at 3 feet per second.	Resistance at a velocity of 13.527 feet per second, or 8 knots per hour, excluding the friction.	
A being the head-end	No. (1)	12	3.922	48	7.339	96	10	1.777	35.54
	No. (2)	—	3.693	—	7.124	—	9.895	2.8576	35.05
	No. (3)	—	3.6075	—	6.9156	—	9.575	3.3299	51.74
	No. (4)	—	3.7534	—	7.0785	—	9.7208	2.5967	49.21
A being the stern-end.	No. (1)	—	3.9269	—	7.3540	—	10.0638	1.7656	34.35
	No. (2)	—	3.7897	—	7.2354	—	9.9973	2.3927	32.91
	No. (3)	—	3.8760	—	7.3155	—	10.0502	2.0891	34.93
	No. (4)	—	3.8316	—	7.2104	—	9.8914	2.2599	42.27
	No. (5)	—	3.8314	—	7.2120	—	9.8948	2.2148	41.21

In this model, the bow end is elliptical, the semi-transverse diameter being 10 feet 33 inches. The conjugate diameter 3.668 feet.



With a motive weight of 58·277lbs. the velocity was 6ft. per second  
 " " 402lbs. " " 14·499ft. "

But when the elliptical bow-end was reduced to two circular segments, then at the same velocities the motive weights were, respectively, 36·642 and 402 lbs., which shows that, at low velocities, a dividing-line of the form of a circular arc meets with less resistance than an elliptical one; but that, at a velocity of nine knots an hour, we can afford to have an elliptical dividing line without increasing the resistance, while the momentum is increased.

Numerous experiments proved that it was a very decided advantage when the water was made to divide in a vertical, instead of a horizontal direction, particularly in the stern.

Also it was found that, bodies when moved at a depth of six feet below the surface, experience less retardation than at the surface, *if the friction be excluded*, but the friction is very greatly increased. This is more particularly discernable if the bodies be very obtuse. A square plane, however, meets with more resistance at the depth of six feet, than at the surface. A plane of one foot square, moving at the rate of eight knots, meets with a resistance of 196·245 lbs.

Again, it is shown that when the length of the stern-end is nine times the half-breadth, then the

minus pressure, or suction, is nearly imperceptible ; but the friction on this length exceeds the friction and suction together on a shorter stern end.

The increase of friction, which is due to the augmentation of velocity, is a maximum at a velocity of 11 feet per second, and afterwards diminishes. The friction on an area of 77·16 feet, at a velocity of 13·527 feet per second, being 40·17. The friction on a surface of 50 feet, at different velocities, is exhibited in the following table, showing the results of two different sets of experiments :

Velocities per sec. . .	2	3	4	5	6	7	8	9	10	11	12	13·5
Friction {	0·6142	1·338	2·323	3·56	5·039	6·757	8·709	10·89	13·3	15·931	18·779	23·54
	0·7101	1·588	2·795	4·357	6·237	8·442	10·97	13·81	16·96	20·424	24·195	30·576

In conclusion, it has been ascertained that the powers of the velocities, according to which the friction varies, are :

Velocities Powers of velocity to which friction is proportional . }	2	3	4	5	6	7	8
	1·82	1·80	1·78	1·76	1·74	1·72	1·71


The *head-pressure* is always a little above the duplicate ratio of the velocity, but the ratio decreases as the velocity increases.

The *suction* is always less than the duplicate ratio, but this ratio increases slightly with the velocity.

The *whole resistance* is sometimes greater, and sometimes less than the duplicate ratio, according to the form of the body; but in most cases it is above the duplicate ratio at low velocities, and its ratio is less than the duplicate at high velocities.

## CHAPTER III.

## ON THE CALCULATION OF AREAS, VOLUMES, AND CENTRES OF GRAVITY.



LET  $ABDE$  be a trapezium, of which the angles  $A$  and  $B$  are right angles. It is required to find the distance of the centre of gravity of the trapezium from the side  $AE$ .

Let the base  $AB = m$ ,  $BD = b$ ,  $AE = a$ .

Draw  $EC$  parallel to the base. Then  $AC$  is a rectangle, and  $ECD$  is a right-angled triangle.

Now the area of  $AC = ma$

and the area of  $ECD = \frac{m}{2}(b-a)$

and the distance of the centre of gravity of  $AC$  from the side  $AE$  is  $= \frac{m}{2}$

That of the triangle from the same line is  $= \frac{2}{3}m$ .

Then, if the distance of the centre of gravity of the whole trapezium from  $AE$  be called  $\bar{x}$ , we have


$$\left\{ ma + \frac{m(b-a)}{2} \right\} \bar{x} = ma \cdot \frac{m}{2} + \frac{m}{2} \cdot (b-a) \cdot \frac{2}{3} m$$

$$\text{or } \frac{m}{2} (a+b) \cdot \bar{x} = \frac{m^2}{6} (a+2b)$$

$$\therefore \bar{x} = \frac{m}{3} \cdot \frac{a+2b}{a+b}$$

The following are Attwood's rules for finding the centre of gravity of a vessel's displacement.

To calculate approximately the area contained by any curvilinear plane figure.



Let  $A \alpha \beta \gamma \delta \epsilon E$  be a part of the given curvilinear figure.

Draw  $\alpha A$ ,  $\beta B$ , &c., perpendicular to the line  $AE$ , and at equal distances from each other. Join  $\alpha \gamma$ ,  $\gamma \epsilon$ , and draw  $\alpha T$  perpendicular to  $\gamma C$ .

Let  $AB$  or  $BC$ , &c., be called  $=m$ .  $A\alpha = a$ ;  $B\beta = b$ , &c.

Now, without any considerable error, we may suppose the portions  $\alpha \gamma$ ,  $\gamma \epsilon$ , &c., of the curve to be

parabolic;  $AE$  being perpendicular to the axes of the parabolas. Then  $\beta B$ ,  $\delta D$ , &c., will be diameters, and  $\alpha\gamma$ ,  $\gamma\epsilon$ , double ordinates.

$$\text{Now, area } AR\gamma\beta = \frac{2}{3}\beta R \cdot \alpha\gamma \sin \angle \beta R\alpha$$

$$= \frac{2}{3}\beta R \cdot \alpha T$$

$$= \frac{2}{3}\beta R \cdot AC$$

$$= \frac{2}{3}\left(b - \frac{a+c}{2}\right) \cdot 2m$$

$$= \frac{4b - 2a - 2c}{3} \cdot m$$

$$\therefore \text{area } A\alpha\beta\gamma C = \frac{4b - 2a - 2c}{3} \cdot m + \frac{(a+c)}{2} \cdot 2m$$

$$= \frac{a + 4b + c}{3} \cdot m$$

Similarly,

$$\text{area } C\gamma\delta\epsilon E = \frac{c + 4d + e}{3} \cdot m$$

Therefore, if  $A$  be the area of the whole curvilinear plane figure, we have

$$A = m \cdot \frac{a + 4b + 2c + 4d + 2e + \dots + 4l + n}{3}$$

To find the distance from  $A\alpha$  of the centre of gravity of the same figure.

The distance from  $A\alpha$  of the centre of gravity of the trapezium  $A\alpha R\gamma C$  is

$$= \frac{2m}{3} \cdot \frac{a+2c}{a+c}$$

and the distance from the same line of the centre of gravity of the parabolic segment is  $=m$ .

(For the whole surface of this parabolic segment may be supposed to be divided into elemental laminæ by chords parallel to  $\alpha\gamma$ ; and each of these is bisected by  $R\beta$ .)

And if  $x_1$  be the distance of the centre of gravity of  $A\alpha\beta\gamma C$ , we have

$$x_1 \cdot \frac{a+4b+c}{3} \cdot m = \frac{2m(a+2c)}{3(a+c)} \cdot m(a+c) + m \cdot \frac{4b-2a-2c}{3} \cdot m$$

$$\therefore x_1(a+4b+c) = 2m(a+2c) + m(4b-2a-2c) \\ = m(4b+2c)$$

$$\therefore x_1 = m \frac{4b+2c}{a+4b+c}$$

Similarly, the distance from  $C\gamma$  of the area  $C\epsilon$  is

$$x_2 = m \frac{4d+2e}{c+4d+e}$$

and the distance, from  $A\alpha$ , of the same point

$$\begin{aligned}
 &= m \frac{4d + 2e}{c + 4d + e} + 2m \\
 &= m \frac{2c + 12d + 4e}{c + 4d + e}
 \end{aligned}$$


And the distance from  $A\alpha$  of the centre of gravity of the next similar area will likewise be

$$= m \cdot \frac{4e + 20f + 6g}{e + 4f + g}$$

Therefore, the distance from  $A\alpha$  of the common centre of gravity of the whole curvilinear plane figure is

$$\begin{aligned}
 &= m \frac{4b + 4c + 12d + 8e + 20f + \dots}{a + 4b + 2c + 4d + 2e + 4f + \dots} \\
 &= m \frac{0 \cdot a + 1 \cdot 4b + 2 \cdot 2c + 3 \cdot 4d + 4 \cdot 2e + 5 \cdot 4f + \dots + \overline{n-1} \cdot n}{a + 4b + 2c + 4d + 2e + 4f + \dots + n} \\
 &= \frac{m^2}{3} \cdot \frac{0 \cdot a + 1 \cdot 4b + \dots}{A}
 \end{aligned}$$

Let  $ACD$  be the solid of revolution of the curve,  $AC$ , round its axis.



Through any points  $G$ ,  $H$ , in the axis,  $AB$ , draw  $EGN$ ,  $FHM$ , perpendicular to the axis,

and parallel to  $CD$ .

Through  $A$ , draw a curved line,  $ALKI$ , such

that the ordinates may be proportional to the areas of the corresponding sections, perpendicular to the axis, in the solid of revolution.

Produce  $MF$ ,  $NE$ ,  $CD$  to meet the curve in  $L$ ,  $K$ ,  $I$ , respectively.


$$\text{Then, } \frac{HL}{2\pi \cdot HF^2} = \frac{GK}{2\pi \cdot GE^2} = \frac{BI}{2\pi \cdot BD^2}$$

Then the area,  $HBIKL$ , expresses the solid contents of  $MCDF$ ; and the distance of their respective centres of gravity from  $A$ , measured along the axis,  $AB$ , is the same.

In a similar manner, this proposition might be proved, if the given solid be not a solid of revolution.

To apply the above propositions to the calculation of the solid contents and centre of gravity of a vessel's displacement.

Let  $ABWL$  represent the immersed part of any of the sections in the body plan.  $LW$  being the



load-water-line. Draw other lines parallel to  $LW$ , and at equal distances apart; let that distance be  $m$ ; and let the length of these lines be represented respectively by  $L$ ,  $l_2$ ,  $l_3$ , ... &c.

And let the breadth at  $A$  be  $K$ , which is the half-breadth of the keel.

Then the area of,

$$ALW = m \frac{K + 4l_6 + 2l_5 + 4l_4 + 2l_3 + 4l_2 + L}{3}$$

In the same manner must be found the area of every other section in the body-plan.

If the curve should happen to be inflected between  $A$ , and the next water-line but one, as between  $A$  and the end of  $l_5$ ; then we must draw a straight line from the end of  $l_5$  to the outside of the breadth  $K$ , and produce  $l_6$  to meet this line.

Then the area of that part of the section below  $l_5$  becomes

$$\begin{aligned} (k + l_5)m - \frac{4l_6 - 2k - 2l_5}{3}m \\ = \frac{m}{3}(5k - 4l_6 + 5l_5) \end{aligned}$$

Where  $l_6$  is measured beyond the circumference of the section, to the straight line joining the extremities of  $K$  and of  $l_5$ .

And the whole area is

$$\text{Area } LAW = m \cdot \frac{5K - 4l_6 + 6l_5 + 4l_4 + 2l_3 + 4l_2 + L}{3}$$

$$\text{or,} \quad = m \cdot \frac{K + 4l_6 + 2l_5 + \dots + L + 4(K - 2l_6 + l_5)}{3}$$

If there be a contrary flexure extending from the extremity of  $l_3$  downwards, we must draw a straight line joining the extremities of  $l_3$  and  $l_5$ , and another between the extremities of  $l_5$  and  $K$ , and the area of the section becomes

$$\begin{aligned}
 &= m \left( K + l_5 - \frac{4l_6 - 2K - 2l_5}{3} + l_6 + l_3 - \right. \\
 &\quad \left. - \frac{4l_4 - 2l_5 - 2l_3}{3} + \dots \right) \\
 &= \frac{m}{3} (5K - 4l_6 + 10l_5 - 4l_4 + 6l_3 + 4l_2 + L) \\
 &= \frac{m}{3} \left\{ K + 4l_6 + \dots + \right. \\
 &\quad \left. + 4l_2 + L - 4(K - 2l_6 + 2l_5 - 2l_4 + l_3) \right\}
 \end{aligned}$$

where both  $l_6$  and  $l_4$  are measured out beyond the circumference of the section.

When the areas of all the sections in the body-plan have been found, the next operation which must be performed is, to make a similar calculation for the load-water-line. But, that the result may be the volume of the displacement, it is necessary to substitute, respectively, the areas of the immersed part of each section for the breadth of the section at the load-water-line.

Let the figure represent the load-water-line of



a vessel;  $C, B, A, \phi, 1, 2, 3$ , being the several sections; and  $A_c, A_b, \dots$

their areas respectively.

And let the draught of water aft be  $=\mu$ ,

and that forward  $=\nu$

So that the half area of a section of the

stern-post at  $L$   $=k\mu$ ,

That of the stem at  $W$   $=k\nu$ ,

And let  $n$  be the distance between each section.

Then if  $D$  be the displacement, we have

$$D = n \frac{k\nu + 4A_c + 2A_b + \dots + 4A_3 + k\mu}{3}$$

and the displacement in tons

$$= \frac{D}{35}$$

since 35 cubic feet of salt-water weigh 1 ton.

And the distance from  $L$  to the centre of gravity of the part abaft  $\phi$

$$= n \frac{0 + 1 \cdot 4A_3 + 2 \cdot 2A_2 + \dots + 4A_\phi}{k\mu + 4A_3 + \dots + A_\phi}$$

and the distance from  $W$  of the centre of gravity of the forepart

$$= n \frac{0 + 1 \cdot 4A_c + 2 \cdot 2A_b + \dots + 4A_\phi}{k\nu + 4A_c + \dots + A_\phi}$$

E

therefore the distance from  $L$  of the centre of gravity of the forepart

$$\begin{aligned}
 &= LW - \frac{o + 1 \cdot 4A_c + \dots}{k\nu + 4A_c + \dots} n \\
 &= 8n - \frac{o + 1 \cdot 4A_c + \dots}{k\nu + 4A_c + \dots} n
 \end{aligned}$$

Hence, if  $\bar{x}$  be the distance of the centre of gravity of the displacement from  $L$ , we have

$$\begin{aligned}
 \bar{x} \cdot \frac{k\mu + 4A_3 + 2A_2 + \dots + 4A_c + k\nu}{3} &= \\
 &= \frac{k\mu + 4A_3 + 2A_2 + \dots + A\phi}{3} \cdot \frac{o + 1 \cdot 4A_3 + \dots + 4A_\phi}{k\mu + 4A_3 + \dots + A\phi} \cdot n \\
 &+ \left\{ 8 - \frac{o + 1 \cdot 4A_c + \dots + 4A_\phi}{k\nu + 4A_c + \dots + A\phi} \right\} \frac{k\nu + 4A_c + 2A_b + \dots + A\phi}{3} \\
 \therefore \bar{x}(k\mu + 4A_3 + 2A_2 + \dots + 4A_c + k\nu) &= \\
 &= n \{ o + 1 \cdot 4A_3 + 2 \cdot 2A_2 + \dots + 4A_\phi + \\
 &\quad + 8(k\nu + 4A_c + 2A_b + \dots + A\phi) - \\
 &\quad - (1 \cdot 4A_c + 2 \cdot 2A_b + \dots + 4A_\phi) \} \\
 \therefore \bar{x} = n \cdot \frac{o + 1 \cdot 4A_3 + 2 \cdot 2A_2 + 3 \cdot 4A_1 + 4 \cdot 2A\phi + 5 \cdot 4A_a + 6 \cdot 2A_b + 7 \cdot 4A_c}{k\mu + 4A_3 + 2A_2 + 4A_1 + 2A\phi + 4A_a + 2A_b + 4A_c + k\nu} \\
 &= \frac{n^3}{3D} \cdot (o + 1 \cdot 4A_3 + 2 \cdot 2A_2 + \dots)
 \end{aligned}$$

If the number of sections happens to be even,

then we must make the above calculations only for the part abaft the first section of the bow; then calculate the volume of the portion before that first section, and take the common centre of gravity of these two portions.

The rule for calculating the volume of displacement, and the centre of gravity of the same, is very simply deduced from the above.

*To find the Displacement.*

1. Calculate the area of the immersed part of each section in the body plan.

2. If the number of them be odd write them all in two columns alternately; which columns we will call *a* and *b*.

3. Multiply each in column *a* by 4, and each in column *b* by 2.

4. Write these products alternately in a third column *c*, so that in *c* the sections (multiplied alternately by 4 and 2) come in their own order.

5. Add up column *c*, and add together this sum, and also the areas of a section of the stem, and a section of the stern-post (viz.:  $k\nu$ ,  $k\mu$ ).

6. Multiply this sum by the distance between the sections, and divide by 3. The result is the volume of displacement.

The volume of displacement, divided by 35, gives the tonnage.

*To find the Centre of Gravity of the Displacement.*

7. Write at the top of column *c* the area of the section of the stem-post ( $k_v$ ); the other sections being written in their order, with the last section of the stern at the bottom.

8. Multiply each of these successively, beginning at the bottom, by the natural numbers 1, 2, 3, &c.

9. Multiply the sum of these products by the square of the distance between the sections, and divide by three times the displacement.

10. In this calculation it is better to use feet and decimals of feet for all measurements (instead of inches); the answer will then give the distance, in feet and decimals, of the centre of gravity from the point *L*, and all the trouble of the reduction of inches, square inches, and cubic inches, to feet, square feet, and cubic feet, is then dispensed with.

In some cases it may, perhaps, not be necessary to find the centre of gravity with any great accuracy. When this is the case, it may be found with great facility by the following method. Take a block model of the vessel, and suspend it to a string, by driving a nail into its upper surface at different places, until a point of suspension be found such that the load-water-line shall remain


horizontal. This point is in the vertical through the centre of gravity of the displacement.

The volume of displacement can also be measured approximately, by pushing the model down with the hand, into a box *full* of water, until the model is sunk up to the load-water-line. The model is now removed. A quantity of water has been made, by this operation, to overflow out of the box. The quantity in the box before and after the experiment can be calculated, and the difference of these quantities, in decimals of feet, gives the volume of displacement of the model. The displacement of the ship is found by multiplying that of the model by the cube of their relative size.

We have now ascertained the position of the vertical line passing through the centre of gravity of the displacement; and we know that the centre of gravity of the whole ship, when loaded, is in the same vertical; and that the weight of the whole ship is equal to the weight of water displaced. It still remains for us to determine the quantity of ballast (or cargo and stores) necessary to bring the vessel down to her load-water-line; and the position of the centre of gravity of this ballast, in order that the centre of gravity of the whole ship may be at that distance above or below the surface of the water, which may be thought most desirable.

I. In the first place, then, we must find the centre of gravity of the whole hull. This is done by supposing the hull to be one homogeneous mass; and the centre of gravity of the real hull will be nearly in the same place. The required operation is performed in a manner exactly similar to that given for finding the centre of gravity of the displacement; except that the areas of the whole sections must be calculated, instead of merely that of the immersed part.

Let the centre of gravity of the hull be at  $G$ ;



and let the distance of  $G$ , in a horizontal direction, from the aftermost part of the load-water-line be  $=x_1$ , and let the height

of  $G$  above the water  $=y_1$ .

II. Secondly, we must make an estimate of the weight of the hull. Let it  $=w$ .

III. And, thirdly, we must find the weight and centre of gravity of the masts, spars, rigging and sails. Let the weight be  $w'$ ; the height of the centre of gravity above the water  $=h$ ; and its horizontal distance from the aftermost point of the load-water-line  $=k$ .

IV. Then the centre of gravity of the whole ship is thus found :

Let :  $Y$  be its vertical height above the water.  
 $X$  its horizontal distance from the aftermost point of the load-water-line.

Then :  $X(w + w') = w \cdot x_1 + w' \cdot k$   
 $Y(w + w') = w' \cdot h \pm w \cdot y_1$

The negative sign being used if  $G$  is below the surface of the water.

$$\therefore X = \frac{wx_1 + w'k}{w + w'}$$

$$Y = \frac{w'h \pm wy_1}{w + w'}$$

And if  $T$  be the tonnage-displacement, and

$$T - (w + w') = \beta$$

then  $\beta$  is the required weight of ballast and stores.

And if the distance of the centre of gravity of the whole ship a-float, with ballast, &c., is to be  $\pm H$  above the water ; its distance from  $L$ , measured in a horizontal direction, being

$$\bar{x} = n \cdot \frac{0 + 1 \cdot 4A_3 + 2 \cdot 2A_2 + \dots}{k\mu + 4A_3 + \dots}$$

And if  $x'$ ,  $-y'$ , be the co-ordinates of the centre of gravity of the ballast, which it is required to determine, we have

$$\begin{aligned} T \cdot \bar{x} &= (w + w')X + \beta \cdot x' \\ \pm T \cdot H &= (w + w')Y - \beta y' \\ \therefore x' &= \frac{T \cdot \bar{x} - (w + w')X}{\beta} \\ &= \frac{T \cdot \bar{x} - (w + w')X}{T - (w + w')} \\ y' &= \frac{(w + w')Y \mp T \cdot H}{T - (w + w')} \end{aligned}$$

which gives us the necessary weight and position of the ballast, in order that the centre of gravity of the ship, when afloat, may be at any point previously determined.

It is necessary to make some remarks on the nature of the hull and rigging, in order that the values of the quantities  $w$ ,  $w'$ , &c., may be found.

The weight of the timber of which the hull is composed may be reckoned, in round numbers, at 50 lbs. per cubic foot (White). The frames of the timbers are usually  $2\frac{1}{2}$  or 3 feet apart, in America (Griffiths). In England, they are sometimes as much as  $3\frac{1}{2}$  feet apart.

The size of the timbers may be estimated from

the following table (extracted from one given by Mr. James Peake, of Woolwich) for a schooner of 180 tons.

	Sided.	Moulded.	
The floors, first and second futtocks	8 inches	6 inches	
Third futtocks . . .	7 „	5 „	
Main keel . . .	8 to 12 inches thick		} Moulded as per sheer-draught.
False keel . . .	6 inches	„	
Main stem at head .	12 „	„	
„ „ below .	8 „	„	
Stern-post at head .	11 „	„	
„ „ at keel .	8 „	„	
Kelson . . . .	10 „	square	
Plank at bottom .	2½ „	thick	
„ wales . . . .	4 „	„	
Deck beams . . .	8 „	sided	7 inches moulded

Forty pounds of iron and copper fastenings, metal knees and stanchions, &c., may be reckoned on for every ton of displacement, if the vessel is square-fastened (two bolts in every timber).

The weight of spars and masts may be estimated at 40 lbs. per cubic foot. The average lengths of masts will be found at the end of the book.

The weight in lbs. of a hempen rope, per foot in length, is equal to the square of its circumference in inches, multiplied by 0.045.

The load in lbs. which a rope will bear with safety is equal to the square of its circumference in inches multiplied by 200. Hence, from the strength required, the size of rope can be determined, and thence its weight.

A table of the weight of chains will be found at the end.

In round numbers, ships from 5 to 800 tons weigh  $\frac{2}{3}$  of their displacement; from 1000 tons and upwards they weigh about  $\frac{1}{2}$  of their displacement. Iron vessels weigh about  $\frac{1}{3}$  less than those of timber. (Griffiths).

As the draught only shows the inside of the plank, the vessel will actually displace more water than is found by the calculation which we have indicated. The following table of this increase is given by Griffiths. If the plank be oak, the displacement will be increased by

In a ship.	Schooner.	Smaller vessels.
$\frac{1}{18}$ to $\frac{1}{16}$	$\frac{1}{16}$ to $\frac{1}{14}$	$\frac{1}{13}$ to $\frac{1}{11}$

But if the plank be pine, which must be thicker than oak, it will be increased by

In a ship.	Schooner.	Smaller vessels.
$\frac{6}{90}$ to $\frac{6}{80}$	$\frac{6}{80}$ to $\frac{6}{70}$	$\frac{6}{60}$ to $\frac{6}{50}$

These tables of Griffiths will serve when we need


not be very exact. In other cases the thickness of the plank must be delineated in the draught before calculating the displacement, and the weight of the rest of the materials must be accurately noted.

One of the best rules for calculating the tonnage displacement of a vessel in round numbers, was invented by Pook of Massachusetts. From  $90^\circ$  deduct the angle of the floor, (or degrees of dead-rise). Multiply by 0.0075, and the product is called the decimal for capacity. Multiply together the length, breadth, and depth, (from the rabbet to the load-water-line). This product multiplied by the decimal for capacity and divided by 35, gives the displacement in tons.

## CHAPTER IV.


## ON THE METACENTRE AND ON STABILITY.

OF the positions of equilibrium of a floating body some are stable, and some instantaneous. These must be carefully distinguished.



Let us first suppose that the floating body be perfectly symmetrical, as to form and density, on each side of the plane  $ABCD$ . Let  $G$  be the centre of gravity of the body, (which will be in the section made by the plane  $ABCD$ .) Let  $AC$  be the waterline when the body is in equilibrium; and  $H$  the centre of gravity of the volume of fluid displaced, (which will also be in this section, and will be in the perpendicular through  $G$  on  $AC$ ). If the body be homogenous  $H$  will be below  $G$ ; but, by ballast it may be brought above  $G$ .

Now let the body be turned a little round an



axis perpendicular to  $ABCD$ , and then left to itself without any initial velocity. The section  $ABCD$  will always remain vertical, whatever motion the body may acquire, and will always contain the centre of gravity of the displacement. In


this new position let  $A'C'$  be the line of flotation, cutting  $AC$  in  $E$ ; so that  $\angle AEA' = \angle CEC'$ .

Now, by a deduction from d'Alembert's principle, the centre of gravity  $G$  will move as if the mass of the body were there collected, and the weight of the body and the resultant pressure of the fluid there applied. But, as these two forces are equal and opposite,  $G$  has no motion to be considered. Let  $H'$  be the centre of gravity of the fluid displaced. This point will be in the section  $ABCD$ , but not in the same vertical as the point  $G$ . Hence the pressure of the fluid will tend to turn the body round an axis passing through  $G$  and perpendicular to  $ABCD$ ; either tending to bring it back to its state of equilibrium or to turn it away still more.

Draw the vertical  $H'M$ , meeting  $BK$  in  $M$ . Then the pressure of the fluid acting along  $H'M$ , will tend to bring the body back to its original position if  $M$  be above  $G$ . And if  $G$  be below  $H'$ ,  $M$  must necessarily be above  $G$ ; and the equilibrium is *stable*. If  $G$  is above  $H'$ ,  $M$  may either be above


$G$  or below it; in the former case, the equilibrium is stable; if the latter be the case, the original position is one of *instantaneous* equilibrium.  $M$  is the metacentre when the angle of inclination is indefinitely small.

Again let us consider a body in equilibrium at the surface of the water, in which  $ABCD$  is the line of floatation :



Let  $M$  denote the mass of the body and  $V$  the volume of water displaced, so that if  $\rho$  be the density of the fluid

$$M = \rho V.$$



Let  $ABCD$  be a little pressed under water while the body receives also a slight displacement so as to make  $ABCD$  inclined to the horizon; and, to be quite general, let a small initial velocity be imparted to the particles of the

body. The equilibrium will be disturbed; and the question is whether  $ABCD$  will tend to return to its position of equilibrium by oscillating up and down. At any instant of the motion let  $A'B'C'D'$  be the plane of floatation. Let  $AB''CD''$  be a section parallel to  $A'B'C'D'$ , and passing through the centre of gravity of the section  $ABCD$ . Let  $\theta$

be the inclination of these two sections to each other,  $\zeta$  the distance of  $AB'CD'$  from  $A'B'C'D$ . Both of these are variable quantities, and small at the beginning of the motion.

Let  $u$  be the variable velocity of an element  $dm$  of the body. The sum of the *vis viva* for each point will be

$$fu^2 \cdot dm$$

between limits. Hence, if  $\phi$  be a function of co-ordinates dependent on the forces applied to the body

$$fu^2 \cdot dm = c + 2\phi \dots \dots \dots (1)$$

The forces on which  $\phi$  depends are, the force of gravity acting on each element of the body, and the pressure of the fluid on the part immersed. Instead of this last force we may suppose a number of vertical moving forces, acting on each element of the body below the plane of floatation, and equal to the weight of water which it would displace.

Then if  $g$  represents the constant force of gravity ;  $dv$  an element of volume corresponding to the element of mass,  $dm$  ; then the moving force acting on  $dm$  is

$$g \cdot dm - g\rho dv$$

if the element be below the plane of floatation ; and

$$g \cdot dm$$

if it be above water-mark. Hence we must have, if  $z$  be the variable distance of  $dm$  below the plane of floatation,

$$\phi = \int z g dm - \int z g \rho dv$$

the first integral extending all over the body; the second only over the part immersed. Let  $GE = z_1$  then

$$\int z g dm = g M z_1.$$

Let the second integral be divided into two parts: the volume  $V$  below  $ABCD$ , and the volume between  $ABCD$  and  $A'B'C'D'$ ; and let  $k$  be the value of  $\int z dv$  extending, in limits, over all the elements of this portion. Let  $z'$  be the variable distance of the centre of gravity of the volume  $V$  from the surface of the water  $= HF$ ; then

$$\phi = g M z_1 - g \rho V z' - g \rho k$$

now  $\angle EGK = \theta$ . Hence if  $GH = a$  we have

$$z_1 = z' \pm a \cos \theta$$

The upper or lower sign being taken according as  $G$  is below or above  $H$ .

Hence

$$\begin{aligned} \phi &= g M (z' \pm a \cos \theta) - g \rho V z' - g \rho k \\ &= \pm g \rho V a \cos \theta - g \rho k \end{aligned}$$

where  $k$  yet remains to be determined.

Let  $ABCD$  be divided into elements  $d\lambda$ ; the projections of these elements on  $A'B'C'D'$  will be

$$d\lambda \cdot \cos \theta$$

and if the volume between these two planes be divided into elementary cylinders with these projections for bases, and these cylinders be divided again by horizontal planes very near to each other, then the value of each of these latter elements will be

$$dv = dz d\lambda \cos \theta$$

now  $\int z dv$  relatively to one cylinder

$$\begin{aligned} &= d\lambda \cos \theta \times \int z dz \\ &= \frac{1}{2} y^2 d\lambda \cos \theta \end{aligned}$$

if  $y$  be the height of the cylinder

$$\therefore k = \frac{1}{2} \cos \theta \int y^2 d\lambda$$

the limits being those given by the area  $ABCD$ .

Now,

$$y = \zeta + l \sin \theta$$

if  $l$  be the distance of the element in question from  $AC$ , the intersection of  $ABCD$  and  $AB'CD'$ ; this quantity being positive or negative according as  $d\lambda$  is above or below  $AB'CD'$ .

$$\therefore k = \frac{1}{2} \cos \theta (\zeta^2 \int d\lambda + 2\zeta \sin \theta \int l d\lambda + \sin^2 \theta \int l^2 d\lambda)$$

F

Let  $ABCD = \int d\lambda = b$ . Now since the centre of gravity of this section is in  $AC$

$$\therefore \int l d\lambda = 0$$

and let

$$\int l^2 d\lambda = b\gamma^2$$

$\gamma$  being a line dependent on the figure and extent of  $ABCD$

$$\therefore k = \frac{1}{2}b \cos \theta (\zeta^2 + \gamma^2 \sin^2 \theta)$$

which is approximately the value of  $k$  if the body be only inclined and depressed in a small degree.

Hence by substitution in the value of  $\phi$  and putting the exponential values for  $\sin \theta$ , and  $\cos \theta$ ,

$$\phi = \pm g\rho Va \mp \frac{1}{2}g\rho Va\theta^2 - \frac{1}{2}g\rho b \left(1 - \frac{\theta^2}{2}\right) (\zeta^2 + \gamma^2\theta^2)$$

$$= \pm g\rho Va \mp \frac{1}{2}g\rho Va\theta^2 - \frac{1}{2}g\rho b (\zeta^2 + \gamma^2\theta^2) \text{ very nearly.}$$

Hence equation (1) becomes, if  $c' = c \pm 2g\rho Va$

$$\int u^2 dm + g\rho \{ b\zeta^2 + (b\gamma^2 \mp Va)\theta^2 \} = c' \dots (2)$$

which is positive if  $b\gamma^2 \pm Va$  is positive. And at the commencement  $c'$  is very small, depending on  $\theta$ ,  $u$ ,  $\zeta$ , which at the commencement of the movement are supposed to be very small, and hence the equilibrium of the body is stable if  $b\gamma^2 \pm Va$  is positive.

Now  $b\gamma^2 = \int l^2 d\lambda$

and must be positive, as all the elements are positive.

Hence if we take the positive sign to  $Va$ , that is if  $G$  is below  $H$ , the equilibrium must necessarily be stable. If  $G$  is above  $H$  we must have

$$b\gamma^2 > Va.$$

Now the magnitude of  $\gamma$  varies as the magnitude of  $AC$  which must always pass through the centre of gravity of  $ABCD$ . But in one position  $AC$  is least. Hence if we calculate  $\gamma$  for this position, we may be sure, if for that value  $b\gamma^2 > Va$ , that the equilibrium is stable.

In a ship the line for which  $\gamma$  is least, and therefore  $\int l^2 d\lambda$  is a minimum, is a line in the direction of the keel; or "the middle line" in the plane of the load-water-line. Hence we must find  $\int l^2 d\lambda$  for the load-water-line; and in proportion as this is greater than the product of the volume displaced into the distance between  $G$  and  $H$ , so the equilibrium is stable.

If the water-line be a parabola with the origin at the greatest breadth, and the axis in the direction

of that section (according to Mr. White's practice), and if

$$x^2 = my$$

be the equation to the parabola.

Then the area of the plane of floatation may be divided into elemented laminæ,  $d\lambda = x \cdot dy$ , parallel to the middle line, around which the *vis viva* is taken.



And if  $b$  be the half-breadth of the vessel at the plane of floatation, and  $l$  the variable distance of each lamina from the middle line,  $LW$ , then,

$$\begin{aligned} l &= b - y \\ &= b - \frac{x^2}{m} \end{aligned}$$

But from the equation to the parabola.

$$2x dx = m dy$$

$$\therefore d\lambda = \frac{2}{m} x^2 dx$$


$$\text{and } l^2 d\lambda = \left(b - \frac{x^2}{m}\right)^2 \cdot \frac{2}{m} x^2 dx$$

$$= \frac{2}{m^3} (mbx - x^3)^2 dx$$

$$\begin{aligned} \text{and } \int l^2 d\lambda &= \frac{2}{m^3} \int_0^{\sqrt{mb}} (mbx - x^3)^2 dx \\ &= \frac{2}{m^3} \left\{ \frac{1}{3} mb^3 - \frac{2}{3} mb^2 + \frac{1}{7} mb \right\} \\ &= \frac{1.6}{1.05} \sqrt{mb^7} \end{aligned}$$

But it must be remembered that the sum or difference,  $\int l^2 d\lambda \pm Va$ , is the measure of stability of a ship only when inclined at an indefinitely small angle; that is, it shows the power of a ship to resist the first instantaneous force of the wind. When the ship is inclined at a finite angle, other reasoning must be applied, in order to determine her stability.

Let  $LW$  be the plane of floatation before inclination;  $ac$  the plane of floatation when inclined;  $\phi$  the angle of inclination;  $G$  the centre of gravity of the whole ship;  $H$  the centre of gravity of displacement previous to inclination;  $o$  the centre of displacement when the



ship is inclined.

Draw  $Om$  perpendicular to  $ac$ , meeting  $HG$ , produced in  $m$ . Draw  $HT$  perpendicular to  $Om$ , and  $GZ$  parallel to  $Om$ , and meeting  $HT$  in  $Z$ .

Let the solids of immersion and emersion be  $I$  and  $E$  respectively. And let us suppose the whole weight of each collected at its centre of gravity. And for simplicity let  $E=I$ ; and let the distance between the centres of gravity of  $E$  and  $I$  be  $=b$ .

Now, although it is the wind that in reality causes the inclination, yet the same effect would be produced if the weight of  $E$  were transferred to the other side, with the same moment.

And, therefore, the moment causing inclination is  $I \cdot b$ , or  $E \cdot b$ .

And, if  $D$  be the weight of the whole ship, or the displacement, then the moment tending to right the ship is

$$D \cdot Gv.$$

For  $G$  is the centre of revolution of the whole ship.  
But

$$\begin{aligned} D \cdot Gv &= D (HT - HZ) \\ &= D \cdot HT - D \cdot HZ. \end{aligned}$$

But since  $O$  is the centre of the new displacement caused by passing  $E$  over to the other side

$$\begin{aligned} \therefore b \cdot E &= D \cdot HT \\ \therefore D \cdot Gv &= b \cdot E - D \cdot HZ \\ &= b \cdot E - D \cdot GH \sin \phi. \end{aligned}$$

If we suppose  $\phi$  to be infinitely small, then  $m$  is the metacentre. And in this case,  $I$  and  $E$  may be considered to be infinitely small prismatic triangles. And the planes of floatation before inclination, and when the vessel is inclined, may be supposed to intersect in the *longitudinal* axis of the ship, which intersects the line  $GF$  (and the plane of the paper) at right angles.

$$\text{Also,} \quad b = 2 \cdot \frac{2y}{3} = \frac{4y}{3}$$

$$(\text{if } y = \frac{1}{2}LW.)$$

$$\text{Let} \quad CW = aL = \phi$$

Then the elementary triangles of the prismatic solids,  $E$  and  $I$ , are

$$\frac{1}{2}y\phi dx$$

If the axis of  $x$  be the longitudinal axis of the ship, in the plane of floatation.

Hence, the moment of one of these elementary triangles

$$\begin{aligned} &= \frac{1}{2}\phi y \cdot dx \times \frac{4}{3} \cdot y \\ &= \frac{2}{3}y^2\phi dx \end{aligned}$$

$$\begin{aligned} \text{And,} \quad b . E &= D . HT \\ &= \frac{2}{3} \int y^2 \phi . dx \end{aligned}$$

but,  $\phi : y \because HT : Hm$  (by similar triangles.)

$$\therefore \phi = \frac{HT}{Hm} \cdot y$$

$$\therefore D . Hm = \frac{2}{3} \int y^3 dx$$

$$\text{and} \quad HM = \frac{2}{3D} \cdot \int y^3 dx$$

From the foregoing calculation we find that the equilibrium is stable if

$$Hm > HG$$

$$\text{or if} \quad \frac{2}{3 \cdot D} \int y^3 . dx > HG$$

$$\text{or if} \quad \int y^3 dx > \frac{3}{2} HG \cdot D$$

But from page 67 we find that the equilibrium is stable if

$$\int l^2 d\lambda > D \cdot HG$$

or if, as above, we suppose the plane of floatation to be the plane of  $xy$ , the axis of  $x$  being parallel

to the longitudinal axis of the ship, and the axis of  $y$  being transversely to the length of the ship, the origin being in the line  $HG$ ; then  $l$  becomes  $y$ , and  $d\lambda$  becomes  $ydx$ ,

$$\therefore \int l^2 d\lambda = \int y^3 \cdot dx$$

Hence, the equilibrium is stable, also, if

$$\int y^3 \cdot dx > D \cdot HG$$

Comparing these results, we find that the meta-centre may be below  $G$ , and yet the equilibrium remain stable, provided that

$$Hm > \frac{2}{3}HG.$$

We may here remark that the stability depends upon the lowness of the centre of gravity of the ship, and the height of the centre of displacement; and also (in order that  $m$  may be high) on the breadth of the load-water-line. This will be made more clear by what follows.

We will resume the former expression for the moment producing stability, when the ship is inclined through a finite angle

$$D \cdot GV = b \cdot E - D \cdot GH \sin \phi$$

Now let us suppose that, in the half breadth plan, the lines representing the vertical sections are pro-

duced and made proportional to the areas of those sections respectively; and let a curve be drawn through the extremities of these lines. Then, with the same rectangular axes as before, we have

$$D = Kfydx,$$

(where  $K$  is some constant by which the areas were divided, so that the line representing each area respectively equals  $\frac{\text{area}}{K}$ ; and  $y$ , in this instance, extends over the whole of the latter curve.) Also

$$b \cdot E = \frac{2}{3} \phi fy^2 \cdot dx$$

$$\therefore D \cdot GV = \frac{2}{3} \phi fy^2 dx - K \cdot GH \sin \phi fy dx$$

where the first integral extends over the load-water-line alone, and the second over the whole area contained by the other curve.

Hence we see that, in order for the stability to be great, we must have  $fy^2 dx$  as great as possible, and the negative term as small as possible; or the area of the load-water-line must be as great as possible, the centre of gravity of the whole ship very low, and the vessel's bottom as lean as possible. This is a very curious result, and contrary to the almost universal assumption of ship-builders. But it will not astonish us if we consider the direction

of the supporting efforts of the water at different heights along the surface of the vessel, and the moments of these efforts. These moments being much greater in the vessel with the lean bottom; and nearly all of them tending to bring the vessel back to her original position, which is not the case when the bilge is fuller.

It has been a matter of wonder, why the flat-bottomed coasting vessels of America should be so much stiffer than their other vessels (*vide* Griffiths); but the above fact quite explains the phenomenon.

We see, hence, that it would be a good plan to build small sailing-boats very shallow, and with a very straight floor, forming an angle of at least  $60^\circ$ , with the plane through the stern-post and keel. And, in order to prevent them from being leewardly, a lee-board could be provided, with a tackle to keep that lee-board vertical when the vessel is inclined.

A good practical mode of ascertaining the relative values of  $\int l^2 d\lambda$  in different vessels, would be to



make a model of half the water-line, and make it oscillate around the mid-

dle-line  $WL$  (which must be quite horizontal); and the time of a single oscillation must be found by counting the number of oscillations in one minute. Let the time of an oscillation be  $t'$  seconds, suppose

( $t'$  being a small fraction). And if  $G$  be the centre of gravity of the surface, and  $\bar{y}$  its distance from the line  $WL$ , and if  $L$  be the length of pendulum corresponding to that time, then

$$\text{then,} \quad L = \frac{\int l^2 d\lambda}{x \cdot \int d\lambda}$$

$$\text{and,} \quad t' = \pi \sqrt{\frac{L}{g}}$$

$$= \frac{\pi}{\sqrt{g}} \cdot \sqrt{\frac{\int l^2 d\lambda}{x \cdot \int d\lambda}}$$

$$\therefore \int l^2 d\lambda = \frac{t'^2 g}{\pi^2} \cdot \bar{x} \int d\lambda$$

where  $\int d\lambda$  is the area of the semi-water line; and  $\frac{g}{\pi^2} = 3.26$ . But this gives us only the stability of a vessel the size of the model: unless the quantities  $\bar{x}$  and  $\int d\lambda$ , are measured by the scale for the whole vessel. And, in this case,  $t'$  must also be calculated for the full-sized water-line. The time,  $t$ , of an oscillation of a load-water-line the full size of the vessel, is thus deduced from  $t'$ . Let the dimensions of the vessel be  $m$  times that of the model, then

$$t = \frac{\pi}{\sqrt{g}} \cdot \sqrt{\frac{\int k^2 dK}{x_1 \int dK}}$$

Where  $k^2 = m^2 t^2$  and  $\int dK = m^2 \int d\lambda$

Also,  $x_1 = \bar{m}x$

$$\therefore t = \sqrt{m} \cdot t'$$

And for the whole vessel

$$\int k^2 \cdot dK = \frac{g}{\pi^2} t^2 \cdot x_1 \int dK.$$

The stability of a vessel depends upon the difference between this quantity, and the product of the volume of displacement into the distance between the centre of gravity of the ship and that of the displacement. But for general comparison, the calculation of this quantity will be sufficient; if it be borne in mind that the same value for this quantity represents a greater amount of stability in a vessel which is lean below, than in one which is narrower and full below.

Again we observe that if the stability and area of canvass for a vessel of a certain size be calculated; then the stability of a vessel, built on the same lines, but to a scale which makes her  $n$  times as great, will be increased in a much greater ratio. For let the stability of the former be  $\int t'^2 d\lambda - Va$

$$\text{(where } \int t'^2 d\lambda = \frac{t'^2 g}{\pi^2} \cdot \bar{x} \int d\lambda)$$

and the area of the sails =  $A$  square feet.

Then if the stability of the larger vessel be  $\int L^2 d\Lambda - \gamma\alpha$ .

$$\text{where } \int L^2 d\Lambda = \frac{T^2 g}{\pi^2} \cdot \bar{X} \int d\Lambda$$

and  $T^2 = nt^2$ ;  $\bar{X} = n\bar{x}$ ;  $\int d\Lambda = n^2 \int d\lambda$ ;  $\gamma = n^3 V$ ;  $\alpha = na$

Therefore the expression for the stability is increased  $n^4$  times while the area of canvass which would be given to her, if the sail-draught were measured by the same scale, would be increased only  $n^2$  times.

But the height of the centre of effort of the sails is increased  $n$  times, and therefore the moment of the sails is only increased  $n^3$  times while the stability has increased  $n^4$  times. And hence the sail-draught should be measured by such a scale that the area of the sails be increased  $n^3$  times. Or the scale instead of being a  $\frac{1}{n}$ th scale should be a

$\frac{1}{n^{\frac{2}{3}}}$ th scale.

For the same reason small boats, having so much less stability in comparison to large ones, and yet being furnished with a disproportionate area of canvass, meet with so many accidents.

And hence also the advantage of a large vessel; for the resistance increases as the square, the propelling

force as the fourth power, and the momentum as the third power.

Again, if the centre of gravity of the area of the load-water-line be not in the same vertical section as the centre of gravity of the displacement, but before it; suppose, then  $fl^2d\lambda$  limited to the portion of the load-water-line behind the centre of gravity of the displacement is not so great as the same expression limited to the rest of the area. Or the vessel is not so much supported against heeling in the after as in the fore part. Hence her stern will both be depressed, and fall off from the wind.

## CHAPTER V.


## ON UNEASY MOTION AND ROLLING.

WHEN a ship is inclined, she revolves round her centre of gravity. Then a part of the ship is immersed, which was formerly out of water, and a part is emersed, which was formerly below the surface. The solid immersed may consequently be of a different form from that emersed. Now there are two things to be remarked as possibly taking place co-instantaneously with this motion :

1. If the centre of gravity of the part immersed, and that of the part emersed, be not in the same vertical transverse section of the ship, then the centre of gravity of the new displacement is either before or abaft of the centre of gravity of the ship ; and either the bows or stern are raised. The axis of rotation of the ship is, in fact, inclined to the

longitudinal axis of the ship; the latter axis being parallel to the surface of the water.

(2). If the solid of immersion be greater than that of emersion, the centre of gravity of the ship will be raised in space as the vessel is inclined, and will fall again as she rights herself. As this makes a ship very uneasy, we will consider the conditions under which it does not take place.



Let  $G$  be the centre of gravity of the ship.  $AB$  the water-line when she is upright. Through  $G$  draw  $GC$  perpendicular

to  $AB$ , cutting  $AB$  in  $D$ ; and from  $G$  draw  $Gy$ , making  $\angle CGy$  equal to the angle of inclination. Take  $GY = GD$ , and through  $Y$  draw  $OR$  perpendicular to  $GY$ . Then as  $G$  is not to rise or fall during the inclination,  $OR$  must be the new water-line. Let  $OR$  intersect  $AB$  in  $S$ . Through  $D$  draw  $NM$  parallel to  $OR$ ; and draw  $Np$ ,  $Mq$ , perpendicular to  $AB$ , and  $ST$  perpendicular to  $MN$ .

Then, if we suppose that the centre of gravity of the solid of emersion, and that of the solid of immersion are in the same transverse section, we must have the line  $DS$  the same in every transverse section; or the intersection of the two planes of floatation is a straight line parallel to the longitudinal axis of the ship.

Again, we have the solids of immersion and emersion equal.

$$\begin{aligned}\therefore \text{volume } BSO &= \text{vol. } ASR \\ &= A \text{ suppose.}\end{aligned}$$

$$\begin{aligned}\text{And } ADM &= ASR + RSDM \\ BDN &= BSO - NDSO\end{aligned}$$

$$\begin{aligned}\therefore ADM - BDN &= RSDM + NDSO \\ &= NORM \\ &= MN \cdot DS \sin \angle \text{incl.} \quad \text{nearly.}\end{aligned}$$

$$\begin{aligned}\therefore DS &= \frac{ADM - BDN}{MN \sin \angle \text{incl.}} \\ &= \frac{ADM - BDN}{Np + Mq}\end{aligned}$$

This gives the line of intersection of the two planes of floatation upon the supposition that the two solids with their apexes along this line are equal. If on calculation, however, they are found not to be so, it will be necessary to make an alteration in the form of the vessel.\*

We must now proceed to determine the most suitable position for the centre of gravity of the whole ship.

Let *WDL* be a transverse section of a ship;




\* This calculation is from the *Encycl. Britt.*



which makes her roll will be less. And in this case, if the figure of the vessel be made similar for nearly  $30^\circ$  both above and below the load-water-line (the centre of the circle being in the middle point of the line  $LW$ ), then we shall attain two objects at once: the solids of immersion and emersion will be equal, and the direction of  $WH$  will be along the line  $WL$ . A third object will also be attained by raising the centre of gravity of the ship as high as the load-water-line; the keel and lower parts of the vessel, fore and aft, are the "cleanest," and consequently their surfaces offer the most direct resistance to rolling; and as these will be further from the centre of rotation, the moments of their resistance will be increased. But yet, on the other hand, the stability will be somewhat less than if the centre of gravity were lower.

Even if the sides be of such a form amidships that the tangents to the surface at the level of the water on both sides of the ship are parallel, yet the solids of immersion and emersion will not really be equal, because the bows and stern cannot have this



form at the load-water-line. Hence the centre of gravity must rise a little. Let that quantity be  $k$ , for a very small inclination. As the inclination is very small, we may measure the arc of the angle of inclination on the

tangent plane instead of on the surface itself. Now, suppose a ship which is *perfectly* similar, fore and aft, for as great an arc above and below the load-water-line; *then* if the centre of gravity were in  $AB$ , it would neither rise nor fall. But let it be above  $AB$ , at such a distance,  $GO=y$ , so that the centre of gravity, when the vessel is inclined, shall fall a distance equal to  $k$ .

Through  $G$  draw  $Gx=GO$  and making  $\angle OGx$  the angle of inclination. Through  $x$  draw  $pxq$  perpendicular to  $Gx$ : through  $O$  draw  $ab$  parallel to  $pq$ .

Then,  $\triangle AaO = \triangle BbO$

therefore the solids of immersion and emersion are equal, and  $ab$  is the new water-line.

Let  $ab$  cut  $Gx$  in  $Z$ .

Then the centre of gravity has fallen a distance

$$xZ=k$$

But since  $GO=Gx$

$$\therefore \frac{xZ}{GO} = \text{vers} : \text{angle of inclination}$$

$$\text{or } k = GO \cdot \times \text{vers} : \angle \text{ of incl.}$$

$$= y \cdot \text{vers} : \angle \text{ incl.}$$

which will be the proper height for the centre of gravity to make the rolling a minimum.

If the sides are not parallel at the load-water-line, but "tumble in," then the centre of gravity may be lower than the surface of the water, for rolling to be as little as possible. If on the contrary the sides lean out above the water, the centre of gravity must be higher.


With regard to the proper longitudinal position of the centre of gravity of the ship and of the displacement, it is evident that the middle point of the ship's length is the best. Because in that position the vessel will be the most prompt in coming round. For the resistance from the water which the two extremities experience, when the ship is coming about, is as the squares of their distances from the centre of rotation. And this is a minimum when the centre of rotation (which is the centre of gravity) is in the middle of the length. In the 'America,' the centre of gravity (which is at the partners of the mainmast), is, I should imagine, too far aft for her to come about freely; I should think the impulse of the water against her clean bow, and with such a long lever, must make her fall off with difficulty after being in stays.\*

Recurring to the figure of p. 83. It is evident that the rolling is stopped by a force equal to the displacement, acting at  $O$  (the centre of displace-

---

\* The above theorem is from Chapman.

ment) in a direction  $Om$ . This force is constant, but its moment increases with the angle of inclination. As the vessel oscillates round  $G$  with this constant force acting at  $m$ , there is an analogy to a pendulum, of which  $G$  represents the point of suspension, and  $m$  represents the centre of gravity of the pendulum, at which the force of gravity constantly acting accelerates the fall, and retards the ascent of the pendulum.



Let  $ABD$  be a plane without weight. And suppose several weights,  $P, Q, R, S$ , fixed in that plane;  $G$  being their common centre of gravity, and  $O$  being the point of suspension of the plane, and  $C$  the centre of oscillation.\*

Then the length of the pendulum is  $OC$ , and

$$OC = \frac{P \cdot OP^2 + Q \cdot OQ^2 + R \cdot OR^2 + S \cdot OS^2}{OG(P + Q + R + S)}$$

Hence the length of the pendulum is greater the further the weights are from  $O$ , and the nearer  $G$  is to  $O$ . Hence, if the analogy be true, the rolling will be less severe the further the ballast is moved *towards the sides* away from the centre of gravity. This last condition may be deduced from the inves-


---

\* From Chapman.

tigation in p. 83, and shows that the conditions for slowness in rolling, and those for stability, are contrary to each other. In some vessels, as large men-of-war, it is necessary to decrease rolling; in others, as racing yachts, stability is far more requisite. (Chapman says, that for men-of-war, the metacentre need not be more than six feet above the centre of gravity, but should not be less; also Boguer, Clairvoie, Inman.)

It may be well to remark, that twenty-one tons of the 'America's' ballast were winged up as recommended above.

This figure represents the conduct of two vessels with different forms of midship section; the one rolls less violently and is less stable; the other has great stability, and it is her constant straining to keep perpendicular to the surface of the water, which makes her roll so much after the shock of each wave on her side. This




endangers the masts, but the sea is less likely to break over her. The former, in consequence of her lack of stability, will roll less, but can also carry less canvass.

## CENTRE OF LATERAL RESISTANCE.

The centre of gravity of that part of the plane section in the sheer-plan, which is below the load-water-line, may be considered as the centre of lateral resistance. But the centre of lateral resistance is in reality the centre of effort of all the forces on the ship's side, which prevent her from moving in a direction at right angles to her course. The resultant of these forces will take an upward direction, and should pass through, or a little above, the centre of gravity of the ship. We may find the direction of this resultant by taking, at the circumference of each section, the resultant of all the horizontal forces acting in a transverse direction to the ship's motion, and then finding the resultant of all these resultants.

The former of these operations is thus performed: divide the middle line,  $LK$ , of each section into




a certain number of equal parts. Through these points of division draw lines parallel to the load-water-line, which will cut the circumference in portions each inversely proportional to the sine of the inclination of that

portion to the water-line. Hence the whole transverse force, resolved horizontally, which acts on each of these portions, may be considered equal, and acting at the middle point of each portion in a direction parallel to the water-line. Now draw at the middle points of these portions of the circumference lines parallel to the water-line, and equal to each other, as  $pq$ , to represent the horizontal parts of these forces. Also at the same points draw normals to the circumference as  $qg$ ; and from the extremities of the lines representing the horizontal forces, let drop perpendiculars on the normals, as  $pg$ . Then the portion of the normal thus cut off represents the actual force which acts on each portion (*i. e.*, the pressure multiplied by the sine square of the angle of inclination). Now, to find at what point the resultant acts, take a line  $AB$ , parallel to  $LW$ , and lay off along it portions equal to the forces  $qg$ , &c., so that the line  $AB$  is equal to the sum of these normals. Let  $O$  be the middle point of this line, then the position of  $O$  indicates the point at which the resultant acts (*i. e.*, in the figure between  $e$  and  $d$ ). To find the direction of the resultant, draw  $BC$  perpendicular to  $AB$ , and equal to the sum of the perpendiculars on the normals, as  $pg$ . Join  $AC$ , bisect  $AC$  in  $D$ , join  $BD$ . Then  $BD$  is the required direction. This operation must be performed for each section. Then the

resultant of all these resultants must be found in the same way. These might have been done in the common method of calculation ; but this operation is more quickly performed with the protractors and square, than by calculation ; and as the common way is well known, we preferred mentioning this method. If it is not required to find the centre of lateral resistance with great accuracy, we may find it on the sheer-plan, by supposing the immersed part of the vessel to be a plane, and finding its centre of gravity.

Let  $LKCW$  represent the immersed part of the vessel. Join  $LC$ , bisect  $LK$  in  $A$ , and  $CW$  in  $B$ . Join  $CA$  and  $LB$ . In  $AC$  take  $P$ , so that  $AP = \frac{1}{3}AC$ ; similarly let  $OB = \frac{1}{3}LB$ . let the area of  $LCK = A'$ , that of  $CLW = B'$ . Join  $PO$ , and in  $PO$  take  $R$ , so that



$$A' : B' :: OR : PR$$

Then is  $R$  the centre of gravity of the plane,  $LKCW$ .

It may be found experimentally by sinking a model up to its load-water-line in a trough of water, and drawing it along in a lateral direction by a string fixed to a little pin driven in the side. The bearings of the head of the model, both before and after drawing it transversely, must be taken ;

and the pin must constantly be altered and moved towards the end of the model, which, by the bearings taken, is found to have moved most slowly, until such a point of traction is found, that the model can be drawn slowly, in a lateral direction, to any distance without the bearings being altered.

If the centre of lateral resistance does not lie in the same vertical transverse section as the centre of gravity, then the stem-post, keel, and stern-post must be altered to make it do so. For if it be not in the same transverse section as the centre of gravity, it will act as a couple in turning the vessel round the vertical axis through the centre of gravity of the ship. If it lie in the same transverse section as the centre of gravity, but cut the vertical line drawn through the centre of gravity, somewhere below the centre of gravity then it will decrease the vessel's stability. If it were brought above the centre of gravity, by lessening the depth of the keel, it would increase the stability.

## CHAPTER VI.

## ON RESISTANCE.

BEFORE we enter on any investigations about the resistance offered by the fluid to the progress of the vessel, it will be necessary to state two or three preliminary facts.

1. The direction of an impulse is normal to the impelled surface; or the direction of a resistance is perpendicular to the surface, against which the resistance takes place.

2. In theory, resistance varies as the squares of the velocities of the body resisted. Thus, if one horse draw a vessel through the water at the rate of one mile per hour, it would require a hundred horses to draw the same vessel at the rate of ten miles an hour. Similarly, a great increase of canvass produces a very small increment in speed.

Likewise also a wind which travels at the rate of three miles per hour is scarcely felt ; at six miles it is a pleasant breeze ; at twenty a gale ; and at sixty miles a great storm. For the same reason, slow ships suffer more in a sudden "lump of wind" than vessels which are easily propelled.

The law which we have just stated is theoretically true, and is nearer the fact than any other law which can be stated ; and it is therefore used in all calculations. But in practice it is not *quite* correct.

3. In theory it is also proved that resistances vary as the squares of the sines of the angles of incidence ; but this is not found to be quite the case in practice, as the following table will demonstrate.

Angle of incidence. Resistance by theory. Resistance by experiment.

9° 44' 10"	24·71 lbs.	30·67 lbs.
14 28 10	37·06	35·34
19 25 15	49·42	41·71
30 0 0	74·13	51·44

But nevertheless, in all calculations we are compelled to assume the theory as correct.

4. The resistance of a fluid varies as the depth. For although the several particles of the fluid strike with the same force against the body (the velocity

being the same), yet at a greater depth more particles meet the body, on account of the greater density of the fluid. Thus, if a parallelopiped be moved at the rate of two miles per hour at a depth of 6 feet below the surface, it will require  $\frac{10}{11}$  more motive power than was necessary to move it at the same rate when close below the surface. But yet, if the velocity be increased to six miles per hour, it will require only  $\frac{7}{29}$  more motive power at the depth of 6 feet than at the surface.

5. When a vessel is at rest, the pressure before and behind, and on all parts at the same depth is equal. But when put in motion, the pressure is increased in front and diminished behind. There is, in fact, at certain velocities, dependent on the form of the vessel, a negative pressure or suction acting on the after body. And in the calculation of the whole resistance to a vessel, it is necessary to take this suction into account, as well as the increase of pressure forward. If tapering spars are towed in smooth water, it is found more difficult to start them when the butt-end is foremost, than when the small end is first; but it requires *less* power to keep them in motion. This is still more apparent at high velocities. The reason is, that there is less suction on the small end than on the


butt; and the direct resistance forward appears, therefore, of less account than the suction aft.

6. The cause of resistance is threefold: the friction of the water against the ship's sides; the cohesion of the particles of water to each other, which must be overcome; and the capillary attraction to the sides of the vessel. With regard to the last of these, it would be well to say a few words in explanation: If a drop of water be rubbed on the surface of a solid, it will wet that surface, and cannot be made to roll off in globules like mercury, for instance. This shows that the particles of water, experience a greater attraction for the particles of a solid than they have between themselves. Because of this it is, that wine or water in a glass rises higher at the sides than towards the middle; and if, instead of a tumbler, we use a tube of less than  $\frac{1}{8}$ th of an inch in diameter, the water will run up into it for some distance, and the height to which it will mount increases as the diameter of the tube decreases. From this last phenomenon, the attraction of the particles of fluid for those of a solid, has been termed capillary attraction.

The friction and capillary attraction of the water must, however, in the subsequent calculations, be altogether neglected.

The following papers on the solid of least resistance, are by the Rev. H. Goodwin.

In the case of a right-angled triangle, which is drawn through the water with a certain velocity, in the direction  $BA$ ; let  $v$  be the velocity of motion, then the




velocity normal to  $AC$  is  $v \sin \theta$ .

$\therefore$  the resistance at any point  $\propto v^2 \sin^2 \theta$

$\therefore$  the whole resistance in a direction normal to  $AC \propto AC \cdot v^2 \sin^2 \theta$

$\therefore$  the resistance in the direction of the motion  $\propto AC \cdot v^2 \sin^2 \theta \cdot \sin \theta$   
 $\propto BC \cdot v^2 \sin^3 \theta$

To find the frustum of a cone of given base and given height, for which the resistance is a minimum.\*



Let  $AOB$  be the diameter of the base,  $AO=r$ ;  $ON=h$ , the given height. And let  $\theta$  be the required semi-angle of the cone.

Let us consider the resistance upon an annulus  $PQP'Q'$ .  $M$  the centre of the annulus.  $MN=x$ ;  $dx$  the breadth of the annulus.

\* Newton's prop.

The area of this annulus =  $2\pi \cdot PM \cdot PQ$

$\therefore$  the resistance  $\propto 2\pi PM \cdot PQ \times v^2 \sin^3 \theta \cdot \sin \theta$  (as before).

and, if  $V$  be the vertex of the cone,

$$\begin{aligned} PM &= MV \tan \theta \\ &= (OV - OM) \tan \theta \\ &= (r \cot \theta - h + x) \tan \theta \end{aligned}$$

$\therefore$  the resistance

$$\propto 2\pi (r \cot \theta - h + x) \tan \theta \times dx \sec \theta \cdot v^2 \sin^3 \theta$$

and the whole resistance on the curved surface

$$\begin{aligned} &\propto 2\pi v^2 \sin^3 \theta \tan^2 \theta \int_0^h (r \cot \theta - h + x) dx \\ &\propto 2\pi v^2 \sin^3 \theta \tan^2 \theta \left\{ (r \cot \theta - h)h + \frac{h^2}{2} \right\} \end{aligned}$$

and resistance on the flat end  $CD$

$$\begin{aligned} &\propto v^2 \cdot \pi CN^2 \\ &\propto \pi v^2 (r \cot \theta - h)^2 \tan^2 \theta \end{aligned}$$

$\therefore$  the whole resistance


$$\begin{aligned} &\propto \tan^2 \theta \{ (2hr \cot \theta - h^2) \sin^3 \theta + (r \cot \theta - h)^2 \} \\ &\propto \tan^2 \theta \{ r^2 \cot^2 \theta - (2hr \cot \theta - h^2) \cos^2 \theta \} \\ &\propto r^2 - (2hr \cot \theta - h^2) \sin^2 \theta \\ &\propto r^2 - hr \sin 2\theta + h^2 \cdot \frac{1 - \cos 2\theta}{2} \end{aligned}$$

This is to be a minimum

$$\therefore hr \cos 2\theta - \frac{h^2}{2} \sin 2\theta = 0$$

$$\text{or, } \tan 2\theta = \frac{2r}{h}$$

Newton gives this construction :



Bisect the given height  $ON$  in  $L$ .  
Make  $LV = AL$  and join  $AV$ .

In this case we have

$$\begin{aligned} \tan 2\theta &= \tan 2 \cdot AVO \\ &= \tan (LAV + AVO) \\ &= \tan ALO \\ &= \frac{AO}{OL} \\ &= \frac{2r}{h} \end{aligned}$$

Let us consider what the angle of the cone becomes when the height is indefinitely small.


In this case  $h = 0$

$$\begin{aligned} \therefore \tan 2\theta &= \infty \\ 2\theta &= 90^\circ \end{aligned}$$

or  $\theta = 45^\circ$  and  $ACN = 135^\circ$ .

Taking the geometrical view,  $L$  coincides with  $O$ , and  $OA=OV$ ,  $\therefore AVO=45^\circ$ .


Hence follows the very curious proposition which Newton has given, and which he suggests may be useful to ship-builders.



Let a solid be generated by the revolution of the oval  $DBE$  about its axis  $AB$ .

Let  $GBH$  be the tangent at the vertex  $B$ , and let  $GF, HI$  be tangents to the oval such that  $FGB, IHB$  each  $=135^\circ$ . Then the resistance upon the solid generated by the figure  $DFGBHIE$  revolving about  $AB$ , will be less than that met by the original solid.

To prove this we must draw part of the preceding figure on a large scale.



Let  $PP'$  be two adjacent points ; and let  $\text{res} : PP'$  signify the resistance upon the annulus generated by the revolution of  $PP'$ . And let  $R = \text{res. } FB$ ,  $R' = \text{res. } FG + \text{res. } GB$ .

Then we have to prove that  $R > R'$ .

Draw  $PQ$  parallel to  $FC$ , and the ordinates  $MP$ ,  $M'P'Q$ ; and draw  $Qn$ ,  $P'm$  perpendicular to  $PM$ .

Then by our preceding proposition we know that  
 $\text{res. } PP' > \text{res. } PQ + \text{res. } QP'$ .

$\therefore$  if we can shew that the sum of all the  $\text{res. } PQ + \text{res. } QP'$ , is greater than  $R$ , then *à fortiori*  $R$  will be  $> R$ .

Now,  $\text{res. } PQ \propto 2\pi \cdot PM \cdot PQ \cdot v^2 \sin^2 45^\circ \cdot \sin 45^\circ$   
 $\propto \pi v^2 \cdot PM \cdot MM'$   
 (because  $PQ \sin 45^\circ = Qn = MM'$ )

and  $\text{res. } QP' \propto 2\pi \cdot P'M' \cdot QP' \cdot v^2$   
 $\propto 2\pi v^2 \cdot PM (Pm - Pn)$   
 (for  $PM = P'M'$  ultimately)  
 $\propto 2\pi v^2 \cdot PM (Pm - MM')$

$\therefore \text{res. } PQ + \text{res. } QP' \propto \pi v^2 (2PM \cdot Pm - PM \cdot MM')$   
 $\propto \pi v^2 (2ydy - ydx)$   
 (if  $BM = x$ ,  $MP = y$ )

$\therefore$  whole sum of  
 $\text{res. } PQ + \text{res. } QP' \propto \pi v^2 (y^2 - \int ydx)$   
 $\propto \pi v^2 (FO^2 - \text{area } FOB).$

Again, by putting  $\theta = 45^\circ$  in our general expression for the resistance on a cone, we have

$$R' \propto \pi v^2 \left\{ FO^2 - FO \cdot OB + \frac{OB^2}{2} \right\}$$

$$\begin{aligned} \text{but } FO \cdot OB - \frac{OB^2}{2} &= OB \left\{ \frac{FO + FO - OB}{2} \right\} \\ &= OB \cdot \frac{FO + OC - OB}{2} \\ &= OB \cdot \frac{FO + BC}{2} \\ &= OB \cdot \frac{FO + BG}{2} \\ &= \text{area } FOBG \end{aligned}$$

$$\therefore R' \propto \pi v^2 (FO^2 - \text{area } FOBG)$$

Now, area  $FOBG$  is  $>$  area  $FOB$ .

$\therefore$  sum of res.  $PQ + \text{res. } P'Q > R'$

$\therefore$  *a fortiori*  $R > R'$

*Q.E.D.*

The equation of the curve, which by its revolution generates the surface of least resistance, may be investigated easily by the calculus of variations. It is worked out in Professor Airy's Tract on that calculus.

The equation, according to the differential notation, is this, as given by Airy,

$$\frac{2yp^3}{(1+p^2)^2} + C = 0$$

In the fluxional notation


$$yy^3\dot{x} = a(x^2 + y^2)^2$$

Newton's construction comes to this :

$$\begin{aligned} \frac{y}{c} \cdot \frac{ds}{dy} &= \frac{ds^2}{4dxdy^2} \\ \frac{y}{c} &= \frac{ds^4}{4dxdy^3} \\ &= \frac{(dx^2 + dy^2)^2}{4dxdy^3} \\ &= \frac{(1 + p^2)^2}{4p^3} \end{aligned}$$

which agrees with the former by changing the value of the constant.

#### ON THE RESISTANCE AGAINST A VESSEL'S PROGRESS.



Let  $OB$  be an infinitely small part of a dividing-line of the bow (which may be supposed straight).  $O$  the origin of co-ordinates, of which the axis of  $x$  is in a line with the keel, and the axis of  $y$  transversely to it. A particle of water

impinging on the vessel at  $O$ , must, in accordance with our definition of a dividing-line, have no tendency to leave the line  $OB$ ; but it will travel along the surface of the vessel in the direction  $OB$ . Every succeeding particle striking the vessel at  $O$  will do the same. We talk of the particles of water being in motion and meeting the vessel, for this will clearly lead to the same result as the contrary, but will cause less confusion in the consideration. Successive particles of water, then, meet the vessel at  $O$  with a certain velocity, and exert a certain pressure. This pressure consists of two parts: (1.) The statical pressure, or that which is exerted equally all over the surface when the vessel is at rest (which altogether equals the weight of the vessel, and the resultant of which acts vertically through the centre of gravity); and (2) a pressure due to the velocity with which the particles meet the vessel, and varying with the inclination of  $OB$  to the direction of the motion (*i. e.* the inclination of  $OB$  to the axis of  $x$ ). The direction of this pressure is perpendicular to the plane in which  $OB$  lies, and which is a tangent-plane to the surface of the vessel.

If there were no friction, the velocity along  $OB$  would be the same as the velocity with which the particles impinge (as the particles of water have really no initial motion, there is no momentum to


be considered) ; but the friction, which is generated by the pressure, retards the motion ; add to this, that other particles impinge on the line *OB* at different points besides *O*, and hence the particles of water get piled and huddled upon the line *OB*. The whole surface of the vessel may be supposed to consist of dividing-lines infinitely near each other ; and the same takes place on each of them. What then is the effect, as far as the bows are considered, of the motion of the vessel ? The water at the stem-post is gradually increased in density up to a certain point. But as the water is an elastic fluid, this density is instantly communicated to the water, on all sides, in front of the ship ; and also forces up, at the stem-post, numerous particles of water above the surface. The consequence of the former will be to give the water all about in front of the vessel, a certain velocity in the same direction as that in which the vessel moves. The effect of the latter will be a wave, which will rise up at the stem-post, and travel with the vessel. But the dividing-lines, as they approach nearer to the middle of the vessel, become less inclined to the direction of the motion, until at last that inclination becomes a minimum. At this place, then, there is no increased density ; for the pressure becomes zero (that is to say, the additional pressure, not the statical pressure), and the water flows away much more rapidly. This

causes the surface of the water to sink; and the water from the nearest part of that which has an increased density rushes in, with a certain velocity in a direction contrary to that of the vessel, to supply the vacancy.

In a dividing-line at the stern, there is no friction. Nay more, the statical pressure is diminished, so that there is not exerted even the whole of the friction which is due to that. For the particles of water, moving along the curves of the dividing-lines at the stern, tend to leave the line, and fly off at a tangent. And thus the density of the fluid abaft the vessel is decreased. The water immediately behind the midship section rushes in, and thus causes an additional depression of the surface of the water amidships, and gives the water under the stern a certain velocity contrary to that of the vessel. This current meets another current from behind the vessel, which also rushes in to fill the vacuum, and a wave is caused, which follows the vessel at the stern-post.

In these diagrams, I have attempted to show the form of the surface. The object of Mr. Russell, in his wave principle (if I understand aright), was to make the water, for some distance, divide in a direction parallel to the keel; and then to let the increment of inclination be very gradual at first, so that the wave should not be before, but immediately

behind the stem-post, and so support the vessel. He increased the stern wave, by making the vessel



of such a form, that the dividing-lines should close with less taper, supposing that this wave would help the vessel onwards. But, as his mathematics are not always quite correct, it is hard to appreciate the result. And moreover, this object could be obtained by any curve at first parallel to the keel, and gradually leaving that direction ; so that I do not quite comprehend why he should fix upon the curve of sines for the *water-lines*. But it seems that an inflected line must offer more resistance than a simple curve. He says, that the wave at the bow is of the form of a curve of sines ; that is, the section by a vertical plane presents that curve. Assuming that this be true, why does he apply this curve to the horizontal plane of the water-line ? There is no regular publication on the subject from his own pen (except in a periodical, in the year

1838); so that, very likely, he is not rightly understood, and an injustice has been done to him, in making him stand godfather to a principle which is not his own.

Would it not, however, be better perhaps to apply a cycloidal arc to the dividing-lines of the bows (if such a principle as the above must be adopted), and have the dividing-lines aft much more tapered, and as nearly straight as possible; so that the particles at the stern may not fly off at a tangent, or, in other words, that there be caused as little suction as possible to the stern, and that the statical pressure at the stern should not be decreased. (The reason for mentioning the cycloidal arc as a substitute for the curve of sines in the bow, we shall presently investigate.)

Mr. Griffiths adopts the wave theory, and attempts to explain it, while he laughs at the principle upon which it is founded. He sneers at Mr. Russell's "ignorance" for not knowing that steamers have been built in America, which are so sharp as to have no wave. The wave may be so lengthened as not to be remarkable; but there must be some wave. However, he saves any one the trouble of contradicting him, for with a noble generosity, he takes the unpleasant duty upon his own shoulders: he finds it a curious thing that these vessels should run aground when passing swiftly over shallows, on

which there is quite sufficient water to float them when at rest. Is not this the result of the wave at the bow and stern, and the hollow in the water amidships? Let any one watch the 'Clasper' eight oars, at Cambridge or Oxford. They are longer and narrower in proportion than any steamer; yet the two waves are quite discernible.

*To find the resultant of the increment of pressure,  $p$ , when the vessel is set in motion.*

We have seen that the vessel, when at rest, is pressed on all sides by the water; the pressure on a unit of surface varying as the depth, and acting in a direction normal to the surface. The resultant of these pressures is equal to the whole weight of the ship  $= D$ , and acts in a vertical direction through the centre of gravity of the ship.

But when the vessel is set in motion, the particles of water would meet the vessel with a velocity  $v$ , suppose, and exert on a unit of surface (supposing it perpendicular to the direction of the vessel) some force  $p = \frac{v}{t}$  (where  $p$  is not a moving force, as there is no momentum to be considered). But, as we have said above, the water at the bows has a velocity with the vessel. Hence, at the bows  $p$

becomes  $p-l$ . Similarly, from about the middle of the vessel towards the stern,  $p$  becomes  $-(p+m)$ ; and the wave following the stern, does not affect enough of the vessel to make it necessary for us to take it into account.

But when the vessel is in motion, the particles strike the vessel in a direction parallel to her course, parallel to the axis of  $x$ , suppose, (the axis of  $y$  being transversely to the course). And hence  $p$  varies also with the inclination of the tangent plane. We will first put  $p'$  for the variable pressure on a unit of surface, and afterwards show how to calculate the variation in  $p'$ , which is due to the bow and stern waves.




Fig 3.




Fig 2.



Fig 4.



Let Fig. 1 represent the bows of a vessel.  $DL$ ,  $D'L'$  two adjacent dividing-lines;  $fh$ ,  $gk$  two adjacent vertical sections;  $abcd$  a small area, inter-

cepted between the dividing-lines and the vertical sections. This surface may be considered a plane; and let the angles of its inclination to the planes  $xy$ ,  $xz$ ,  $yz$ , be respectively  $\lambda$ ,  $\mu$ ,  $\nu$ .

Let Fig 2 represent the body-plan, or the projection of the bows on the plane  $yz$ . Fig. 3 the sheer-plan. Fig. 4 the half-breadth plan, or projection on the plane  $xy$ .

Then, f area  $abcd$  in Fig. 1 =  $m$   
 $abcd$  in Fig. 2 =  $m \cos \nu$   
 $abcd$  in Fig. 3 =  $m \cos \mu$   
 $abcd$  in Fig. 4 =  $m \cos \lambda$

Now the water impinges in a direction parallel to the axis of  $x$ , and causes friction in running over the plane in the direction  $ba$ , or  $dc$ . But as we are not now going to find the amount of the whole resistance, but merely the resultant of forces parallel to the plane of  $xz$ , we disregard the friction. Hence the increase of pressure normal to the surface on the area  $m$ , which is caused by the vessel's motion

$$= mp' \cos \nu \cdot \cos \nu = mp' \cos^2 \nu$$

(for the axis of  $x$  is at an angle  $\left(\frac{\pi}{2} - \nu\right)$  to the surface of  $ad$ .)

This is resolved into

$$\begin{array}{lll} mp' \cos^2 \nu \cdot \cos \nu & \text{parallel to the area of } x \\ mp' \cos^2 \nu \cdot \cos \mu & \text{,,} & \text{,,} & y \\ mp' \cos^2 \nu \cdot \cos \lambda & \text{,,} & \text{,,} & z \end{array}$$

of which the second need not be considered, the two sides of the vessel being exactly similar.

Hence, if we call the projection in the body plan of the area  $abcd$

$$m \cos \nu = a$$

we have, to represent the two rectangular forces acting on the area  $m$ , the expression

$$p'a(\cos \nu + \sqrt{-1} \cdot \cos \lambda) \cos \nu$$

And similarly the forces on the whole bow become

$$\begin{aligned} p' \{ a (\cos \nu + \sqrt{-1} \cdot \cos \lambda) \cos \nu + a' (\cos \nu' + \\ + \sqrt{-1} \cdot \cos \lambda') \cos \nu' + \dots \} \\ = R(\cos \alpha + \sqrt{-1} \cdot \sin \alpha) \end{aligned}$$

If  $\alpha$  be the angle which the resultant makes with the axis of  $x$ .

$$\text{Also } \frac{\text{area } abcd \text{ in fig. 2}}{\text{area } abcd \text{ in fig. 4}} = \frac{\cos \nu}{\cos \lambda}$$

$$m^2 = \overline{\text{area in fig. 2}^2} + \overline{\text{area fig. 3}^2} + \overline{\text{area fig. 4}^2}$$

Now, let area in fig. 4,  $m \cos \lambda = b$

and.  $m \cos \mu = c$

$$\text{then } p' \{ a \cos^2 \nu + \sqrt{-1} \cdot b \cos^2 \nu + \&c. \} = \\ = R(\cos \alpha + \sqrt{-1} \cdot \sin \alpha)$$

$$\text{or } p' \{ (a + \sqrt{-1} \cdot b) \cos^2 \nu + \dots \} = \\ = R(\cos \alpha + \sqrt{-1} \cdot \sin \alpha)$$

$$\text{But } \cos \nu = \frac{a}{m} = \frac{a}{\sqrt{a^2 + b^2 + c^2}}$$

$$\therefore p' \left\{ \frac{a^3}{a^2 + b^2 + c^2} + \frac{a^3}{a'^2 + b'^2 + c'^2} + \dots \right\} = R \cos \alpha$$

$$p' \left\{ \frac{a^2 b}{a^2 + b^2 + c^2} + \dots \right\} = R \sin \alpha$$

$$\text{or } \Sigma \left( \frac{\delta A}{\delta S} \right)^3 \cdot p' = R \cos \alpha$$

$$\Sigma \left( \frac{\delta A}{\delta S} \right)^3 \delta B \cdot p' = R \sin \alpha$$

If  $A$  be the whole area of the body-plan, below load-water-wark;  $B$  that of the half-breadth plan from the highest dividing-line (*i. e.*, surface of the water when the vessel is in motion, which is not a plane surface) to the keel. And  $S$  the whole surface of the vessel; these all extending over the forepart

of the vessel; that is over that part in front of that for which  $\cos \nu = 0$ .

If  $x'$ ,  $z'$  are co-ordinates of a point in the direction of the resultant

$$\cot \alpha = \frac{x'}{z'} = \frac{\Sigma \left( \frac{\delta A}{\delta S} \right)^3}{\Sigma \left( \frac{\delta A}{\delta S} \right)^2 \cdot \delta B}$$

Hence we deduce this rule for finding the tangent of the direction of the resultant. Multiply respectively the cubes of the little areas in the body-plan, by the little areas in the half-breadth plan, and divide by the cubes of the little areas on the whole surface, and add together the results. Add together the cubes of the quotients of the little areas in the body-plan by those on the whole surface, and divide the former sum by this sum. The smaller these little areas are made, the more exact will be the result.

The whole surface may be delineated by the operation of "expanding," as it is called. This is done by pinning a thin batten round the circumference of each section, and marking on it the intersection of every line; then the batten is let to fly straight, and the marks are laid off on paper for the extended surface. The same is done with the water-lines, &c., and thus the whole surface is expanded. The same may be effected by pressing some sheet-lead (such as that which is used to envelope tea) on a block model, and cutting it to the proper shape.

As yet we have found the value of the resultant  $R$  on the suppositions :

1. That  $p'$  is constant on every part of the surface.


2. That the vessel is not heeled over (which is only the case before the wind).

3. And we have not taken friction into account.

Now first, let us observe that  $\tan \alpha$  becomes smaller as  $\Sigma dB$  becomes less ; or as the area, in the half-breath plan, of the largest dividing-line diminishes. And  $R$  becomes less, *cæteris paribus*, as  $\Sigma dA$  becomes less, or as the area of the body-plan, in the forepart of the vessel, is small in comparison with the whole surface of the vessel. But friction varies as the surface of the ship.

The resultant for the suction at the stern is found in a similar manner, and the result is similar, remembering that the forces act in the opposite direction.

Hence, to find the resultant of all the forces parallel to the keel (excepting friction), and supposing  $p'$  constant, let  $WAL$  represent the submersed



part of a vessel.  $R, R'$ , the resultants on the fore and after parts ;  $Q$  the resultant of  $R$  and  $R'$ . Then if  $G$  be the centre

of gravity, we have a pressure equal to  $D$  acting at


$G$  in a vertical direction. Let the direction of  $D$  cut that of  $Q$  in  $V$ , then the whole forces of the water (excepting friction) during the direct progress of the vessel, may be supposed to act at  $V$ . We have supposed all these forces to act in the same plane, which would not be the case except the vessel were going straight before the wind, because otherwise the action of the water on the two sides of the vessel would not be similar.

But in whatever direction the motion of the vessel may be in respect to the wind, it is nevertheless always true that the whole resistance of the water in a direction parallel to its surface, and in a line with the course, added to the amount of friction, is equal to the impulse of the wind multiplied by the projection, on a plane perpendicular to the direction of the wind, of the whole area of canvass. And the whole resistance of the water resolved vertically is equal to the weight of the ship (which we have always designated by  $D$ ), added to that part of the action of the wind on the inclined planes of the canvass which is resolved vertically downwards.

In order to calculate the resistance of the water and its resultant, when the vessel is on a wind, it will be necessary to draw the water-lines of the vessel when careened, for the sheer and half-breadth plans; and for the body-plan to project the vessel on to a vertical plane perpendicular to the direction in

which the vessel actually moves (which, on account of leeway, forms a small angle with the course she steers). The sections of the vessel for this new body-plan must be made by plances parallel to the plane of projection; and the dividing-lines will then be slightly altered from what they were when the vessel's motion was direct, and the sections made by planes parallel to the former plane of  $yz$ . This being done, a similar operation to that last indicated, must be performed. And again:

Let  $LAWB$  represent the whole water-line of the vessel;  $LW$  being the middle line. Let the sail be at an angle  $\phi$  with the keel; and the wind,  $w$ , at



an angle  $\theta$  with the sail.

Then the impulse of the wind on the sail is

$$w \sin \theta$$

and is resolved into

$w \sin \theta \cos \phi$  perpendicular to the keel, and

$w \sin \theta \sin \phi$  parallel to the keel.

And if  $R$  be the whole direct resistance of the water, and  $r$  the lateral resistance, and  $A$  the area of sail, of which the projection on a plane perpendicular to the wind is

$$A \sin \theta$$

$$\begin{aligned} \therefore Aw \sin^2 \theta \cos \phi - r \\ Aw \sin^2 \theta \sin \phi - R \end{aligned}$$

are the whole resolved forces acting on the vessel ;  
and if  $\rho$  be the resultant, and  $\psi$  its angle with the  
keel, which is the angle of leeway

$$\begin{aligned} \therefore \rho \cos \psi &= Aw \sin^2 \theta \sin \phi - R \\ \rho \sin \psi &= Aw \sin^2 \theta \cos \phi - r \end{aligned}$$

To find an expression for the angle of leeway.

Let  $V$  be the velocity in a line with the keel.

$v$                     "                    "                    transversely to  
the keel.

$R, r$ , the direct and lateral resistances as  
before.

$d, e$ , the projections on the body and sheer-  
plans respectively of the surface offering these  
resistances. And let  $\psi$  be the angle of leeway as  
before.

Then if  $k$  be the actual velocity of the vessel,

$$k \cos \psi = V$$

$$k \sin \psi = v$$

$$\therefore \frac{V}{v} = \cot \psi$$

and

$$\frac{R}{r} = \frac{d \cdot V^2}{e \cdot v^2}$$

$$= \frac{d}{e} \cot^2 \psi$$

$$\therefore \tan \psi = \sqrt{\frac{dr}{eR}}$$

but 
$$\frac{r}{R} = \frac{\rho \sin \psi - Aw \sin^2 \theta \cos \phi}{\rho \cos \psi - Aw \sin^2 \theta \sin \phi}$$

But  $\rho$  must be exactly equal and opposite to the impulse of the wind on the whole area of canvass, which is  $= wA \sin^2 \theta$ .

$$\therefore \frac{r}{R} = \frac{\sin \psi - \cos \phi}{\cos \psi - \sin \phi}$$

and 
$$\tan \psi = \sqrt{\frac{d(\sin \psi - \cos \phi)}{e(\cos \psi - \sin \phi)}}$$

which is independent of the force of the wind and of the velocity of the ship.

Since the velocity in any direction varies directly as the impelling force, and inversely as the resistance,

$$\therefore V \propto Aw \sin^2 \theta \sin \phi \times \frac{1}{R}$$

and 
$$v \propto Aw \sin^2 \theta \cos \phi \times \frac{1}{r}$$

$$\therefore \frac{V}{v} = \frac{r}{R} \cdot \tan \phi$$

$$\text{and} \quad \frac{r}{R} = \frac{V}{v} \cot \phi$$

$$\text{but} \quad \frac{V}{v} = \cot \psi$$

$$\therefore \frac{r}{R} = \cot \psi \cot \phi$$

$$\text{and since} \quad \frac{R}{r} = \frac{d}{e} \cot^2 \psi$$

$$\therefore \tan^2 \psi = \frac{d}{e} \cot \phi$$

Also we have

$$\sin \psi = \frac{R}{\sqrt{r^2 \tan^2 \phi + R^2}}$$

$$\text{and} \quad \cos \psi = \frac{r \tan \phi}{\sqrt{R^2 + r^2 \tan^2 \phi}}$$

$$\begin{aligned} \text{and} \quad \rho &= R \cos \psi + r \sin \psi \\ &= \frac{Rr \tan \phi + Rr}{\sqrt{R^2 + r^2 \tan^2 \phi}} \end{aligned}$$

[In practice, the angle of leeway may be found by taking the angle formed by the line of the ship's wake with her direction. Or, if her head be kept at the same point of the compass, and the bearing of some object on shore, directly astern, be taken at two separate intervals, the difference of bearings is the angle of leeway.]


Having investigated the subject of lateral resistance, we must return to the direct resistance.

Let the wave at the bows proceed with a velocity  $v'$  with the ship; and, about the middle of the vessel, the water rushes back with a velocity  $w$ , suppose. Then the relative velocity at the bow is  $v - v'$ ; and amidships it is  $v + w$ . And as the resistance varies as the squares of the velocities,

$$R = p(v - v')^2 \sqrt{\left\{ \Sigma \left( \frac{\delta A}{\delta S} \right)^2 \right\}^2 (1 + \delta B^2)} \text{ for the bow}$$

$$R' = p(v + w)^2 \sqrt{\left\{ \Sigma \left( \frac{\delta A'}{\delta S} \right)^2 \right\}^2 (1 + \delta B^2)} \text{ for the stern}$$

But in the case of the bow,  $p$  is greater than in the stern, because the density is greater. The velocity  $v'$  is due to this increase of density, and  $w$  is due to the decrease of density. But neither this quantity  $p$ , nor the coefficient of friction can be determined by us at least.



Let a body, formed of two cunei, such as that in the diagram, be moved through the water. Let the semi-angle of the foremost cuneus be  $\theta$ ; that of the other  $\phi$ .

Then in this case,

$$R \propto (v-v')^2 \sin^2 \theta$$

$$R' \propto (v+w)^2 \sin^2 \phi$$

$$\therefore R+R' \propto (v-v')^2 \sin^2 \theta + (v+w)^2 \sin^2 \phi$$

$$\propto (v-v')^2 \frac{CO^2}{AC^2} + (v+w)^2 \frac{CO^2}{BC^2}$$

Now, first we observe that, as  $R+R' \propto \sin^2 \theta + \sin^2 \phi$  when  $v'$  and  $w$  are considered constant; therefore, if  $AB$  and  $CO$  are given, we shall have  $R+R'$  least when  $O$  is in the middle, or

$$AO=BO, \text{ and } \theta=\phi$$

for  $\theta+\phi$  are least when  $\angle ACB$  is greatest.

$$\text{Let } AB=a; CO=b; AO=x;$$

$$\text{then } \tan \theta = \frac{b}{x}$$

$$\tan \phi = \frac{b}{a-x}$$

$$\therefore \tan(\theta+\phi) = \frac{ba}{x(a-x)-b}$$

$$\text{and } \frac{d}{dx} \cdot \tan(\theta+\phi) = ba(2x-a) = 0 \text{ for a minimum}$$

$$\therefore a=2x.$$

Hence, if the length and breadth of the chief dividing-line (it is the dividing-lines alone which

affect the resistance) are determined, then we must put its greatest breadth in the middle.

Take again the expression

$$R + R' \propto (v - v')^2 \frac{CO^2}{AC^2} + (v + w)^2 \frac{CO^2}{BC^2}$$

$$\propto V^2 \frac{b^2}{x^2 + b^2} + V'^2 \frac{b^2}{(a - x^2 + b^2)} \quad \text{suppose.}$$

(the velocity  $v'$  and  $w$  being considered variable).

This is to be a minimum.

Now, as the velocity of the ship increases,  $v'$  and  $w$  increase. But  $v'$  diminishes if the dividing-lines are very sharp forward; and  $w$  decreases as the dividing-lines are made sharp aft and of slight curvature. The suction has been found to be a minimum when the dividing-lines aft make an angle of  $13^\circ 7'$  with the plane through the keel and stern-post.

Now, as  $x$  increases, the dividing-line of the body in question is made sharp forward; as  $x$  decreases, it is made sharp aft. Hence, if  $x$  is made small,  $v'$  will increase, and  $\frac{b^2}{x^2 + b^2}$  will become  $= 1$  nearly, and the first term will become  $V^2$ . Also  $\frac{b^2}{a - x^2 + b^2}$  will be large, and  $w$  will diminish, and so the second term will diminish. And as the quantity  $w$

is of more importance than the resistance forward, this is an advantage. When the velocity of the vessel is small,  $v'$  and  $w$  may be disregarded, and then, as we have shewn,  $x$  should be equal to  $\frac{a}{2}$ . But the greater the velocity which the vessel is likely to attain, the fuller should the dividing-lines be forward, and the more tapered aft. This is found true also in practice.

To find the plane of resistance; that is, a plane of such an area, that its resistance when moved through the water at the same velocity as the ship, shall be equal to the resistance exerted against the progress of the vessel. Now

$$\begin{aligned}
 R + R' &= p \left\{ (v - v')^2 \sqrt{\left\{ \Sigma \frac{\delta A^2}{\delta S^2} \right\}^2 (1 + \delta B^2)} \right\} + \\
 &\quad + (v + w)^2 \sqrt{\left\{ \Sigma \frac{\delta A'^2}{\delta S} \right\}^2 (1 + \delta B'^2)} \\
 &= p \cdot K \text{ suppose}
 \end{aligned}$$

Let the required area =  $X$

On which the pressure forward =  $pXv^2$

the suction aft =  $pXv'^2$

$\therefore$  the whole pressure =  $2 pXv^2$

$$\therefore X = \frac{K}{2v^2}$$

This, however, omits the consideration of the friction, which is increased as  $S$  is increased. Hence there is a medium between a great breadth of beam (which increases the resistance—unless the draught of water be proportionally diminished—but also enables the vessel to bear a greater propelling power); and between a great length, which increases the friction, but does not enable the vessel to carry more sail in proportion to the increase of her tonnage. This medium must be different for different rigs. The breadth for a cutter, in proportion to the length, which has been found most advantageous, is,  $\frac{1}{3}$ ; of a schooner,  $\frac{1}{4}$ ; of a ship,  $\frac{1}{5}$  to  $\frac{1}{6}$ . It must be remembered, however, that the breadth here spoken of, is breadth of beam. That designated in page 123, by  $b$ , is the breadth of the dividing-line. The quantity designated by  $\Sigma\delta A$  increases, however, in proportion to the breadth of beam, so that the above conclusion is just.

We must notice also an advantage in sharp bows, in that the resultant, *when the vessel is on a wind, and making some leeway*, will be at a greater angle with the vessel's course, and will thus increase her stability.

---

In speaking of the passage of a particle of water along the body of a vessel, we suggested that if a

part of a cycloidal arc were applied to the commencement of the dividing-lines, the particles of water (it would appear) should traverse that space much more quickly than along any other line; and so the wave at the bow would be formed at a part of the vessel much more aft than if the water were more retarded forward. The wave would then also tend to support the vessel on itself. The following is the proof that the cycloidal arc is the path most quickly traversed by a particle.

Let  $AMB$  be the curve by which a particle, acted upon by a constant force  $p$ , parallel to the axis of  $x$ , would in the shortest time travel from  $A$  to  $B$ . And let  $M$  be the place where the particle is after the time  $t$ , and  $S$  the length of the arc,  $AM$ , which has been traversed.

Then the velocity acquired at  $M$ , disregarding friction,

$$\frac{ds}{dt} = \sqrt{2px}$$

let  $\frac{\sqrt{dx^2 + dy^2}}{dx}$ , or  $\frac{ds}{dx} = u$

$$\therefore \sqrt{2px} \cdot dt = u \cdot dx$$

and  $\sqrt{2p} \cdot dt = \frac{u \cdot dx}{\sqrt{x}}$

Let  $\beta$  be the value of  $x$  at  $B$ , and  $t'$  the time which the particle takes to arrive there.

$$\therefore t' \sqrt{2p} = \int_0^{\beta} \frac{u dx}{\sqrt{x}} = U \text{ suppose}$$

Now, to determine the curve for which this is a minimum; let  $c$  be a very small constant, and  $\delta y$  an arbitrary function of  $x$ , such that  $\delta y = 0$  when  $x = 0$ , or  $x = \beta$ , and shall not become infinite for any intermediate value of  $x$ .

Let  $U$  and  $u$  become  $U'$  and  $u'$  when

$y$  becomes  $y + c\delta y$ .

$$\therefore U' = \int_0^{\beta} \frac{u' dx}{\sqrt{x}}$$

which expresses another curve  $AM'B$  passing through  $A$  and  $B$ , and nearly coinciding with  $AMB$ .

$$\therefore U' - U = \int_0^{\beta} \frac{(u' - u) dx}{\sqrt{x}}$$

Let  $(u' - u)$  be expanded according to powers of  $c$ , and let  $c\delta u$  be its first term, then the first term of  $U' - U$  is

$$c \int_0^{\beta} \frac{\delta u dx}{\sqrt{x}}$$

$$\therefore \int_0^{\beta} \delta u dx = 0$$

Because  $U' - U$  must be positive, whatever value  $\delta y$  may have, and whatever sign  $c$  may obtain.

$$\begin{aligned} \text{But } \delta u &= \frac{d}{dx} \sqrt{1 + \frac{dy^2}{dx^2}} \\ &= \frac{1}{2u} \left\{ 2 \frac{dy}{dx} \cdot \frac{d}{dx} \left( \frac{dy}{dx} \right) \right\} \\ &= \frac{1}{u} \cdot \frac{dy}{dx} \cdot \frac{d}{dx} \cdot \delta y \end{aligned}$$

and the above equation becomes

$$\int_0^{\beta} \frac{1}{u \sqrt{x}} \cdot \frac{dy}{dx} \cdot \frac{d}{dx} \cdot \delta y \cdot dx = 0$$

But  $\delta y = 0$  when  $x = 0$ , or  $x = \beta$ ; therefore integrating by parts,

$$\int_0^{\beta} \frac{1}{u \sqrt{x}} \cdot \frac{dy}{dx} \cdot \frac{d}{dx} \cdot \delta y \cdot dx = - \int_0^{\beta} \frac{d}{dx} \left( \frac{1}{u \sqrt{x}} \cdot \frac{dy}{dx} \right) \delta y \cdot dx$$

$$\therefore \int_0^{\beta} \left\{ \frac{d}{dx} \left( \frac{1}{u \sqrt{x}} \cdot \frac{dy}{dx} \right) \right\} \delta y \cdot dx = 0$$

but  $\delta y$  is arbitrary

$$\therefore \frac{d}{dx} \left( \frac{1}{u \sqrt{x}} \cdot \frac{dy}{dx} \right) = 0$$

$$\therefore \frac{1}{u\sqrt{x}} \cdot \frac{dy}{dx} = C$$

or 
$$\frac{1}{\sqrt{x}} \cdot dy = C \sqrt{dx^2 + dy^2}$$

$$\therefore dy^2(1 - Cx) = Cx dx^2$$


and 
$$dy = \frac{Cx dx}{\sqrt{x - C^2x^2}}$$

if for  $C$  we put 
$$\frac{1}{\sqrt{r}}$$

$$dy = \frac{x dx}{\sqrt{rx - x^2}}$$

which is the equation to a cycloid, the base being parallel to the axis of  $x$ ; and the radius of the generating circle being  $\frac{r}{2}$

Under the supposition that the former reasoning is sound, the stem would be at  $A$ , and the middle



line of the vessel parallel to the axis of  $x$ . Only a part of the cycloidal arc  $AM$ , would be applied to each of the dividing-lines; or at least to several, the fairing of the bow would take in the

others.

But this has been established on three suppositions, which are not quite true :

1. The particle moving along the curve is supposed to be in a non-resisting medium, in which case alone, the path of quickest descent is a cycloid. Now it is not the water, but the vessel which moves. We have spoken of the motions of the particles of water only for convenience sake. The only actual motion of the particles of water is outwards in a normal direction from the sides of the vessel ; the water is cloven, as it were, and becomes in consequence more dense in the vicinity of the bow (which shows itself as we have already said, in the wave which is formed). The curve must therefore be considerably modified from the cycloid ; what modification is necessary can only be determined by experiment.

2. In the above calculation we have assumed that there is no friction.



3. The surface of the water is supposed to be flat. The incorrectness of this assumption does not affect the reasoning so much as would at first appear. For the waves of the sea have but a *very* slight onward motion ; they perform only vertical oscillations. The wind presses down a column of water in one part, and the elasticity of the fluid compressed, causes a correspondent rise in the adjacent parts. It is thus that waves are formed in a field

of corn; the ears do not run away like the Irishman's furrow of potatoes, but merely oscillate up and down.

As the normals at successive points, on a concave surface, converge towards each other, the water impinging on different points of the bow, will receive outward impulses in converging directions; and hence the density at the bows will be very much increased at the expense of the other parts. Is this likely to conduce to velocity? We think these considerations upset any plausibility, which there may appear in the foregoing mathematical calculation. The same objections apply equally to the curve of sines, or any other of the hollow lines which may have been used. But we have been speaking of concavity in the dividing-lines. It is very possible that experiment may demonstrate some superior form of bow, in which the dividing-lines are not hollow, although the water-lines may be so.

---

Let us suppose two bodies (1) and (2) of the same length, breadth, and depth, and formed as in



the figure. And that these bodies be propelled

through the water by sails, at the same velocity  $v$ ; the whole of each body being immersed, so that the plane at the top shall be the plane of floatation. Let the length  $= 2a$ , the breadth  $= 2b$ , depth,  $= d$ ; the greatest breadth in (1), and the greatest depth in (2) being at the middle of the length. The angle of the bow in (1) being  $2\phi$ ; in (2) the rake being  $\theta$

Then the resistance on a unit of surface forward

$$\begin{aligned} & \propto (v-v')^2 \sin^2 \phi \} \text{in (1)} \\ \text{,, aft} & \propto (v+w)^2 \sin^2 \phi \\ & \propto (v-v')^2 \sin^2 \theta \} \text{in (2)} \\ \text{,, forward} & \propto (v-v')^2 \sin^2 \theta \\ \text{,, aft} & \propto (v+w)^2 \sin^2 \theta \end{aligned}$$

Assuming  $v$  and  $w$  to be the same in (1) and (2).

Also let  $v' = w$ .

$$\text{Now area } AB \text{ in (1)} = \frac{b}{\sin \phi} \cdot d$$

$$\text{,, in (2)} = \frac{d}{\sin \theta} \cdot 2b$$

$$\therefore \text{ Whole resistance in (1)} \propto 2(v^2 + w^2) \sin^2 \phi \cdot \frac{2bd}{\sin \phi}$$

$$\text{,,} \quad \propto 4(v^2 + w^2) \frac{b^2 d}{\sqrt{a^2 + b^2}}$$

$$\text{Resistance in (2)} \propto 2(v^2 + w^2) \sin^2 \theta \cdot \frac{2bd}{\sin \theta}$$

$$\text{,,} \quad \propto 4(v^2 + w^2) \frac{bd^2}{\sqrt{a^2 + d^2}}$$

And to find the relative stability of these two bodies, let us take the expression

$$fy^3 dx$$

$$\text{in (1) } y = \frac{b}{a}x, \text{ and } dx = \frac{a}{b}dy$$

Therefore the above expression becomes

$$\frac{a}{b} \int_0^b y^3 dy = \frac{ab^3}{4}$$

but this is only taken for the bows; therefore for the whole body

$$fy^3 dx = \frac{ab^3}{2}$$

In (2)  $y = b$ , and the expression becomes  $= 2ab^3$

In (1) the volume  $= 4 \frac{abd}{2} = 2abd$

In (2) ,,  $= 2abd$

The depth of the centre of gravity in (1), is  $\frac{d}{2}$ ;  
in (2) it is  $\frac{d}{3}$

And as the centres of gravity of the bodies, and those of displacement are at the same point, the relative stability of (1) and (2), is as 1 : 4.

And the resistance in (1) and (2) is as

$$\sqrt{a^2 + b^2} : \sqrt{a^2 + d^2} :: \sin \phi : \sin \theta$$

The lateral resistance in (1) and (2) is as

$$\sqrt{a^2 + b^2} : a$$

Hence (2) would be in every way superior in smooth water ; but she would feel the shock of the waves more than (1).

If a vessel is flat, with a light draught of water, she ought to have bluff bows ; a sharp fore-body would not be so advantageous—would make her lose in buoyancy and shallowness, and would give worse dividing-lines. This is true, more especially if the vessel be intended for smooth water (as rivers or inland lakes). The stem should be made to rake very much, so that she would, as it were, skate over the water. She must have hollow water-lines aft, for the sake of the steering. With full stern-lines and the water closing in an upward direction, the rudder would not act. It is also necessary that such vessels should possess great beam ; for if they

careen much, a part of the bilge will be below the keel; and moreover, an increase of beam (from the dividing-lines being in nearly vertical planes) will not cause a corresponding increase in resistance.


In the above solids, if  $\theta = \phi$ , the dividing-lines are as acute in each, and the resistance the same. But the dividing-lines in (1) lie in horizontal planes; those in (2) in vertical planes. Thus it is that some vessels, with very full bows and great beam, are found to sail very fast, as well as some very sharp and narrow vessels. The dividing-lines in the 'Victorine' (a very fast river sloop) are very narrow, and yet the beam of the vessel is a great deal more than  $\frac{1}{3}$  of the length of her load-water-line, and about four times her depth. The water-lines are no test of a vessel's qualities.

With relation to determining the best proportion of the length to the breadth, various considerations must be taken into account. Increase of length increases both the friction and the violence of pitching and 'scending; for the *vis viva* of the weights in the fore and after body vary as the squares of their distances from the axis of rotation; and the strain on the vessel is therefore increased as the squares of the portions before and abaft the centre of gravity, while the power to resist that strain varies inversely as the length. Increase of breadth

increases both the resistance, and, *ceteris paribus*, the violence of rolling.


*To find the centre of gravity, point velique, and centre of lateral resistance of a vessel afloat.*

When the vessel is at anchor in smooth water, let her ballast be taken up, and equal quantities stowed in her bow and stern, in such a manner that she will be immersed up to her load-water-line, both at the stem and stern. The centre of gravity is midway between. If the two quantities of ballast



are not equal, then let them be at  $A$  and  $B$  when the vessel is down to her load-line; let them be moved to  $A'$ ,  $B'$ , so that the vessel is still down to her load-line; then take  $G$  so that  $AG : AA' :: BG : BB'$ . Then  $G$  will be in the vertical through the centre of gravity.

Let an upright mast be placed at this point, and



let the vessel, when ballasted so as to ride up to her load-line, be taken to a river or rapid tide-way,

or towed at some distance after a steamer; and let a rope be made fast to a hoop, on this mast, which can be hoisted up and down. Let the rope be

made fast to some object (as the mast of a vessel) so that it shall be nearly horizontal. When the hoop is at the point *velique*  $V$  then the vessel will ride down to her load-line ; if it be above, the bows will be depressed ; if below, the stern will sink. Hence the point is quickly found. The same may be done with a model of the vessel.

To find the centre of lateral resistance, let her be placed across the stream, and the rope made fast successively to different points along the deck, until such a position shall be found that the vessel shall ride across the stream without slueing round. The vessel can then be rigged in accordance with the points thus determined.


## CHAPTER VIII.

## THE CURVE OF SECTIONS.

CHAPMAN endeavoured to discover if the areas of the immersed part of the sections of fast-sailing ships followed any regular law. He therefore calculated these areas from the draughts of several notable vessels, divided the area of each section by a constant quantity (the breadth of the principal section), and set off distances, proportional to these quantities, on the sections in the sheer-plan, measuring from the load-line. And he found that the curve which passed through these points was, in all good vessels, parabolic both in the fore and after body; and that sometimes the curve both in the fore and after body was one parabola.

*To find the assimilating parabola to the curve of sections.*

Let  $LW$  be the load-line,  $LbW$  the curve of sections. Draw a tangent to the curve of sections parallel to the load-line, and let it touch the curve at  $b$ . And if the curve cut any one of the sections in  $q$ , and the tangent cuts it in  $p$ , then  $bp$  is an ordinate, and  $pq$  an abscissa of the curve.



Let the measured value of  $bp$  be =  $y'$   
 „ „ „  $pq$  „ =  $x'$

Similarly, let the values of the analogous lines for the next section be  $y''$ ,  $x''$ , and so on.

Then we have  $y'^n = mx'$   
 $y''^n = mx''$

$$\begin{aligned} \therefore n \log y' &= \log m + \log x' \\ n \log y'' &= \log m + \log x'' \end{aligned}$$

---


$$\therefore n = \frac{\log x' - \log x''}{\log y' - \log y''}$$

and  $m = \frac{y'^n}{x'}$

$$\therefore \log m = n \log y' - \log x'$$

By repeating this operation with each successive section, we can ascertain how far the curve of sections is parabolic.

If the sections are perpendicular to the tangent or load-line, then  $\frac{m}{4}$  represents the focal distance ; if not, then it is the parameter of a parabola referred to a diameter and chords as axes of co-ordinates.

A similar calculation must also be performed on the after-body ; and if the equation of the assimilating parabola be  $y^{n'} = m'x$ , then if  $n' = n$ , and  $m' = m$ , the whole curve assimilates to one and the same parabola.

From the construction it follows that the area of the curve of sections, multiplied by the constant divisor of the areas of the sections, gives the displacement, and the centre of gravity of the curve is in the same section as the centre of gravity of the displacement.

Taking the foregoing figure, let  $LW = l$ ,  $Db = d$ . And let the equations to the parabolas in the fore and after bodies be

$$y^n = mx, \quad y^n = m'x$$

and if  $\angle bED = \theta$ , then  $d = Eb \cdot \sin \theta$ .

$$\text{Then area of } LbWD = \frac{n}{n+1} \cdot ld$$

And if  $B$  be the constant divisor, then the displacement

$$D = \frac{n}{n+1} \cdot ldB$$

But the area of the principal section at the point  $D = B \cdot d$

$$\therefore D = \frac{n}{n+1} \cdot l \times \text{area of principal section.}$$

Let  $E$  be the middle point of the line  $LW$ ,  $F$  the position of the section containing the centre of gravity, and let  $ED = k$ ,  $EF = \alpha$

Then as  $WDb$  represents the displacement of the fore-body, and  $LDb$  of the after-body, the moments of these two parts will give the common moment.

Now, if  $\bar{y}$  be the ordinate of the centre of gravity of  $DbW$

$$\begin{aligned} \bar{y} &= \frac{\int y x dy}{\int x dy} \\ &= \frac{\int y^{n+1} dy}{\int y^n dy} \\ &= \frac{n+1}{n+2} \cdot DW \end{aligned}$$

And similarly that of  $LDb$  is  $= \frac{n+1}{n+2} \cdot LD$

Hence the moments of these areas round  $E$  are

$$\begin{aligned} &\left( \frac{n+1}{n+2} \cdot DW + k \right) DbW \\ &\left( \frac{n+1}{n+2} \cdot DL - k \right) DbL \end{aligned}$$

Now the area of

$$bDW = \int y dx = \frac{n}{n+1} \int y^n dy = \frac{n}{n+1} bD \cdot DW$$

and area of  $bDL = \frac{n}{n+1} bD \cdot DL$

$$\therefore \text{area } LbW = \frac{n}{n+1} ld$$

And the moment of the whole area round  $E$  is

$$EF \cdot LbW = a \cdot \frac{n}{n+1} \cdot ld$$

$$\therefore al = \left(k + \frac{n+1}{n+2} \cdot DW\right) DW - \left(\frac{n+1}{n+2} DL - k\right) DL$$

$$= kl + \frac{n+1}{n+2} (DW^2 - DL^2)$$

$$= \left\{k + \frac{n+1}{n+2} (DW - DL)\right\} l$$

but  $DW - DL = -2k$ , for  $DW = \frac{l}{2} - k$ ,  $DL = \frac{l}{2} + k$

$$\therefore a = k \left\{1 - 2 \frac{n+1}{n+2}\right\}$$

$$= k \cdot \frac{n}{n+2}$$

$$\therefore k = \frac{n+2}{n} \cdot a$$

And therefore, if the principal section be placed at such a distance from the middle point of the load-line, the centre of gravity will be at the point *F* assigned to it.

If the curve of sections be one parabola both in the fore and after parts, but the sections be not perpendicular to the load-line, exactly the same reasoning will hold good.

The equations

$$\frac{n}{n+1} \cdot l \times (\text{area of principal section}) = D \dots (1)$$

$$k = \frac{n+2}{n} \alpha \dots \dots \dots (2)$$

are the foundation of the parabolic system of naval construction. This is a system invented by Chapman for the sake of convenience in laying down the lines of vessels. It has the advantage of other methods in not altogether excluding, by its conditions, all rules found by theory or experience to be advantageous. It is not, I mean, of such a nature as to permit only one form of vessel to be thereby constructed. And yet, on the other hand, it does cramp the architect unless he does away, in some degree, with the very advantage which this was invented to obtain; he must either take for better for worse, the form which he deduces accord-

ing to the rules hereafter given, or he must alter and re-alter the form of his vessel, after it has been drawn out, until it embraces all the excellencies which he has proposed to himself. But yet, again, the form deduced from the exponential expression is not so accurately defined as to allow of no latitude in construction; the area of each section is given, but the relation of breadth to depth is undefined, so this relation is only hampered by the requisites for fairness in the lines of the body.

We proceed to make some remarks upon this method of construction. When the values of some of the terms in the above equations are given, the others can be determined. Thus we will suppose the distance of the centre of gravity from the middle point of the load-line to be a given quantity; then the distance of the principal section from the same point is known in terms of the exponent ( $k = \frac{n+2}{n} \cdot \alpha$ ). If the displacement, length of load-water-line, and area of the principal section are given, the exponent is determined ( $n = \frac{D}{LM - D}$ , if  $M$  be the area of the principal section). But if the displacement is not given, and the exponent is assumed, then the displacement is determined.

Thus let  $\alpha = 0$  (or the centre of gravity is in the

middle), then  $k=0$  (or the principal section is in the middle), then if  $n=2$ , and  $l$ , and  $M$  be given, we have:

$$D = \frac{2}{3}lMB.$$


And the areas of the sections follow the law prescribed by

$$y^2 = mx$$

To find  $m$ , we observe that when  $x = \frac{M}{D}$ ,  $y = \frac{l}{2}$ .

$$\therefore m = \frac{l^2 B}{4 \cdot M}$$

The quantity,  $m$ , for the after-body, will be different from the parameter  $m$ , in the fore-body, if we have not  $a=0$ , and  $k=0$ .



This method is similarly applied to the other elements of a ship. Thus let  $KWL$  be the immersed part of a midship section. Draw a straight line  $kB$ , so that the area  $WkBL = WKBL$  as nearly as can

be guessed by eye.

Now,

$$WL = \frac{1}{2}B; \text{ and let } Wk = h; \text{ area } WkBL = \frac{1}{2}M$$

And let  $n'$  be the exponent of a parabola on the lines  $WL$ ,  $Wk$  as abscissa and ordinate, and having an area  $= \frac{1}{2}M$

$$\therefore \frac{1}{2}M = \frac{n'}{n'+1} \cdot \frac{1}{2}Bh$$

and 
$$n' = \frac{M}{Bh - M} \dots \dots \dots (3)$$

This quantity,  $n'$ , is called the *exponent of midship section*.

Similarly we may find the exponent for a water-line.

Let the required exponent be  $n''$ . The length of the middle line  $= L$ ; the area of the *whole* water-line  $= w$

$$\therefore \frac{n''}{n''+1} \frac{B}{2} \cdot L = \frac{w}{2}$$

$$n'' = \frac{w}{BL - w} \dots \dots \dots (4)$$

Again, suppose that the areas of all the water-lines at equal distances below each other, are as the abscissæ of a parabola. Let the exponent be  $n'''$ ,  $Wk = h$  as above.

$$\therefore D = \frac{n'''}{n''' + 1} \cdot wh$$

$$n''' = \frac{D}{wh - D} \dots \dots \dots (5)$$

$n'''$  is called the exponent of the displacement.

These various exponents have been calculated for various good ships, and it was found that, in the Swedish navy,

For ships of the line.	For smaller vessels.
$n$ varies from 2.5 to 2.7	varies from 2.3 to 2.1
$n'$ . . . . 5.0 ,, 3.8	. . . . 3.0 ,, 1.9
$n''$ . . . . 6.6 ,, 5.9	. . . . 5.2 ,, 3.25
$n'''$ . . . . 2.2 ,, 1.8	. . . . 1.6 ,, 1.25

Thus we see that small vessels have larger exponents in proportion to their displacement than larger ones.

Each of the four exponents shows the degree of fulness in a different direction. But they may be combined, so as to show at once the longitudinal and transversal fulness.

From equations (1) and (3) we have

$$\frac{n}{n+1} \cdot \frac{n'}{n'+1} Blh = D \dots \dots \dots (6)$$

From equations (4) and (5)

$$\frac{n''}{n''+1} \cdot \frac{n'''}{n''' + 1} = LBh = D \dots \dots \dots (7)$$

In these two equations the quantities  $lBh$ ,  $LBh$  represent two equal parallelopipeds (for in the load-line  $L=l$ ) and the factors  $\frac{nn'}{(n+1)(n'+1)}$ ,  $\frac{n''n'''}{(n''+1)(n''' +1)}$  express the volume of the ship relatively to these parallelopipeds.

By substitution, close approximations to the depth of the centre of gravity of the displacement, the height of the metacentre, &c., may be arrived at; and the requisite alterations in these essentials may be effected before a line is drawn in the plan.

Perhaps the most convenient way of employing the exponential method of construction is as follows:

Let the ratio of the length to the breadth =  $\mu$   
 „ „ breadth to the depth =  $\nu$

By substitution in (6) we get

$$\frac{nn'}{(n+1)(n'+1)} \mu \nu B^3 = D$$

$n$ ,  $n'$  are known by experience, and by assigning certain values to  $\mu$  and  $\nu$ , then  $B$  is found by approximations being made to the quantity  $D$ .


When  $B$ ,  $l$ ,  $h$ , are found, then calculate the weight of the hull exactly, and add the other weights in the ship, and if the result differs from  $D$ , as found by the above equation, then we must

again determine new values for the breadth, length, and depth of the ship, until the two values of  $D$  thus found, become equal. This done, the next thing to settle is the position of the principal section, and of the centre of gravity ; afterwards the parameters of the fore and after-body, and the area of the midship section.

## CHAPTER VIII.

## ON THE DISPOSITION AND EXTENT OF CANVASS.

LET  $C$  be the centre of gravity of the displacement at which the pressure  $D$  is supposed to act in a direction vertically upwards.



Let  $R$  be the resultant of the increase of resistance, due to the motion of the vessel, which is exerted against the bows;  $R'$  the resultant of the suction to the stern; let  $P$  be the resultant of  $R$  and  $R'$ ;  $Q$  the resultant of  $P$  and  $D$ ; which may be supposed to act at the point  $V$  in the direction of  $D$ . Then  $V$  is the point velique. From  $C$  draw  $Cm$  perpendicular to the direction of  $Q$ . And let angle  $VCm = \eta$ .

Now  $V$  is the point at which the centre of effort

of the sails must be, and if  $F$  be the force of the wind on the whole extent of sail, we must have

$$F . CV = Q . Cm$$

Now (1) if the wind act at a point below  $V$ , the resultant  $Q$  and the wind will form a couple, which will tend to lift the bows by turning the vessel round her centre of gravity, so that the stern will be depressed. If, on the contrary, the wind act at a point above  $V$ , the stern will be raised and the bows depressed.

And (2) when the wind increases in strength,  $Q$  will be augmented, and its direction will form a smaller angle with  $P$ ; therefore  $Cm$  will be increased. But if the force  $F$  be increased so as to become  $nF$ , then  $Q$  will become  $nQ$  (but the velocity only becomes multiplied by  $\sqrt{n}$ ).

So that we have

$$nF . CV = nQ . (Cm \times f) \quad \text{suppose,}$$

and if  $S$  be the surface of sail, so that  $F = W . S$ ;

and since  $Cm = CV . \cos \eta$  where  $\sin \eta = \frac{D}{Q}$  so that

$$Cm . f = CV . \sqrt{1 - \frac{D^2}{n^2 Q^2}}$$

then we have

$$F . CV = Q . CV \sqrt{1 - \frac{D^2}{n^2 Q^2}} .$$

$$W . S = Q \sqrt{1 - \frac{D^2}{n^2 Q^2}}$$

$$= \sqrt{Q^2 - \frac{D^2}{n^2}}$$

and 
$$S = \frac{\sqrt{Q^2 - \frac{D^2}{n^2}}}{W}$$

if the sails are inclined at an angle  $\theta$  to the wind, then  $S$  becomes  $S \cdot \sin^2 \theta$ , and


$$S \cdot \sin^2 \theta = \frac{\sqrt{Q^2 - \frac{D^2}{n^2}}}{W}$$

but in this case, the resistance to the two sides of the vessel is not the same; and hence  $Q$  does not meet the direction of  $D$ .

It will be observed that the less the angle which the direction of  $P$  (constant for each ship) makes with the water, the lower the point velique will be; and the centre of effort being lower, the vessel may have a larger surface of sail. Hence the floor at the bow should be very sharp; and the projections

of the dividing-lines in the half-breadth plan should be full, in the sheer-plan sharp, in the bows.

The value of  $S$  above found is only with reference to the length of the vessel, without any regard to her stability; it is only such a relation that neither bows nor stern shall be depressed. But



now, let  $LCW$  represent the body of a ship inclined at an angle  $\theta$  to the horizon.  $G$  the centre of gravity of the ship;  $V$  the centre of effort of the sails,  $GV=f$ ;  $O$  the cen-

of displacement; draw  $OM$  perpendicular to  $WL$  meeting  $GV$  in  $M$ .

Then if  $W$  be the force of the wind, we have

$W \cos \theta$  acting perpendicular to  $GV$

$W \sin \theta$  ,, parallel to it.

Now the ship rotates round  $G$ .

$$\therefore \text{moment of sails} = S \cdot f \cdot W \cos^2 \theta$$

and the moment of the ship to resist this force is

$$= D \cdot GK - SW \sin^2 \theta \times f \cdot \sin \theta$$


$$= D \cdot GK - SW f \cdot \sin^3 \theta$$

$$\therefore SWf (\cos^2 \theta + \sin^3 \theta) = D \cdot GK$$

or  $SWf(1 + \sin \theta) = D \cdot GK$

$$S = \frac{D \cdot GK}{Wf(1 + \sin \theta)}$$

so that if to  $\theta$  we assign the angle of utmost inclination, then by assigning different values to  $W$ , we can find the proper surface of sail for each force of wind;  $f$  of course must remain constant, in order to fulfil the condition in the former page.



Let  $WL$  be the water-line when the centre of effort of the sails is at the point velique  $V$ . Then let more sail be added, and let the new centre of

effort be at  $F$ . Let  $s$  be the amount of sail which is added; and let  $ab$  be the new water-line.

Then the moment to turn the ship round the centre of gravity in the first case is

$$= WS \cdot VG$$

In the second it is  $= W(S + s) \cdot FG$

But the horizontal resistance of the water must equal the horizontal propelling force when the velocity is constant; and therefore in the first case it is

$$= WS$$

In the second it is  $= W(S + s)$

But as the centre of effort is too high, there is no equilibrium until the bows are depressed; and the force exerted in depressing the bows is

$$W(S+s)GF - WS \cdot GV = W(S \cdot FV + s \cdot GF)$$

and the bows must be depressed until  $F$  becomes the point velique.

Then  $bGF$  will be the angle of the ship's square-sails with the horizon. Let it  $= \frac{\pi}{2} - X$ .

$\therefore$  the part of the force of the wind which propels the vessel in her course

$$= W(S+s) \cos^2 X$$

while  $W(S+s) \sin^2 X$  acts vertically downwards, like an additional weight in the ship. But when the centre of effort is at  $V$ , the force propelling the ship is  $W \cdot S$ .

Now the amount of force lost by the malposition of the centre of effort is  $W(S+s) \sin^2 X$ ; and unless

$$W(S+s) \cos^2 X > WS$$

or

$$s \cdot \cos^2 X > WS \cdot \sin^2 X$$

then the vessel will actually go slower.

Moreover, the area of resistance is considerably increased by the downward pressure of the wind, which has not been taken into account.

In the above consideration, we have supposed the plane of the sails, when the vessel is at her proper load-line, to be vertical. If the masts were raked, there would not be the downward pressure of the wind.

If the centre of effort were too low, the stern would be depressed, and then the part of the wind resolved vertically, would tend to lift the vessel instead of acting as an additional weight. When the bows are depressed, the ardency is increased, when the stern settles the ardency is diminished.

A very broad stern enables the builder to put the centre of effort a little lower than the point velique; so that the addition of the extraordinary topsails brings it right. For the breadth of the stern makes the depression to be very slight. A broad stern increases also the stability.

The commander of a yacht should be provided with a pendulum, that he might immediately be made aware of any alteration in the water-line of his vessel. It may then be rectified by a different disposition of the weights in the vessel.

To determine the proper amount of sail for a vessel, is by no means an easy matter. In the first

place, it is easily seen how that two vessels may have the same length, breadth, depth, tonnage and stability, and yet, from a difference in form, require the centre of effort at a different height, and be obliged to carry a very different area of canvass. But hereupon no standard can be set up by theory; the average amount of sail proper for a vessel must be determined by experience alone. The 'America' has about 56 square feet of canvass (exclusive of jib) for every square foot in her midship section; while our yachts usually have only 42 feet. Chapman says, that the area of canvass should vary as the stability to the power of  $\frac{3}{4}$ . It is clear that it must vary with the stability, and the proper ratio can only be found by experiment.

For three famous American schooners, I have calculated the moment of the sails round the middle line of the ship at the height of the load-line (that is, the area of sail multiplied by the height of the centre of effort), and also I have determined the value of the expression  $\int l^2 d\lambda$  for each of them.

Name.	$\int l^2 d\lambda$ .	Moment of two try-sails, fore-sail and jib.	Moment of all sails.	Tonnage.
Baltimore clipper	5062.75	21816.7	25707.0	65
'America' . .	23726.67	125975.66 (no jib)		171
'Mary Taylor' .	8175.7	85492.32	146562.9	83

Thus the ratio of  $\int l^2 d\lambda$  to the moment of the lower sails is respectively as

$$1 : 4\cdot2$$

$$1 : 5\cdot2$$

$$1 : 10\cdot4$$

## CHAPTER IX.

## RIGGING AND MANAGEMENT OF YACHTS.

EVERY rig has its own peculiar advantages ; some suiting best in some places, others being better adapted to other seas. For small craft, a dipping-lugsail gets more out of the boat than any other rig ; there is little weight aloft, and it is a very lifting sail. A standing lug does better for short tacks, but is not so lifting a sail. It is more handy than the other kind of lug, but is not equally good on both tacks ; for, on one tack, the part before the mast becomes a backsail. An improvement in this kind of sail was suggested by my father ; it consists in having *only* the bolt-rope at the luff, in order to make the sail stand ; but there is no canvass before the mast, and the weather-leech has hoops round the mast as in a trysail. This would do admirably for vessels larger than mere boats. Small schooners

would be improved, by  
 sails instead of a gaff, fo  
 less weight aloft; and t'  
 the way of the other s  
 deal peaked up. A sp  
 for small boats, and  
 aloft. The Bermuda  
 smooth water, but th  
 the point velique s!  
 requires the body c  
 boat. For larger  
 going to windwa  
 chopping seas.  
 tons, the great bc  
 almost unmanag  
 wind.

A large cutte  
 squalls which a  
 length of the  
 ever, an adv  
 windward. (  
 provements  
 is not good  
 unhandy, it  
 labour is de  
 for long st  
 is a very e

But ir

necessity be a kind of play. It is differently produced in different rigs, but it must always be carefully preserved, whatever alteration may be made in the rigging. In the cutter, the weight of the great mainsail and boom hangs on the mast; and the jib is sweated up very taut, so that the play is in the spring of the bowsprit, and the rising and falling of the boom. It is evident that, when the most is required of a cutter, the bobstay should not be taut. In a schooner it is the switching of the masts which produces the play. If the masts were upright, they would drive the vessel's bows into the seas at each switch forward, or perhaps themselves go by the board. When they are raked, the switch is upwards. The Americans once had a spiral spring to the top of the jibstay, in order not to lessen the elasticity. For the same reason, the only proper mainstay for a schooner extends from the mainmast head to the foremast head; that is, "a jumper-stay."

When the mainstay is brought down to the deck, as in our schooners, the play of the mainmast is destroyed. A large fish schooner, off this coast, was originally rigged with two mainstays down to the deck; but it was soon found necessary, in our heavy seas, to substitute a jumper-stay, although this caused great inconvenience with her fore-gaff-topsail in going about.

In a lug the play is from the tack up to the yard, and also in the yard, as in a latteen-sail.

The play in all these rigs is produced in a different manner, according to circumstances; but there is a play in all of them. It is for want of knowing this that people often imitate something of one rig in another, and, by not applying it rightly to the altered state of the case, they lose the advantage which, by cleverness of invention they had hoped to attain. And for the same reason it is, that good cutter-sailors are not found to succeed so well in luggers or schooners. A ship has no play in her rig: but, being larger, she has a great momentum, which suffices instead of the play.\*

The rationale of the advantage obtained by a play in the rig, is the same as that of the benefit which results from a spring in the ballast, under which head it will be explained with more ease and simplicity than could be attained in the case of the rig. It is for a similar reason, also, that a slight elasticity in the hull has been found to be an advantage; in these circumstances the bow and stern can each subside, or rise an inch or two without affecting the other. This is one of the greatest advantages in Sir William Symond's system of diagonal planking in small boats. When the ballast is all stowed round

---

\* For the above remarks I am indebted to my father.

the centre of gravity, the bows and stern can be pressed up a little by the force of the water, and will fall as soon as that support is diminished. For this reason it is that vessels, when chased in the war, have escaped by knocking out all bulkheads, and sawing down the sides at the midship section for a few feet.

## MASTS.

The lateral strength of two cylinders of the same matter, and of equal weight and length ; but one of them bored longitudinally, and the other solid, are to each other as the diameters of their ends.

Let the length of the cylinders be  $l$ , the diameter of the one to be bored  $= 2a$ .

Then the area of the end is  $= 2\pi a^2$   
and its solid contents  $= 2\pi l a^2$

Now let a hole of diameter  $a$  be bored from end to end ;

the solid contents thus removed  $= 2\pi l \frac{a^2}{4}$

and the remainder  $= 2\pi l \frac{3}{4} a^2$

Hence this hollow cylinder is of the same weight

M 2

and consequently of the same strength as a cylinder of the same length, and of a diameter  $= a \cdot \sqrt{3}$ .

So that the strength before and after boring is as

$$1 : \frac{\sqrt{3}}{2} = 1 : 0.866$$

and the weight before and after boring is as

$$1 : \frac{3}{4}$$

so that a hole bored in a cylinder of a diameter equal to half that of the cylinder, would, in theory, reduce the weight  $\frac{1}{4}$ th, and the strength by  $\frac{1}{10}$ th. But as the pith and central wood is not so firm as that outside, the strength would be reduced perhaps less; the stick also will be better dried, and so would weigh less. But the elasticity would be slightly impaired.

On the above principle, masts and spars are frequently bored in America.

The masts should be stepped where there are good bearings; this is necessary for safety, both when the vessel rolls, and when under bare poles.

The average length of the lower mast of a cutter is  $\frac{3}{4}$ ths of the length, breadth, and depth, and it is usually stepped  $\frac{2}{3}$ ths from forward.

The following rules for masting schooners is extracted from Griffiths' "Marine and Naval Architecture."

<i>Main.</i> 3, or $3\frac{1}{2}$ times the extreme breadth.	} 1 inch thick for every 4 feet in length.
<i>Foremast.</i> $\frac{8}{9}$ or $\frac{9}{10}$ of the main.	
<i>Mast-heads.</i> $\frac{1}{8}$ or $\frac{1}{9}$ of the length.	.

*Bowsprit outboard.*  $\frac{1}{4}$  or  $\frac{2}{3}$  of the extreme breadth.  
Same diameter as the foremast.

*Jib-boom* (outboard of bowsprit).  $\frac{3}{4}$  of beam.  
Diameter, 1 inch for every 5 feet of the whole length.

*Main boom* over the stern  $\frac{1}{3}$  of the distance from the mainmast to the stern. Diameter 1 inch to 5 feet.

*Gaff.*  $\frac{2}{3}$  or  $\frac{3}{4}$  of boom. Diameter, 1 inch for 4 feet.

*Fore gaff.* 4 to 6 feet shorter than the main.

• *Main-topmast.* 2 or 3 feet longer than half the mainmast.

*Fore-topmast.*  $\frac{8}{9}$  or  $\frac{9}{10}$  of the main.

*Hoist of trysails.* 2 or  $2\frac{2}{3}$  times the beam.

To step the masts, divide the deck into 756 parts ; at 192 from forward place the foremast ; 258 from fore to main ; 336 parts for the foot of the foresail ; 408 for the foot of mainsail ; 204 for the head of each ; 348 for the foot of the jib.

The rake of the masts varies from  $\frac{3}{4}$  to  $1\frac{1}{2}$  inches per foot.

## SAILS.

The sails of the 'America' were made of cotton duck; for they are lighter, easier worked, and hold the wind better than common canvass. The only advantage of heavy canvass is that it lies flatter; for this reason the Bermudians use it for the mainsails of their boats. But I am told that in the 'America' they soaped or greased their sails for the race, to make them hold the wind, and kept them flat with battens.

But the sails in this country are not so cut as to lie flat; and this is the reason for the practice: If  $M$  be the mast, and  $MB$  the boom, then



the gaff will be in some direction  $MG$ . Now, if the angle  $MG$  be the best angle for the sail to form with the wind, then the lower part of the sail near the boom would be nearly aback, or at least forming a very bad angle; but if  $MB$  be at the best angle, the sail up aloft would be lifting; and for this reason they make the sail with a great belly, and bring the boom to too small an angle with the wind, so that the belly may be at the right angle. This evil may be obviated by having the gaff much more peaked up, and having the mainsheet nearer to the mast. For, as the vertical height of the

boom from the deck is the same (to all intents) but the length of the sheet is increased the further it is from the mast; therefore the power of the sheet to keep the sail flat bears a greater proportion to its power in keeping the boom in when the sheet is placed nearer the mast than when it is further off. The advantage of a horse is that it keeps the sail flatter, the disadvantage is a want of play. This plan would attain the advantage of each kind. There are two other advantages in having the gaff much peaked: one is that the play of the gaff is upwards, instead of tending to drive the vessel's head into every sea, and the other is that the head of the sail is smaller, and so the sail is more reduced in size, with less trouble, when reefing. When the sail is very flat, you can afford to lace the foot of the sail to the boom, as the Americans do; if the sail is not very flat, but the gaff goes off at a different angle to the keel from the boom, then this lacing would cause a backsail. In a schooner, if the sails are not flat, the wind from the jib acts against the foresail, and the eddy from the foresail against the main; which in each case, tends to retard the vessel's progress.

There might be made some improvements in the rig of our cutter. The mast should be more aft, (the beam also, of course, in a corresponding position), and there should be less head sail. The mainsail should be *the* sail of a cutter; and the foot should

be much longer in comparison to the head. Also, the present heavy gaff and boom being nearly horizontal, do not switch up and down when the vessel pitches; they drive her bodily into the seas. They should be peaked up more, and the boom kept much lower; the jaws of the boom should be down almost in the cabin. The gaff should form an angle of  $45^{\circ}$  with the mast.\* The bowsprit should be shorter, stouter, and without a bobstay. There should be no foresail (which is a very pressing sail), but only a large jib. And it will be necessary, therefore, in order to work with ease in going about, that the mast should be stayed forward by two forestays to catheads out of the bows, instead of one stay to the stem-head. She should have no topmast; but her gafftopsail should be run up with a yard, which should stand up and down the mast, as in American schooners. It is not, I'am aware, quite a new thing to omit the foresail; but I do not think my plan of the forestays out to catheads has ever been tried.

It would be a good plan, in schooners, to have a boom for the foretrysail, with a jigger and a snotter round the mast, instead of jaws; so that it could be brought in when the vessel is in stays, and bowsed out again as soon as she is on the other

---

\* The above remark, as far as relates to the peaking up of the boom and the gaff, is from my father.

tack. It would give more play to that sail, and make it stand better. The 'America' had a boom (with jaws) which extended only to the mainmast.

No racing vessel should have a gunwale of more than a few inches; for it only serves to catch the wind, and send her to leeward. Neither should there be any cabins or bulk-heads below. A piece of painted canvass stretched across the vessel amidships would be quite sufficient.

#### BALLASTING.

When a vessel is raised in the forepart by a wave; and when the wave has passed the forepart and the bows fall; then, if she with difficulty raises herself upon the succeeding wave, she is said to pitch; if she does a similar thing abaft, it is called 'scending. Both pitching and 'scending impede a vessel's way and endanger the masts; but they may, in a great degree, be corrected by a proper stowage of the ballast. When the wave is amidships, the bow, being imperfectly supported, drops with a momentum which is the product of the weights of the forepart multiplied by their distance from the centre of gravity (which is the centre of rotation). Hence, as much of these weights as possible should be brought from fore and aft and stowed about the centre of gravity; then, although the rapidity of

the pitching will be somewhat increased (the pendulum being shorter) yet the violence of it will be greatly diminished; the vessel will be more lively, and her way not stopped so much. A similar rule applies as to the depth of the ballast below the surface of the water, as affecting the rolling.

But wherever the ballast is stowed, it should, above all things, be placed upon springs; in order to make it "a live," and not "a dead weight." Why, in a chase, do they sometimes put a shot in each hammock, and make every man hold a shot in his hand? To make the ballast a live weight. At Malta there was a race between little sailing-boats; one boy slung his ballast under the thwart of his boat; there was a slight tumble on the sea; the boat jobbed up and down, but forged away from all the rest and won the race. Why was that? "The true-blooded Yankee," a famous cruiser, was one of our 10-gun brigs; but her ballast had been taken out and stowed upon broom-stuff (which gave it a spring), and light tops were substituted for our heavy ones. Instances might be multiplied to shew the advantages of a live weight; but it were useless, as the matter is pretty well acknowledged. The reason of the advantage accruing from the above practice is this: when a vessel is one solid mass, a wave, on striking the bow, must at once overcome the inertia both of the whole ship and of the ballast,

before the ship will rise over it. Or, in other words, the wave must rise up about the bow until the buoyancy which is generated, is greater than the inertia of the vessel and ballast. But when the ballast is on springs, the ship will rise over the sea, when much less buoyancy is generated—when much less of the bow is immersed—because only so much additional buoyant power is necessary as shall overcome the inertia of the vessel alone. And the inertia of the ballast, as the springs recover themselves, is overcome by a subsequent effort of the water. So also on plunging down again, when the wave reaches the stern, a vessel in which the ballast is not stowed on springs, will plunge much deeper into the water, because the momentum of both ship and ballast together must be overcome at one effort. But when the ballast is on springs, then, at the instant when the momentum of the ship is overcome, the ballast still plunges down on its springs, till its momentum is overcome by a subsequent effort. The advantage of a play in the masts is exactly similar to that of the play of the ballast. But if the play is to be in the masts, they must rake in order not to drive the bows down. If any one would like to convince himself of these facts by an analogy, let him procure a carriage and a cart of the same weight, and drive them at a moderate pace on a rough road. He will soon see that the carriage

is the lightest in draught. He will also see the wheel of the cart frequently hopping off the ground, while those of the carriage do not show light beneath them; or let him try to cut a branch, which has a considerable spring in it, with a mallet and chisel.

To find the best position of the sail to the wind, in order to stand on a given course; the direction of the wind with reference to the course being given.

Let the angle of the wind and course =  $\alpha$   
 „ „ and sail =  $\theta$   
 then the impulse of the wind  
 $= WS \cdot \sin^2 \theta$

and the resolved part along the keel  
 $= WS \cdot \sin^2 \theta \sin (\alpha - \theta)$

which is to be a maximum.

$$\therefore \{2 \sin \theta \cos \theta \sin (\alpha - \theta) - \sin^2 \theta \cos (\alpha - \theta)\} d\theta = 0$$

and  $\tan (\alpha - \theta) = 2 \tan \theta.$

## TABLES.

## I.

THE FOLLOWING TABLE SHOWS THE PROPER ANGLE OF THE SAIL FOR VARIOUS ANGLES BETWEEN THE APPARENT DIRECTION OF THE WIND AND THE COURSE.

$\alpha$	$(\alpha - \theta)$	$\theta$
108° 53	42° 30	61° 23
99 13	40	59 13
94 25	37 30	56 55
89 28	35	54 28
84 23	32 30	51 53
79 06	30	49 06
73 39	27 30	46 09
68	25	43
62	22 30	40

To assist the commander in working to windward, it would be well to have a mark on the taffrail, over which the boom must be when the vessel is close-hauled, in order that the sail may form the best angle with the wind.

## II.

WEIGHT OF VESSELS\* (AVERAGE).

Class.	Tons burthen.	Weight of hull.	Weight at sea.
Cutter . . . . .	160	88	160
10 guns . . . . .	235	157	283
18 " . . . . .	383	214	456
28 " . . . . .	500	414	784
46 " . . . . .	1063	795	1466
52 " . . . . .	1468	1042	2110
74 " . . . . .	1741	1617	2976

\* From Edye.

## III.

TABLE OF THE SPECIFIC GRAVITY AND STRENGTH TO RESIST A TRANSVERSE STRAIN.

Oak . . . . .	·625	1308
Beech . . . . .	·690	2031
Ash . . . . .	·811	2430
Elm . . . . .	·544	1690
Teak . . . . .	·744	2151
Willow . . . . .	·405	1095
Riga fir . . . . .	·480	1590
Norway fir . . . . .	·639	2376
American pine (Weymouth) . . . . .	·460	1974
Danzic oak . . . . .	·756	1457
Red pine . . . . .	·657	1341

## IV.

Name of wood.	Specific gravity.	Weight of cubic feet in lbs.	Comparative strength.	Stiffness.	Cohesion of square inch in pounds.
Ash . . . . .	0·76	47·5	0·23	0·089	15784
Beech . . . . .	0·696	45·3	0·15	0·073	17709
Elm . . . . .	0·544	34	0·21	0·073	13489
Red or yellow fir . . . . .	0·557	34·8	0·3	0·1154	
White fir . . . . .	0·47	29·3	0·23	0·1	
Larch . . . . .	0·56	35	0·136	0·058	10224
English oak . . . . .	0·83	52	0·25	0·093	11880
Danzic oak . . . . .	.....	36			
American yellow pine . . . . .	0·40	26·75	0·25	0·087	
African teak . . . . .	.....	60·6	.....		
Malabar teak . . . . .	.....	53	.....	} 0·1084	} 15000
Rangoon teak . . . . .	.....	26·2	.....		
Cedar . . . . .	.....	28·2			
Brass . . . . .	8·37	523	0·435	0·49	17968
Gun-metal . . . . .	8·153	509·5	0·65	1·535	36368
Copper . . . . .	8·75	549	.....	.....	20272
Cast iron . . . . .	7·207	450	1	1	17565
Malleable ditto . . . . .	7·6	475	1·12	1·36	62079
Lead . . . . .	11·352	709·5	0·096	0·0385	

## V.

TABLE OF WINDS.

Weight of a column of water in the tube, in inches.	Force in lbs. on square ft.	
0·05	0·26	A pleasant breeze.
0·1	0·52	Fresh breeze.
0·5	2·60	Brisk breeze.
1	5·21	A high wind.
2	10·42	A very high wind.
3	15·62	A storm.
4	20·83	A great storm.
5	26·04	Very violent storm.
6	31·75	Hurricane.

## VI.

## OF CHAIN CABLES.

lbs. per fathom.	Inches diameter of iron.	Substitute for a rope of circumference in inches.	Proof in tons.	Supposed tonnage.	Weight of rope substituted, per fathom.
8	$\frac{3}{8}$	4	2		4.32
10 $\frac{1}{2}$	$\frac{7}{8}$	4 $\frac{1}{2}$	3		
13 $\frac{1}{2}$	$\frac{1}{2}$	5 $\frac{1}{2}$	4	20	
17	$\frac{9}{8}$	6	5	35	9.72
24	$\frac{5}{8}$	6 $\frac{1}{2}$	6	50	
27	1 $\frac{1}{8}$	7	8	70	13.23
30	$\frac{3}{4}$	7 $\frac{1}{2}$	9 $\frac{1}{2}$	90	
36	1 $\frac{3}{8}$	8	11 $\frac{1}{2}$	110	17.28
42	$\frac{7}{8}$	9	13	130	21.87
50	1 $\frac{5}{8}$	9 $\frac{1}{2}$	15	150	
56	1	10 $\frac{1}{2}$	18	170	
60	1 $\frac{1}{8}$	11	21 $\frac{1}{2}$	200	32.67
86	1 $\frac{1}{2}$	13 $\frac{1}{2}$	38 $\frac{1}{2}$	320	
125	1 $\frac{1}{2}$	16	43	500	

On every subject many detached pieces of information are scattered among the various members of society. Some facts, of great intrinsic value, may be known to but few, and there may be no convenient medium through which to communicate them to the world. Also the numerous pieces of information, although singly of no great moment, may, when brought together, help to evolve a theory, or determine a much vexed question. Those who possess such information will greatly favour the

author of this little work if they deem him worthy of sharing their knowledge. He may then be enabled to form a valuable appendix with the contributions of those who are anxious to advance the science of naval architecture.

THE END.

LONDON:

Printed by Schulze and Co., 13, Poland Street.

13, GREAT MARLBOROUGH STREET.

# COLBURN AND CO.'S LIST

OF

Interesting New Works.

---

TO BE HAD OF ALL BOOKSELLERS.

**LONDON:**  
**Printed by Schulze and Co., 13, Poland Street.**

# COLBURN AND CO.'S LIST Of Interesting New Works.

FOURTH EDITION REVISED.

In One large Vol., 8vo. 15s. bound.

## LORD GEORGE BENTINCK, A POLITICAL BIOGRAPHY. BY B. DISRAELI, M.P.

FROM BLACKWOOD'S MAGAZINE.—“ This biography cannot fail to attract the deep attention of the public. We are bound to say, that as a political biography we have rarely, if ever, met with a work more dexterously handled, or more replete with interest. The exertions of Lord George Bentinck in behalf of every assailed or depressed branch of British and Colonial industry—the vast pains which he took in procuring authentic information—and the enormous amount of private labour he underwent in the preparation of those materials which have thrown a novel light upon disputed doctrines of economy—are faithfully chronicled in this most interesting volume. The history of the famous session of 1846, as written by Disraeli in that brilliant and pointed style of which he is so consummate a master, is deeply interesting. He has traced this memorable struggle with a vivacity and power unequalled as yet in any narrative of Parliamentary proceedings.”

FROM THE DUBLIN UNIVERSITY MAGAZINE.—“ A political biography of Lord George Bentinck by Mr. Disraeli must needs be a work of interest and importance. Either the subject or the writer would be sufficient to invest it with both—the combination surrounds it with peculiar attractions. In this most interesting volume Mr. Disraeli has produced a memoir of his friend in which he has combined the warmest enthusiasm of affectionate attachment with the calmness of the critic, and in which he has not only added to his reputation, but we verily believe must increase his influence even as a politician.”

FROM THE MORNING HERALD.—“ Mr. Disraeli's tribute to the memory of his departed friend is as graceful and as touching as it is accurate and impartial. No one of Lord George Bentinck's colleagues could have been selected, who, from his high literary attainments, his personal intimacy, and party associations, would have done such complete justice to the memory of a friend and Parliamentary associate. Mr. Disraeli has here presented us with the very type and embodiment of what history should be. His sketch of the condition of parties is combined with some of those piquant personal episodes of party manoeuvres and private intrigues, in the author's happiest and most captivating vein, which convert the dry details of politics into a sparkling and agreeable narrative. But the portrait which will stamp the book as one of the most extraordinary productions of the time is that of Sir Robert Peel. It is written with wonderful force and extraordinary impartiality.”

## NEW TRAVELS IN THE HOLY LAND.

In Two Vols., with Illustrations, 21s. bound.

EIGHT YEARS  
IN PALESTINE, SYRIA, AND ASIA MINOR,  
FROM 1842 TO 1850.

BY F. A. NEALE, ESQ.,

LATE ATTACHED TO THE CONSULAR SERVICE IN SYRIA.

## Opinions of the Press.

"One of the best accounts of the country and people that has been published of late years."—*Spectator*.

"A highly entertaining book, presenting a lively picture of Levantine life in all its varied aspects."—*John Bull*.

"A very agreeable book. Mr. Neale is evidently quite familiar with the East, and writes in a lively, shrewd, and good-humoured manner. A great deal of information is to be found in his pages."—*Athenæum*.

"Deeply interesting volumes. We have rarely met with a work from which we have derived so much pleasure and profit."—*Messenger*.

"We have derived unmingled pleasure from the perusal of these interesting volumes. Very rarely have we found a narrative of Eastern travel so truthful and just. There is no guide-book we would so strongly recommend to the traveller about to enter on a Turkish or Syrian tour as this before us. The information it affords is especially valuable, since it is brought up almost to the last moment. The narrative, too, is full of incident, and abounds in vivid pictures of Turkish and Levantine life interspersed with well-told tales. The author commences his narrative at Gaza; visits Askalon, Jaffa and Jerusalem, Caïpha and Mount Carmel, Acre, Sidon and Tyre, Beyrout, Tripoli, Antioch, Aleppo, Alexandretta, Adana, and Cyprus. Of several of these famous localities we know no more compact and clearer account than that given in these volumes. We have to thank Mr. Neale for one of the best books of travels that we have met with for a very long time."—*Literary Gazette*.

"Mr. Neale's book will claim the highest rank among works of this class. His long wanderings of eight years in the regions he describes have made him thoroughly familiar with localities, and with the domestic life of the population. Nothing can be more graphic than his picturesque descriptions; nothing more amusing than his sketches of native society; more piquant or more diverting than his stories, anecdotes, and adventures. He takes us out of the beaten tract of tourists into the nooks and corners, as well as into the cities and towns. He tells us everything of such places as Jerusalem, Antioch, Aleppo, Beyrout; but we now go for the first time to Beilan, Nargheslik, Alexandretta, Daphne's Cataracts, &c., &c. As might be expected in the narrative of one so familiar with what he treats of, the book is replete with new and valuable information."

—*United Service Magazine*.

## CAPTAIN SPENCER'S NEW WORK.

In 2 vols. 8vo. with Illustrations, and a valuable Map of European Turkey, from the most recent Charts in the possession of the Austrian and Turkish Governments, revised by the Author, 28s. bound.

# TRAVELS IN EUROPEAN TURKEY

## IN 1850:

THROUGH BOSNIA, SERVIA, BULGARIA, MACEDONIA, ROUMELIA, ALBANIA, AND EPIRUS; WITH A VISIT TO GREECE AND THE IONIAN ISLES, AND A HOMEWARD TOUR THROUGH HUNGARY AND THE SCLAVONIAN PROVINCES OF AUSTRIA ON THE LOWER DANUBE.

BY EDMUND SPENCER, ESQ.

Author of "TRAVELS IN CIRCASSIA," &c.

"These important volumes appear at an opportune moment, as they describe some of those countries to which public attention is now more particularly directed: Turkey, Greece, Hungary, and Austria. The author has given us a most interesting picture of the Turkish Empire, its weaknesses, and the embarrassments from which it is now suffering, its financial difficulties, the discontent of its Christian, and the turbulence of a great portion of its Mahomedan subjects. We are also introduced for the first time to the warlike mountaineers of Bosnia, Albania, Upper Moesia, and the almost inaccessible districts of the Pindus and the Balkan. The different nationalities of that Babel-like country, Turkey in Europe, inhabited by Sclavonians, Greeks, Albanians, Macedonians, the Romani and Osmanli—their various characteristics, religions, superstitions, together with their singular customs and manners, their ancient and contemporary history are vividly described. The Ionian Islands, Greece, Hungary, and the Sclavonian Provinces of Austria on the Lower Danube, are all delineated in the author's happiest manner.

"We cordially recommend Mr. Spencer's valuable and interesting volumes to the attention of the reader. They are replete with information upon countries of which we know but little; they will be interesting to the military man for the details they give of the strength and defensive positions of the various countries through which the author travelled; to the merchant for the insight given into the state of trade; and to the man of the world as they place before his view the present political and social state of an empire, whose welfare it is the interest of England to promote. The work must be considered a standard production, enriched, as it is, by an excellent map derived from the most authentic modern charts, added to, and improved by the observations of the author during his travels."—*United Service Magazine*.

"A work of great merit, and of paramount present interest."—*Standard*.

"This interesting work contains by far the most complete, the most enlightened, and the most reliable amount of what has been hitherto almost the terra incognita of European Turkey, and supplies the reader with abundance of entertainment as well as instruction."—*John Bull*.

"An excellent and admirable work. Mr. Spencer is a very able writer, a shrewd, experienced, and philosophical observer, an eminently thinking and yet practical man. His work forms the most valuable addition that our literature has lately received. He sets forth to inquire and learn; he returns to inform and suggest; and information most valuable and interesting has he here bestowed upon us."—*Tait's Magazine*.

# ARCTIC MISCELLANIES,

A SOUVENIR OF THE LATE POLAR SEARCH.

BY THE OFFICERS AND SEAMEN OF THE EXPEDITION.

DEDICATED BY PERMISSION TO THE LORDS OF THE ADMIRALTY.

SECOND EDITION, WITH A NEW PREFACE AND INTRODUCTION BY P. O'BRIEN, ESQ.

1 v. with numerous Illustrations, 10s. 6d., elegantly bound.

Amongst the Contributors to the "Arctic Miscellanies" are Admiral Sir John Ross, Captain Ommaney, Commanders McClintock and Cator, Lieutenants Osburn, Meecham, Browne, and Markham, Dr. Donnett, and Dr. Ede.

FROM THE "TIMES."—This volume is not the least interesting or instructive among the records of the late expedition in search of Sir John Franklin, commanded by Captain Austin. The most valuable portions of the book are those which relate to the scientific and practical observations made in the course of the expedition, and the descriptions of scenery and incidents of arctic travel. Many of the latter possess considerable literary merit, and all are impressed with the vividness of fresh observation. From the variety of the materials, and the novelty of the scenes and incidents to which they refer, no less than the interest which attaches to all that relates to the probable safety of Sir John Franklin and his companions, the Arctic Miscellanies forms a very readable book, and one that redounds to the honour of the national character.

FROM THE "GLOBE."—Captain Austin's little squadron, which sailed in May, 1850, in search of Sir John Franklin, consisted of the Resolute, commanded by Captain Austin; the Assistance, commanded by Captain Ommaney; and two steamers under the command of Lieutenants Osburn and Cator. To assist in whiling away the dreary time in the arctic regions, the officers and sailors of the expedition contributed to a journal which was circulated amongst them in manuscript, and once a month the weather-beaten tars enjoyed the luxury of their own newspaper. That journal has now been brought before the general public under the title of "Arctic Miscellanies," in a shape more worthy of its intrinsic merits, beautifully printed, and carefully illustrated. All the varied incidents, pleasant and painful, of life in the frozen zone, are vividly and good-humouredly chronicled in the "Arctic Miscellanies," which contains besides some capital seamen's stories, superstitious "yarns" and drolleries. As a record of the pastimes, adventures, fancies, and feelings of our true-hearted gallant sailors, while undergoing the most appalling hardships in the frozen seas, the volume is invaluable; and it is unusually interesting as demonstrating the high intellectual capacities, the mental vigour, and the refined tastes of our rough-looking blue-jackets.

FROM THE "UNITED SERVICE MAGAZINE."—Beautifully got up, and profusely illustrated, this most pleasant book really charms as much by its appearance and its matter, as its novelty. We cannot take leave of this Arctic Souvenir without expressing our admiration of it in every point of view. Such productions should be encouraged by those in authority, and a copy of this work ought to be found on board every ship in commission.

# D A R I E N ;

OR,

## THE MERCHANT PRINCE.

BY ELIOT WARBURTON, ESQ.

Author of "THE CRESCENT AND THE CROSS," &c., 3 v.

"The present production, from the pen of the author of 'The Crescent and the Cross,' has the same elements of a very wide popularity. It will please its thousands. It is a tale of substantial interest."—*Globe*.

"The best work of fiction which has proceeded from Mr. Warburton's pen. It is full of absorbing interest."—*Messenger*.

"The theme of this book is a fine one. It is full of eloquent writing."—*Examiner*.

"Darien,' like all Mr. Warburton's previous productions, has many passages of rich imaginative beauty. This eloquent narrative will be extensively read, and deserves to be so."—*Daily News*.

"A most interesting narrative, and one in which the versatile talents of its author are conspicuously and agreeably apparent. The characters are delineated with delicacy and skill, and there is a vigorous vitality in the dialogue which carries the reader along with a movement at once easy and rapid. The descriptions are remarkable for splendour of illustration and brilliancy of language, and the incidents are involved with such ingenuity as to preserve the interest to the last."—*Morning Post*.

"Few writers have so many admirers as Mr. Warburton. His 'Crescent and the Cross' is one of the standard works of the English language, and we shall be disappointed if the charming story of 'Darien' does not obtain an equal degree of success. The vicissitudes and stirring adventures of the hero, forming such a marvellous episode of real life—the beauty and striking characteristics of the heroine—and the vein of pathos and romance that pervades the whole tale, give the book a peculiar and irresistible charm. By those who love excitement it will be read with breathless interest. Mr. Warburton excels in the delineation of those incidents which call up the first powers of the novelist, and enchain the sympathies of the reader. His situations are admirably conceived, and wrought out with singular skill. His characters are strongly marked, and show the felicitous touch of a master."—*United Service Magazine*.

"The scheme for the colonization of Darien by Scotchmen, and the opening of a communication between the East and West across the Isthmus of Panama, furnishes the foundation of this story, which is in all respects worthy of the high reputation which the author of the 'Crescent and the Cross' had already made for himself. The early history of the Merchant Prince introduces the reader to the condition of Spain under the Inquisition; the portraiture of Scottish life which occupy a prominent place in the narrative, are full of spirit; the scenes in America exhibit the state of the natives of the new world at that period; the daring deeds of the Buccaneers supply a most romantic element in the story; and an additional interest is infused into it by the introduction of various celebrated characters of the period, such as Law, the French financier, and Paterson, the founder of the Bank of England. All these varied ingredients are treated with that brilliancy of style and powerful descriptive talent, by which the pen of Eliot Warburton was so eminently distinguished."—*John Bull*.

## JUDGE HALIBURTON'S NEW HISTORICAL WORK.

In 2 vols. post 8vo. 21s. bound.

RULE AND MISRULE OF  
THE ENGLISH IN AMERICA.

By the Author of

"SAM SLICK," "THE OLD JUDGE," &amp;c.

"A most attractive work."—*Standard*.

"The cleverest volumes Judge Haliburton has ever produced."—*Messenger*.

"We conceive this work to be by far the most valuable and important Judge Haliburton has ever written. The exhaustless fund of humour—quiet, yet rich and racy, and at the same time overflowing with the milk of human kindness—which his writings display on one hand, and the wonderful knowledge of man's character, in all its countless varieties, which they exhibit on the other, have insured for them a high, and honourable, and enduring station in English literature. It would be difficult, if not impossible, to arise from the perusal of any of Mr. Haliburton's performances without having become both wiser and better. His 'English in America' is, however, a production of a yet more exalted order. While teeming with interest, moral and historical, to the general reader, it may be regarded as equally constituting a philosophical study for the politician and the statesman. It will be found to dissipate many popular errors, and to let in a flood of light upon the actual origin, formation, and progress of the republic of the United States."—*Naval and Military Gazette*.

"Those who wish for an accurate history of the rise of republicanism in America to its grand development in the United States revolution, will here find a narrative that is invaluable for its accuracy, its impartiality, its admirable order in arrangement, and that true philosophy of statesmanship which can attach to each incident a fitting moral, from which every honest politician can derive instruction. The work is one equally useful in the double aspect in which it may be regarded—first, an insight into the causes of past transactions; second, as a warning to guide mankind amid the many perplexing political questions of the day. The spirit of impartiality animates every page of this work. It is deserving of a place in every historical library."—*Morning Herald*.

"We believed the author of this work to possess a power of humour and sarcasm second only to that of Rabelais and Sydney Smith, and a genuine pathos worthy of Henry Fielding, or Charles Dickens. In his particular line of literature we believed him to be unrivalled. In the volumes before us he breaks upon a new, and, according to his method of breaking the subject—untrodden ground. We hail this book with pleasure; we consider it an honour to Judge Haliburton, as by it he has proved himself to be a Christian, a scholar, a gentleman, and, in the true sense of a mis-used word, a patriot. Mr. Haliburton places before us, fairly and impartially, the history of English rule in America. The book is not only a boon to the historic student, it is also filled with reflections such as may well engage the attention of the legislating statesman. Mr. Haliburton also shows us the true position of the Canadas, explains the evils of our colonial system, points out the remedies by which these evils may be counteracted, that thus the rule of the 'English in America' may be something better than a history of the blunders, the follies, and the ignorant temerity of colonial secretaries."—*Irish Quarterly Review*.

## SAM SLICK'S NEW COMIC WORK.

In 3 vols. post 8vo. 3ls. 6d. bound.

## TRAITS OF AMERICAN HUMOUR.

Edited

BY THE AUTHOR OF "SAM SLICK," &amp;c.

"We have seldom met with a work more rich in fun or more generally delightful."—*Standard*.

"Those who have relished the racy humour of the 'Clockmaker,' will find a dish of equally ludicrous and amusing Transatlantic wit in the volumes before us."—*Herald*.

"A new book by the author of 'Sam Slick' causes some stir among the laughter-loving portion of the community; and its appearance at the present festive season is appropriate. We hold that it would be quite contrary to the fitness of things for any other hand than that of our old acquaintance, the facetious Judge Haliburton, to present to us a Christmas dish, and call it 'Traits of American Humour.' But even without the recollection of 'Sam Slick' to evoke the spirit of fun within us, we should have been forced to yield to the racy humour of these American 'Traits.' Dip where you will into this lottery of fun, you are sure to draw out a prize."—*Morning Post*.

"The untravelled European who has not made the acquaintance of Sam Slick, can have but little knowledge of the manners, customs, humours, eccentricities, and lingos of the countless varieties of inhabitants of North America who we are accustomed to conglomerate under the general name of Yankees. Assisted, however, by Sam Slick's graphic descriptions, literal reports, and racy pen-and-ink sketches, gentlemen who sit at home at ease, are able to realize with tolerable accuracy the more remarkable species of this lively family, to comprehend their amusing jargon, to take an interest in their peculiarities of person and speech, and to enter into the spirit of their very characteristic humours. No man has done more than the facetious Judge Haliburton, through the mouth of the inimitable 'Sam,' to make the old parent country recognise and appreciate her queer transatlantic progeny; and in the volumes before us he seeks to render the acquaintance more minute and complete. His present collection of comic stories and laughable traits is a budget of fun full of rich specimens of American humour."—*Globe*.

"The reader will find this work deeply interesting. Yankeeism pourtrayed, in its raciest aspect, constitutes the contents of these superlatively entertaining volumes, for which we are indebted to our facetious old friend 'Sam Slick.' The work embraces the most varied topics,—political parties, religious eccentricities, the flights of literature, and the absurdities of pretenders to learning, all come in for their share of satire; while in other papers we have specimens of genuine American exaggerations, or graphic pictures of social and domestic life as it is, more especially in the ruder districts and in the back settlements, or again sallies of broad humour, exhibiting those characteristics which form in the country itself the subject of mutual persiflage between the citizens of different States. The work will have a wide circulation."—*John Bull*.

# KHARTOUM, AND THE BLUE AND WHITE NILES.

By GEORGE MELLY, ESQ.

2 v. post. 8vo., with Map and Illustrations, 21s. bound.

"Mr. Melly is an animated writer, and a quick observer—his style is buoyant, lively, and agreeable, and his book is from first to last instructive and entertaining."—*Morning Post*.

"Independently of the amusement and information which may be derived from Mr. Melly's interesting work, the references to the relations which exist at this time between the Sublime Porte and Egypt are worthy of every consideration which statesmen and public men can bestow upon them."—*Messenger*.

"We cannot feel otherwise than grateful to the author of these valuable and useful volumes for having kept so faithful a journal, and for giving the public the benefit of his adventures and experience. The manners and customs of the natives, as well as the natural curiosities, and the relics of antiquity which the travellers visited, in turns engage the reader's attention; and, altogether, the book is a most entertaining and instructive *vade-mecum* to the interesting portion of the East of which it treats."—*John Bull*.

---

## SCENES FROM SCRIPTURE.

By THE REV. G. CROLY, LL.D.

Author of "SALATHIEL," &c., 1 v., 10s. 6d. bound.

### PRINCIPAL CONTENTS:—

The Last Day of Jerusalem—Esther—The Third Temptation—The Vision of God—The Sixth Seal—The Power of Prayer—Belshazzar—Malachi—Balak and Balaam—Ezekiel—John the Baptist—The Prophecy of Jerusalem—Elisha in Dothan—The Woe upon Israel—The Judgment Day, &c.

"Eminent in every mode of literature, Dr. Croly stands, in our judgment, first among the living poets of Great Britain—the only man of our day entitled by his power to venture within the sacred circle of religious poets."—*Standard*.

"The appearance of a volume of poems from a writer of such high repute as the author of 'Salathiel,' is an event in the history of modern literature. With a vigour of language in harmony with the subjects he has chosen, Dr. Croly has presented to us, in a poetic form, some of the most striking and instructive incidents in the sacred volume."—*Messenger*.

"This volume will be extensively read and admired. It is one of great interest, variety, and merit."—*Post*.

"This work deserves to be placed in the highest ranks of sacred poetry."—*Atlas*.

"An admirable addition to the library of religious families."—*John Bull*.

# LORD PALMERSTON'S OPINIONS AND POLICY;

AS MINISTER, DIPLOMATIST, AND STATESMAN,  
DURING MORE THAN FORTY YEARS OF PUBLIC LIFE,  
WITH A BIOGRAPHICAL AND CRITICAL MEMOIR.

BY GEORGE HENRY FRANCIS, ESQ.,

Author of "Maxims and Opinions of the Duke of Wellington," &c.  
1 v. 8vo., with Portrait, 12s. bound.

---

# THE LITERATURE AND ROMANCE OF NORTHERN EUROPE.

BY WILLIAM AND MARY HOWITT.

2 v. post 8vo.

---

# FIVE YEARS IN THE WEST INDIES.

BY C. DAY, ESQ. 2 v., with Illustrations.

---

# HISTORY OF THE BRITISH CONQUESTS IN INDIA.

BY HORACE ST. JOHN. 2 v.

---

# HISTORY OF CORFU; AND OF THE REPUBLIC OF THE IONIAN ISLANDS.

BY LIEUT. H. J. W. JERVIS, Royal Artillery.

1 v., with Illustrations.

---

# MEMOIRS OF COLONEL LANDMAN.

WRITTEN BY HIMSELF. 2 v. (*Just Ready.*)

# A NEW HISTORICAL WORK,

By MISS PARDOE,

Author of

"LOUIS XIV.," "THE CITY OF THE SULTAN," &c.

(*In Preparation.*)

---

# A NEW WORK ON CANADA,

By THE LATE LIEUTENANT-COLONEL SIR R. BONNYCASTLE.

With considerable Additions, and an Account of Recent Transactions,

By SIR JAMES E. ALEXANDER, K.L.S., &c.

2 v., with Maps. (*Just Ready.*)

---

# NARRATIVE OF FIVE YEARS' RESIDENCE AT NEPAUL.

By CAPTAIN THOMAS SMITH,

Late Bengal Native Infantry; Assistant Political Resident at Nepaul.

2 v. (*Just Ready.*)

---

# SPAIN AS IT IS.

By G. A. HOSKINS, ESQ.

Author of "TRAVELS IN ETHIOPIA, AND VISIT TO THE GREAT OASIS," &c.

2 v., with Illustrations, 21s. bound.

"To the tourist this work will prove invaluable. It is the most complete and most interesting portraiture of Spain as it is that has ever come under our notice."—*John Bull.*

"Mr. Hoskins is a pleasant companion and a very useful guide. He describes a route abounding in all the attractions afforded by noble works of art, interesting historical association, and exquisite scenery; and he does justice to them all. His narrative is rendered both attractive and valuable by the intrinsic interest of the subject, and the graphic truthfulness of description which appears in every page."—*Morning Post.*

New Works of Fiction, by Distinguished Writers.

---

## ADAM GRAEME OF MOSSGRAY.

A NEW STORY OF SCOTTISH LIFE.

By the Author of

"PASSAGES IN THE LIFE OF MRS. MARGARET MAITLAND," "MERKLAND,"  
AND "CALEB FIELD." 3 v. (*Just Ready.*)

---

## HEARTS AND ALTARS.

BY ROBERT BELL, ESQ.,

Author of "THE LADDER OF GOLD," &c. 3 v.

---

## ADVENTURES OF A BEAUTY.

BY MRS. CROWE,

Author of "SUSAN HOPLY," "LIGHT AND DARKNESS," &c. 3 v.

---

## EMILY HOWARD.

BY MRS. DUNLOP. 3 v.

---

## THE HEIR OF ARDENNAN.

A STORY OF DOMESTIC LIFE IN SCOTLAND.

By the Author of "ANNE DYSART." 3 v.

---

## CLARA HARRINGTON;

A DOMESTIC TALE. 3 v.

"The writer of 'Clara Harrington' possesses thought, fancy, and originality, in no common degree."—*Athenæum*.

## FALKENBURG.

By the Author of "MILDRED VERNON." 3 v.

"A tale of singular and fascinating beauty."—*Britannia*.

"All discriminating readers will be of one accord as to the excellence of 'Falkenburg.' Be it truth or romance, it is a capital story. The characters are well delineated and cleverly contrasted—the descriptive passages are full of grace and elegance—the reflective full of strength and earnestness."—*Morning Post*.

## MRS. MATHEWS; OR, FAMILY MYSTERIES.

By MRS. TROLLOPE.

Author of "FATHER EUSTACE," "THE BARNABYS," &c. 3 v.

"A production unique in character, and of singular merit. This interesting story displays remarkable knowledge of life and motive, and unites with great variety and fertility in the conception of character, greater freedom, energy, and minuteness of delineation, than any other of Mrs. Trollope's novels."—*Morning Post*.

"Those who open the present volumes with the expectation of enjoying another of those rich treats which Mrs. Trollope's clever pen periodically provides for the novel-reading public, will not be disappointed. The author proves the undiminished vigour of her inventive and descriptive powers."—*John Bull*.

## CLARE ABBEY.

By the Author of "THE DISCIPLINE OF LIFE," &c. 2 v.

"Lady Ponsonby's 'Clare Abbey' is a delightful book, full of powerful and graceful writing."—*Standard*.

"In this story the talented author of 'The Discipline of Life,' has displayed all that power of painting the passions of the human heart, and the hard struggles between inclination and duty, of which her former work gave such ample proof. The tale has a fascinating interest, while its lofty moral tendency raises it above the ordinary level of works of fiction."—*John Bull*.

## CALEB FIELD.

A TALE OF THE PURITANS.

By the Author of "PASSAGES IN THE LIFE OF MRS. MARGARET MAITLAND,"  
"MERKLAND," &c. 1 v.

"This beautiful production is every way worthy of its author's reputation in the very first rank of contemporary writers."—*Standard*.

"As a delineator of manners and character, this author has scarcely an equal among living writers; while for the nobility of her sentiments, she stands all but alone above them all. 'Caleb Field' is a vindication of the Puritans—a sketch of their character and illustration of their deeds; in a story of moving interest, deeply exciting, full of novelty, and abounding in scenes of graphic beauty."—*Sunday Times*.

# RAVENSLIFFE.

By the Author of

“EMILIA WYNDHAM,” “TWO OLD MEN’S TALES,” &c. 3 v.

“‘Ravenscliffe contains scenes not surpassed in power and beauty by those in ‘The Admiral’s Daughter,’ which announced an addition to the phalanx of English authoresses so remarkable as that of ‘The Two Old Men.’ No reader can bear the heroine company without feeling in some degree the same sense of powerlessness to cope with the fascinations of a dark destiny which is conveyed by the stories of Richardson’s ‘Clarissa,’ and Scott’s ‘Lucy Ashton.’ This is praise enough—yet not too much.”—*Athenæum*.

“A story of remarkable power and beauty.”—*Post*.

“A picture of an ill-starred marriage, such as Scott has not surpassed in the noble ‘Bride of Lammermoor.’”—*Examiner*.

“‘Ravenscliffe’ is beyond all question a work of genius, and full of power and originality. Its strength and vigour are extraordinary—the force with which scene after scene is unfolded, each rising above the other in power and interest, carries us breathless through the volumes.”—*Guardian*.

---

# JACOB BENDIXEN, THE JEW.

BY MARY HOWITT.

From the Danish. 3 v.

“This tale has the fascination and the value of a glimpse into a most strange world. We heartily commend the novel.”—*Athenæum*.

“A very remarkable and delightful book, full of delicate beauty, elegant playfulness, and deep wisdom. It is a most fascinating tale, fraught with an important and touching lesson of mutual tolerance.”—*Daily News*.

“As interesting as anything of Fredrika Bremer’s.”—*Spectator*.

“This new work, by Mary Howitt, will be found peculiarly attractive, no less from the interest of the story itself than from the entire novelty of its characters, scenes, and incidents. Mrs. Howitt says, in her preface: ‘At the moment when we are searching into the social and moral condition of all classes, a faithful transcript of the life and feelings of the Jews cannot fail of being welcome. These pages unlock, as it were, that mysterious and sealed book, the heart of the Jew, and enable us to peruse the history of a human soul, which is as interesting as it is new—at the same time it makes us familiarly acquainted with the domestic life, manners, and feelings of a portion of the community which is, in general, as little known as if it belonged to another hemisphere.’”—*Globe*.

## POPULAR WORKS OF FICTION.

## MARIAN WITHERS.

BY GERALDINE E. JEWsbURY,

Author of

"Zoe," "The Half Sisters," &amp;c. 3 v.

"Full of cleverness and originality."—*Examiner*."The best of Miss Jewsbury's novels."—*Critic*."One of the noblest works of fiction that has been for some time published in this country."—*Observer*."A work of singular beauty, aiming at a noble purpose, and affording a vivid and faithful view of society in the nineteenth century."—*Sunday Times*."A clever and brilliant book, full of the results of varied knowledge of life. The personal sketches remind one of Douglas Jerrold. The style is admirable for its caustic and compressed vigour. Marian Withers will take a high rank among contemporary fictions."—*Weekly News*.

## CECILE ;

## OR, THE PERVERT.

By the Author of "Rockingham." 1 v.

"We cannot too highly recommend this remarkable work. It is earnest and eloquent, charitable and kindly. The story is full of strong and genuine interest. The charm of the book is that it is so life-like, so full of home-truth and reality."—*Morning Chronicle*."The author of 'Cécile' is a writer to whom the scenes of high life in which he finds the matter of his stories are not mere guess-work—who puts his own experiences into the form of fiction."—*Examiner*.

## THE LIVINGSTONES.

A STORY OF REAL LIFE. 3 v.

"This work has a real interest. The pictures of the Scottish homes, in which the heroine's youth is past, are excellent."—*Examiner*."Great freshness of matter is the characteristic of this novel. The writer possesses a knowledge of society, especially in Scotland, dramatic power in depicting character, and exhibiting scenes with moral purpose and soundly elegant reflection."—*Spectator*.

## RALPH RUTHERFORD.

By the Author of "The Petrel." 3 v.

"Admiral Fisher's interesting nautical tale of 'Ralph Rutherford' is a worthy member of the Marryat class, full of animated scenes, serious and droll, with the halo of a love story thrown around it. There are passages and incidents which Tom Cringle might have been proud to have described."—*United Service Gazette*.

## The LADY and the PRIEST.

By MRS. MABERLY. 3 v.

"The sustained, the ever heightening interest, with which the story progresses to the end, and the power with which the characters are delineated, together with the allusions and illustrations applicable to the mighty conflict of the day between Rome and England, combine to make the fiction of 'The Lady and the Priest' one of the most exquisite romances, which, we doubt not, will, in addition to the keen enjoyment of the perusal, do more than hundreds of dry discussions and platform orations to impress the popular mind with the dangerous character of the Popish creed and system."—*John Bull*.

## THE TUTOR'S WARD.

By the Author of

"Wayfaring Sketches," "Use and Abuse," &amp;c. 2 v.

"The Tutor's Ward' is a masterpiece of fiction. The plot of the story is charged to the full with extraordinary incidents and adventures. The characters are delineated with graphic power, the scenes finished with dramatic effect, and the tale conducted to its close with sustained interest. Rarely has the power of love over the female heart been more beautifully portrayed than in this splendid tale."—*John Bull*.

## ARTHUR CONWAY ;

## OR, SCENES IN THE TROPICS.

By CAPTAIN MILMAN,

Late 33rd Regiment. 3 v.

"A book of very rare merit. As a romance, replete with striking and affecting incidents; as a picture of life in the West Indies, as a delineation of tropical scenery, and of the grand and mysterious visitations of nature, 'Arthur Conway' stands unapproached by any modern work."—*United Service Gazette*."This work is not only interesting as a well-written, lively, exciting work of fiction, but valuable as a series of sketches of the civilisation and progress of the West Indies, embodying the reminiscences of scenery and character preserved by the author during a residence in the Caribbee Islands. The scenes where the Caribs are introduced are quite original in romance."—*Sunday Times*.

## ALBAN ;

## A TALE.

By the Author of "Lady Alice." 3 v.

"Written with unquestionable ability. The story is exciting, and the scenes display considerable skill."—*United Service Mag.*"A remarkable novel, carried out with a great deal of spirit and effect."—*Critic*.

# INTERESTING NEW WORKS

PUBLISHED BY

COLBURN AND CO.,

18, GREAT MARLBOROUGH STREET.

---

## NEW EDITION OF THE LIVES OF THE QUEENS.

*Now in course of publication, in Eight Octavo Volumes (comprising from 600 to 700 pages), price 12s. each, elegantly bound,*

# LIVES

OF THE

# QUEENS OF ENGLAND.

BY AGNES STRICKLAND.

A New, Revised, and Cheaper Edition,

EMBELLISHED WITH PORTRAITS OF EVERY QUEEN.

BEAUTIFULLY ENGRAVED FROM THE MOST AUTHENTIC SOURCES.

---

IN announcing the new, revised, and greatly augmented Edition of this important and interesting work, which has been considered unique in biographical literature, the publishers beg to direct attention to the following extract from the preface:—"A revised edition of the 'Lives of the Queens of England,' embodying the important collections which have been brought to light since the appearance of earlier impressions, is now offered to the world, embellished with Portraits of every Queen, from authentic and properly verified sources. The series, commencing with the consort of William the Conqueror, occupies that most interesting and important period of our national chronology, from the death of the last monarch of the Anglo-Saxon line, Edward the Confessor, to the demise of the last sovereign of the royal house of Stuart, Queen Anne, and comprises therein thirty queens who have worn the crown-matrimonial, and four the regal diadem of this realm. We have related

the parentage of every queen, described her education, traced the influence of family connexions and national habits on her conduct, both public and private, and given a concise outline of the domestic, as well as the general history of her times, and its effects on her character, and we have done so with singleness of heart, unbiassed by selfish interests or narrow views. Such as they were in life we have endeavoured to portray them, both in good and ill, without regard to any other considerations than the development of the *facts*. Their sayings, their doings, their manners, their costume, will be found faithfully chronicled in this work, which also includes the most interesting of their letters. The hope that the 'Lives of the Queens of England' might be regarded as a national work, honourable to the female character, and generally useful to society, has encouraged us to the completion of the task."

**OPINIONS OF THE PRESS.**

"These volumes have the fascination of romance united to the integrity of history. The work is written by a lady of considerable learning, indefatigable industry, and careful judgment. All these qualifications for a biographer and an historian she has brought to bear upon the subject of her volumes, and from them has resulted a narrative interesting to all, and more particularly interesting to that portion of the community to whom the refined researches of literature afford pleasure and instruction. The whole work would be read, and no doubt will be read, by all who are anxious for information. It is a judicious arrangement of facts, derived from authentic sources, exhibiting a combination of industry, learning, judgment, and impartiality, not often met with in biographers of unweaned heads."—*Times*.

"A remarkable and truly great historical work. In this series of biographies, in which the severe truth of history takes almost the wildness of romance, it is the singular merit of Miss Strickland that her research has enabled her to throw new light on many doubtful passages, to bring forth fresh facts, and to render every portion of our annals which she has described an interesting and valuable study. She has given a most valuable contribution to the history of England, and we have no hesitation in affirming that no one can be to possess an accurate knowledge of the history of the country who has not studied 'Lives of the Queens of England.'"—*Morning Herald*.

"A most valuable and entertaining work. There is certainly no lady of our day who has devoted her pen to so beneficial a purpose as Miss Strickland. Nor is there any other whose works possess a deeper or more enduring interest. Miss Strickland is to our mind the first literary lady of the age."—*Morning Chronicle*.

"We must pronounce Miss Strickland beyond all comparison the most entertaining historian in the English language. She is certainly a woman of powerful and active mind, as well as of scrupulous justice and honesty of purpose."—*Morning Post*.

"Miss Strickland has made a very judicious use of many authentic MS. authorities not previously collected, and the result is a most interesting addition to our biographical library."—*Quarterly Review*.

"A valuable contribution to historical knowledge. It contains a mass of every kind of historical matter of interest, which industry and research could collect. We have derived much entertainment and instruction from the work."—*Athenaeum*.

## MEMOIRS OF HORACE WALPOLE

AND HIS CONTEMPORARIES,

INCLUDING NUMEROUS ORIGINAL LETTERS, CHIEFLY FROM STRAWBERRY HILL.

EDITED BY

ELIOT WARBURTON, ESQ.

AUTHOR OF "THE CRESCENT AND THE CROSS," ETC.

2 vols. 8vo, with Portraits, 28s. bound.

Perhaps no name of modern times is productive of so many pleasant associations as that of "Horace Walpole," and certainly no name was ever more intimately connected with so many different subjects of importance in connexion with Literature, Art, Fashion, and Politics. The position of various members of his family connecting Horace Walpole with the Cabinet, the Court, and the Legislature—his own intercourse with those characters who became remarkable for brilliant social and intellectual qualities—and his reputation as a Wit, a Scholar, and a Virtuoso, cannot fail, it is hoped, to render his Memoirs equally amusing and instructive.

## OPINIONS OF THE PRESS.

"The biography before us is in all respects eminently satisfactory."—*Morning Chronicle*.

"These Memoirs offer a good subject, well treated, and indeed a necessary addition to the library of every English gentleman. The 'Memoirs of Horace Walpole and his Contemporaries' nearly completes the chain of mixed personal, political, and literary history, commencing with 'Evelyn' and 'Pepys,' carried forward by 'Swift's Journal and Correspondence,' and ending almost in our own day with the histories of Mr. Macaulay and Lord Mahon. Besides its historical value, which is very considerable, it cannot be estimated too highly as a book of mere amusement."—*Standard*.

"Two more interesting or entertaining volumes than these 'Memoirs of Horace Walpole' may be searched for a long time before they will be found. The writer has woven into his narrative a rich fund of contemporary anecdote and illustration. Most of the nobles, wits, and *litterati* of the period are judiciously introduced."—*Morning Post*.

"Horace Walpole was the most remarkable man of his time; and posterity will do him the justice, now that his career is fully elaborated, to place him in the niche which belongs to him, as one whose influence in the affairs of his country has been far beyond the average of other men."—*Messenger*.

"This life of Horace Walpole is a very valuable and interesting addition to the historical library. We should be glad to see every part of our later history illustrated with equal clearness and impartiality."—*Weekly Chronicle*.

"Few works of the present day contain more matter fitted for entertainment and instruction."—*Morning Herald*.

# BURKE'S PEERAGE AND BARONETAGE, FOR 1852.

NEW EDITION, REVISED AND CORRECTED THROUGHOUT  
FROM THE PERSONAL COMMUNICATIONS OF  
THE NOBILITY, &c.

With the ARMS (1500 in number) accurately engraved, and incorporated with the Text.  
Now ready, in 1 vol. (comprising as much matter as twenty ordinary volumes), 38s. bound.

The following is a List of the Principal Contents of this Standard Work:—

I. A full and interesting history of each order of the English Nobility, showing its origin, rise, titles, immunities, privileges, &c.  
II. A complete Memoir of the Queen and Royal Family, forming a brief genealogical history of the Sovereign of this country, and reducing the descent of the Plantagenets, Tudors, Stuarts, and Guelphs, through their various ramifications. To this section is appended a list of those Peers who inherit the distinguished honour of Quartering the Royal Arms of Plantagenet.  
III. An Authentic table of Precedence.  
IV. A perfect HISTORY OF ALL THE PEERS AND BARONETS, with the fullest details of their ancestors and descendants, and particulars respecting every collateral member of each family, and all intermarriages, &c.

V. The Spiritual Lords.  
VI. Foreign Noblemen, subjects by birth of the British Crown.  
VII. Peerages claimed.  
VIII. Surnames of Peers and Peeresses, with Heirs Apparent and Presumptive.  
IX. Courtesy titles of Eldest Sons.  
X. Peerages of the Three Kingdoms in order of Precedence.  
XI. Baronets in order of Precedence.  
XII. Privy Councillors of England and Ireland.  
XIII. Daughters of Peers married to Commoners.  
XIV. ALL THE ORDERS OF KNIGHTHOOD, with every Knight and all the Knights Bachelors.  
XV. Mottoes translated, with poetical illustrations.

## OPINIONS OF THE PRESS.

"The most complete, the most convenient, and the cheapest work of the kind ever given to the public."—*Sun*.

"The best genealogical and heraldic dictionary of the Peerage and Baronetage, and the best authority on all questions affecting the aristocracy."—*Globe*.

"For the amazing quantity of personal and family history, admirable arrangement of details, and accuracy of information, this genealogical and heraldic dictionary is without a rival. It is now the standard and acknowledged book of reference upon all questions touching pedigree, and direct or collateral affinity with the titled aristocracy. The lineage of each distinguished house is deduced through all the various ramifications. Every collateral branch, however remotely connected, is introduced; and the alliances are so carefully inserted, as to show, in all instances, the connexion which so intimately exists between the titled and untitled aristocracy. We have also much most entertaining historical matter, and many very curious and interesting family traditions. The work is, in fact, a complete cyclopædia of the whole titled classes of the empire, supplying all the information that can possibly be desired on the subject."—*Morning Post*.

BURKE'S HISTORY OF THE LANDED GENTRY  
FOR 1852.

A Genealogical Dictionary

OF THE WHOLE OF THE UNTITLED ARISTOCRACY OF  
ENGLAND, SCOTLAND, AND IRELAND :

Comprising Particulars of 100,000 Individuals connected with them.

In 2 volumes, royal 8vo,

WITH A SEPARATE INDEX, GRATIS,

CONTAINING REFERENCES TO THE NAMES OF EVERY PERSON MENTIONED.

Beautifully printed in double columns, comprising more matter than 30 ordinary volumes, price only 2l. 2s., elegantly bound.

---

The Landed Gentry of England are so closely connected with the stirring records of eventful history, that some acquaintance with them is a matter of necessity with the legislator, the lawyer, the historical student, the speculator in politics, and the curious in topographical and antiquarian lore; and even the very spirit of ordinary curiosity will prompt to a desire to trace the origin and progress of those families whose influence pervades towns and villages of our land. This work furnishes such a mass of authentic information in regard to all the principal families in the kingdom as has never before been attempted to be brought together. It relates to the untitled families of rank, as the "Peerage and Baronetage" does to the titled, and forms, in fact, a peerage of the untitled aristocracy. It embraces the whole of the landed interest, and is indispensable to the library of every gentleman. The great cost attending the production of this National Work, the first of its kind, induces the publisher to hope that the heads of all families recorded in its pages will supply themselves with copies.

---

"A work of this kind is of a national value. Its utility is not merely temporary, but it will exist and be acknowledged as long as the families whose names and genealogies are recorded in it continue to form an integral portion of the English constitution. As a correct record of descent, no family should be without it. The untitled aristocracy have in this great work as perfect a dictionary of their genealogical history, family connexions, and heraldic rights, as the peerage and baronetage. It will be an enduring and trustworthy record."—*Morning Post*.

"A work in which every gentleman will find a domestic interest, as it contains the fullest account of every known family in the United Kingdom. It is a dictionary of all names, families, and their origin,—of every man's neighbour and friend, if not of his own relatives and immediate connexions. It cannot fail to be of the greatest utility to professional men in their researches respecting the members of different families, heirs to property, &c. Indeed, it will become as necessary as a Directory in every office."—*Bell's Messenger*.

# GERMANY; ITS COURTS AND PEOPLE.

BY THE AUTHOR OF "MILDRED VERNON."

Second and Cheaper Edition. 2 vols. 8vo, 21s. bound.

This work comprises a complete picture of the various courts and people of the Continent, as they appear amidst the wreck of the recent revolutions. The author possessed, through her influential connexions, peculiar facilities for acquiring exclusive information on the topics treated of. She succeeded in penetrating into provinces and localities rarely visited by tourists, and still glowing with the embers of civil war, and followed the army of Prussia in Germany, of Russia in Hungary, and of Radetzky in Italy. Her pages teem with the sayings and doings of almost all the illustrious characters, male and female, whom the events of the last two years have brought into European celebrity, combined with graphic views of the insurrectionary struggles, sketches of the various aspects of society, and incidents of personal adventure. To give an idea of the scope and variety of the contents of the work, it need only be mentioned that among the countries visited will be found Prussia, Austria, Hungary, Bavaria, Saxony, Servia, Styria, the Tyrol, Hanover, Brunswick, Italy, &c. To enumerate all the distinguished personages with whom the writer had intercourse, and of whom anecdotes are related, would be impossible; but they include such names as the Emperors of Austria and Russia, the Kings of Prussia, Hanover, Bavaria, and Wurtemberg, the Count de Chambord (Henry V.), the Queens of Bavaria and Prussia, the ex-Empress of Austria, the Grand Duke of Baden, the Archdukes John, Francis, and Stephen of Austria, Duke Wilhelm of Brunswick, the Prince of Prussia, Prince John of Saxony, the Countess Batthyanyi, Madame Kossuth, &c. Among the statesmen, generals, and leading actors in the revolutionary movements, we meet with Radowitz, Von Gagern, Schwarzenberg, Bekk, Esterhazy, the Ban Jellacic, Windischgratz, Radetzky, Welden, Haynau, Wrangel, Pillersdorf, Kossuth, Blum, Gorgey, Batthyanyi, Pulszky, Klapka, Bem, Dembinski, Hecker, Struve, &c.

"An important, yet most amusing work, throwing much and richly-coloured light on matters with which every one desires to be informed. All the courts and people of Germany are passed in vivid review before us. The account of the Austrians, Magyars, and Croats, will be found especially interesting. In many of its lighter passages the work may bear a comparison with Mary Wortley Montagu's Letters."—*Morning Chronicle*.

## HISTORY AND BIOGRAPHY.

NOW COMPLETE, IN FIVE VOLUMES, POST OCTAVO,

WITH PORTRAITS, &c., HANDSOMELY BOUND, PRICE 35s.,

# PEPYS' DIARY

AND

## CORRESPONDENCE,

ILLUSTRATIVE OF THE REIGNS OF CHARLES II. AND JAMES II.

EDITED BY LORD BRAYBROOKE.

---

This Edition contains ALL THE PASSAGES RESTORED FROM THE ORIGINAL MANUSCRIPT, and all the Additional Notes.

---

### CRITICAL OPINIONS.

---

#### EDINBURGH REVIEW.

"We unhesitatingly characterise this journal as the most remarkable production of its kind which has ever been given to the world. Pepys paints the Court, the Monarchs, and the times, in more vivid colours than any one else. His Diary makes us comprehend the great historical events of the age, and the people who bore a part in them, and gives us more clear glimpses into the true English life of the times than all the other memorials of them that have come down to our own."

#### ATHENÆUM.

"The best book of its kind in the English language. The new matter is extremely curious, and occasionally far more characteristic and entertaining than the old. The writer is seen in a clearer light, and the reader is taken into his inmost soul. 'Pepys' Diary' is the ablest picture of the age in which the writer lived, and a work of standard importance in English literature."

#### QUARTERLY REVIEW.

"'Pepys' Diary' throws a distinct and vivid light over the picture of England and its government during the period succeeding the Restoration. If, quitting the broad path of history, we look for minute information concerning ancient manners and customs, the progress of arts and sciences, and the various branches of antiquity, we have never seen a mine so rich as these volumes. The variety of Pepys' tastes and pursuits led him into almost every department of life. He was a man of business, a man of information, a man of whim, and, to a certain degree, a man of pleasure. He was a statesman, a *bel-esprit*, a virtuoso, and a connoisseur. His curiosity made him an unwearied, as well as an universal, learner, and whatever he saw found its way into his tables."

# THE LIFE AND REIGN OF CHARLES I.

By I. DISRAELI.

A NEW EDITION. REVISED BY THE AUTHOR, AND EDITED  
BY HIS SON, B. DISRAELI, M.P.

2 vols., 8vo, uniform with the "Curiosities of Literature," 28s. bound.

---

## OPINIONS OF THE PRESS.

"By far the most important work on the important age of Charles I. that modern times have produced."—*Quarterly Review*.

"Mr. Disraeli has conceived that the republication of his father's 'Commentaries on the Life and Reign of Charles I.' is peculiarly well timed at the present moment; and he indicates the well-known chapters on the Genius of the Papacy, and the critical relations of Protestant sovereigns with Roman Catholic subjects, as reflecting, mirror-like, 'the events, thoughts, passions, and perplexities of the present agitated epoch.' In particular, he observes, that the stories of conversions to the Romish faith, then rife, seem like narratives of the present hour, and that the reader is almost tempted to substitute the names of his personal acquaintances for those of the courtiers of Charles. No apology was needed for reintroducing to the world so instructive and original a work as that of Isaac Disraeli."—*Times*.

"At the end of 250 years, Rome and England are engaged in a controversy having the same object as that in which they were committed at the commencement of the seventeenth century; and no where will the reader find the circumstances of that controversy, its aims, the passions which it evoked, the instruments which it employed, and its results, better described than in this excellent book."—*Standard*.

"The position attained by the late Mr. Disraeli's admirable and learned commentaries on the great events of the Revolution, and the times that led to it, would at any period have warranted its republication. To those, however, to whom the bearing of its remarks, and the effect of the author's researches are known on the religious question of that day, their apt and effective bearing on the most vital topic of our present religio-political existence, will give the reappearance of the work an additional value."—*Britannia*.

"The history of Charles I. required a Tacitus, and, in our opinion, this work ought to have that standard character."—*Gentleman's Magazine*.

## LIVES OF THE PRINCESSES OF ENGLAND.

By MRS EVERETT GREEN,

EDITOR OF THE "LETTERS OF ROYAL AND ILLUSTRIOUS LADIES."

3 vols., post 8vo, with Illustrations, 10s. 6d. each, bound.

## OPINIONS OF THE PRESS.

"A most agreeable book, forming a meet companion for the work of Miss Strickland, to which, indeed, it is an indispensable addition. The authoress, already favourably known to the learned world by her excellent collection of 'Letters of Royal and Illustrious Ladies' has executed her task with great skill and fidelity. Every page displays careful research and accuracy. There is a graceful combination of sound, historical erudition, with an air of romance and adventure that is highly pleasing, and renders the work at once an agreeable companion of the boudoir, and a valuable addition to the historical library. Mrs. Green has entered upon an untrodden path, and gives to her biographies an air of freshness and novelty very alluring. The first two volumes (including the Lives of twenty-five Princesses) carry us from the daughters of the Conqueror to the family of Edward I.—a highly interesting period, replete with curious illustrations of the genius and manners of the Middle Ages. Such works, from the truthfulness of their spirit, furnish a more lively picture of the times than even the graphic, though delusive, pencil of Scott and James."—*Britannia*

"The vast utility of the task undertaken by the gifted author of this interesting book can only be equalled by the skill, ingenuity, and research displayed in its accomplishment. The field Mrs. Green has selected is an untrodden one. Mrs. Green, on giving to the world a work which will enable us to arrive at a correct idea of the private histories and personal characters of the royal ladies of England, has done sufficient to entitle her to the respect and gratitude of the country. The labour of her task was exceedingly great, involving researches, not only into English records and chronicles, but into those of almost every civilised country in Europe. The style of Mrs. Green is admirable. She has a fine perception of character and manners, a penetrating spirit of observation, and singular exactness of judgment. The memoirs are richly fraught with the spirit of romantic adventure."—*Morning Post*.

"This work is a worthy companion to Miss Strickland's admirable 'Queens of England.' In one respect the subject-matter of these volumes is more interesting, because it is more diversified than that of the 'Queens of England.' That celebrated work, although its heroines were, for the most part, foreign Princesses, related almost entirely to the history of this country. The Princesses of England, on the contrary, are themselves English, but their lives are nearly all connected with foreign nations. Their biographies, consequently, afford us a glimpse of the manners and customs of the chief European kingdoms, a circumstance which not only gives to the work the charm of variety, but which is likely to render it peculiarly useful to the general reader, as it links together by association the contemporaneous history of various nations. The histories are related with an earnest simplicity and copious explicitness. The reader is informed without being wearied, and alternately enlivened by some spirited description, or touched by some pathetic or tender episode. We cordially commend Mrs. Everett Green's production to general attention; it is (necessarily) as useful as history, and fully as entertaining as romance."—*Sun*.

# MADAME PULSZKY'S MEMOIRS.

Comprising Full and Interesting Details of  
THE LATE EVENTS IN HUNGARY.

With an Historical Introduction by FRANCIS PULSZKY, Late Under-Secretary of State to Ferdinand, Emperor of Austria and King of Hungary.

2 vols., post 8vo, 21s. bound.

## OPINIONS OF THE PRESS.

"The nationality of the people, their martial prowess, and present unhappy fate, have invested Hungary with the interest of a second Poland, and Western Europe must be naturally desirous to learn something of their civil and social life. These volumes are the joint production of M. and Madame Pulszky. While the latter records her impressions and recollections of Hungarian life, we have to thank M. Pulszky for a very able summary of the history of Hungary, from the days of Arpad to the reign of Ferdinand the First, and the reform movement—a history which abounds in interesting incidents and useful lessons for the statesman and the philosophic historian. Madame Pulszky's narrative of her wanderings and dangers is agreeably diversified with sketches and anecdotes from Magyar life, as well as with ancient legends from Hungarian history and modern passages in the late war of independence. It cannot fail to excite an interest in all classes of readers—in those who open a book only for amusement, as well as in those who look for something more enduring."—*Edinburgh Review*.

"We need hardly inform our readers that the authoress of this work is the accomplished wife of the gentleman who was originally accredited to the English cabinet by the provisional government of Hungary. The private interest attaching to the recital of events which have become so famous would insure a wide popularity for Madame Pulszky's book. But we should very much under-estimate its value if we so limited our praise. The memoirs, indeed, contain sketches of social life which are worthy of a place by the side of Madame de Staël de Launay and Madame Campan. But they are also rich in political and topographical information of the first character. Madame Pulszky was in the habit of direct intercourse with the foremost and most distinguished of the Hungarian generals and statesmen, and has given a complete summary of the political events in Hungary, from the arrival of the Hungarian deputation in 1848, to the treason of General Gorgey on the 13th of August, 1849. M. Pulszky has also prefixed a valuable introduction, which gives the most complete history of Hungary that has ever issued from the English press."—*Globe*.

"With all the charms of romance, these volumes possess the graver interest of history. Full of personal anecdotes, historical reminiscences, and legendary associations; teeming with interesting adventures, rich in social illustration and topographical description, the memoirs present to all classes of readers an attraction quite independent of the recent important events, of which they give so clear and connected a narrative."—*Morning Post*.

"In this most interesting book we have revealed in the characteristic memoirs of an eye-witness the whole story of Hungary and its revolution. The intrigues of Latour with Jellachich, the treachery of the court, the part taken by Kossuth and other eminent characters, the Hungarian deputation to the Emperor, and the final breach between Hungary and Austria, are told as forcibly as simply."—*Daily News*.

"It is impossible that the great Hungarian struggle for freedom can ever find a historian more honest in point of narrative, more sincere in conviction, or more anxious to do full justice to the truth than Madame Pulszky."—*Observer*.

## DIARY AND CORRESPONDENCE

OF

JOHN EVELYN, F.R.S.,

Author of "Sylva," &amp;c.

A NEW EDITION, REVISED AND ENLARGED, WITH  
NUMEROUS ADDITIONAL NOTES.

UNIFORM WITH THE NEW EDITION OF PEPPYS' DIARY.

In 4 vols., post 8vo, price 10s. 6d. each, with Illustrations.

N.B.—The First Two Volumes, comprising "The Diary," are now ready.

The Diary and Correspondence of John Evelyn has long been regarded as an invaluable record of opinions and events, as well as the most interesting exposition we possess of the manners, taste, learning, and religion of this country during the latter half of the seventeenth century. The Diary comprises observations on the politics, literature, and science of his age, during his travels in France and Italy; his residence in England towards the latter part of the Protectorate, and his connexion with the Courts of Charles II. and the two subsequent reigns, interspersed with a vast number of original anecdotes of the most celebrated persons of that period. To the Diary is subjoined the Correspondence of Evelyn with many of his distinguished contemporaries; also Original Letters from Sir Edward Nicholas, private secretary to King Charles I. during some important periods of that reign, with the King's answers; and numerous letters from Sir Edward Hyde (Lord Clarendon) to Sir Edward Nicholas, and to Sir Richard Brown, Ambassador to France, during the exile of the British Court.

A New Edition of this interesting work having been long demanded, the greatest pains have been taken to render it as complete as possible, by a careful re-examination of the original Manuscript, and by illustrating it with such annotations as will make the reader more conversant with the numerous subjects referred to by the Diarist.

"It has been justly observed that as long as Virtue and Science held their abode in this island, the memory of Evelyn will be held in the utmost veneration. Indeed, no change of fashion, no alteration of taste, no revolution of science, have impaired, or can impair, his celebrity. The youth who look forward to an inheritance which he is under no temptation to increase, will do well to bear the example of Evelyn in his mind, as containing nothing but what is imitable, and nothing but what is good. All persons, indeed, may find in his character something for imitation, but for an English gentleman he is the perfect model."—*Quarterly Review*.

## BURKE'S DICTIONARY OF THE EXTINCT, DORMANT, & ABEYANT PEERAGES OF ENGLAND, SCOTLAND, AND IRELAND.

Beautifully printed, in 1 vol. 8vo, containing 800 double-column pages, 21s. bound.

This work, formed on a plan precisely similar to that of Mr. Burke's popular Dictionary of the present Peerage and Baronetage, comprises those peerages which have been suspended or extinguished since the Conquest, particularising the members of each family in each generation, and bringing the lineage, in all possible cases, through either collaterals or females, down to existing houses. It connects, in many instances, the new with the old nobility, and it will in all cases show the cause which has influenced the revival of an extinct dignity in a new creation. It should be particularly noticed, that this new work appertains nearly as much to extant as to extinct persons of distinction; for though dignities pass away, it rarely occurs that whole families do.

### CONTENTS.

- |   |   |
|---|---|
| <p>1. Peerages of England extinct by failure of issue, attainder, &amp;c., alphabetically, according to Surnames.</p> <p>2. Baronies by Writ—England—in abeyance, and still vested probably in existing heirs.</p> <p>3. Extinct and Abeyant Peerages of England, according to titles.</p> <p>4. Charters of Freedom—Magna Charta—Charter of Forests.</p> <p>5. Roll of Battel Abbey.</p> | <p>6. Peerages of Ireland, extinct by failure of issue, attainder, &amp;c., alphabetically, according to Surnames.</p> <p>7. Baronies by Writ—Ireland—in abeyance.</p> <p>8. Peerages of Ireland, extinct and abeyant, alphabetically, according to Titles.</p> <p>9. Peerages of Scotland, extinct by failure of issue, attainder, &amp;c., alphabetically, according to Surnames.</p> <p>10. Extinct Peerages of Scotland, alphabetically, according to Titles.</p> |
|---|---|

## MEMOIRS OF SCIPIO DE RICCI,

LATE BISHOP OF PISTOLA AND PRATO;

REFORMER OF CATHOLICISM IN TUSCANY.

Cheaper Edition, 2 vols. 8vo, 12s. bound.

The leading feature of this important work is its application to the great question now at issue between our Protestant and Catholic fellow-subjects. It contains a complete exposé of the Romish Church Establishment during the eighteenth century, and of the abuses of the Jesuits throughout the greater part of Europe. Many particulars of the most thrilling kind are brought to light.

## MADAME CAMPAN'S MEMOIRS OF THE COURT OF MARIE ANTOINETTE.

Cheaper Edition, 2 vols. 8vo, with Portraits, price only 12s.—The same in French.

"We have seldom perused so entertaining a work. It is as a mirror of the most splendid Court in Europe, at a time when the monarchy had not been shorn of any of its beams, and that it is particularly worthy of attention."—*Chronicle*.

# ANECDOTES OF THE ARISTOCRACY, AND EPISODES IN ANCESTRAL STORY.

By J. BERNARD BURKE, Esq.,

Author of "The History of the Landed Gentry," "The Peerage and Baronetage," &c.

SECOND AND CHEAPER EDITION, 2 vols., post 8vo, 21s. bound.

The memoirs of our great families are replete with details of the most striking and romantic interest, throwing light on the occurrences of public as well as domestic life, and elucidating the causes of many important national events. How little of the personal history of the Aristocracy is generally known, and yet how full of amusement is the subject! Almost every eminent family has some event connected with its rise or greatness, some curious tradition interwoven with its annals, or some calamity casting a gloom over the brilliancy of its achievements, which cannot fail to attract the attention of that sphere of society to which this work more particularly refers, and must equally interest the general reader, with whom, in this country, the records of the higher classes have always possessed a peculiar attraction. The anecdotes of the Aristocracy here recorded go far to show that there are more marvels in real life than in the creations of fiction. Let the reader seek romance in whatever book, and at whatever period he may, yet nought will he find to surpass the unexaggerated reality here unfolded.

"Mr. Burke has here given us the most curious incidents, the most stirring tales, and the most remarkable circumstances connected with the histories, public and private, of our noble houses and aristocratic families, and has put them into a shape which will preserve them in the library, and render them the favourite study of those who are interested in the romance of real life. These stories, with all the reality of established fact, read with as much spirit as the tales of Boccaccio, and are as full of strange matter for reflection and amazement."—*Britannia*.

"We cannot estimate too highly the interest of Mr. Burke's entertaining and instructive work. For the curious nature of the details, the extraordinary anecdotes related, the strange scenes described, it would be difficult to find a parallel for it. It will be read by every one."—*Sunday Times*.

## ROMANTIC RECORDS OF DISTINGUISHED FAMILIES.

Being the Second Series of "Anecdotes of the Aristocracy."

By J. B. BURKE, Esq.

2 vols., post 8vo, 21s. bound.

"From the copious materials afforded by the history of the English Aristocracy, Mr. Burke has made another and a most happy selection, adding a second wing to his interesting picture-gallery. Some of the most striking incidents on record in the annals of high and noble families are here presented to view."—*John Bull*.

## HISTORIC SCENES.

By AGNES STRICKLAND.

Author of "Lives of the Queens of England," &c. 1 vol., post 8vo, elegantly bound, with Portrait of the Author, 10s. 6d.

"This attractive volume is replete with interest. Like Miss Strickland's former works, it will be found, we doubt not, in the hands of youthful branches of a family, as well as in those of their parents, to all and each of whom it cannot fail to be alike amusing and instructive."—*Britannia*.

"This delightful book will speedily become a reigning favourite. These deeply interesting compositions abound in delicate and refined sentiment, glowing flights of imagination and the utmost poetic beauty."—*Weekly Chronicle*.

## LETTERS OF ROYAL AND ILLUSTRIOUS LADIES OF GREAT BRITAIN,

ILLUSTRATIVE OF THE HISTORY OF ENGLAND.

Now first published from the Originals, with Introductory Notices.

By MARY ANN EVERETT GREEN,

Author of "Lives of the Princesses of England."

Cheaper Edition, 3 vols., with Facsimile Autographs, &c., 15s. bound.

## GENERAL PEPE'S NARRATIVE OF THE WAR IN ITALY,

FROM 1847 to 1850; INCLUDING THE SIEGE OF VENICE.

Now first published from the original Italian Manuscript.

2 vols., post 8vo, 21s. bound.

"The grand features of the recent Italian movement in favour of a national existence have had no other such authentic portraiture as these volumes convey. The State documents and letters which the work contains make it indispensable to the historian of these times. The whole panorama of the Revolution is here gone over—the reform movement beginning at Rome—the agitation caused thereby in Florence and Naples, thence spreading to Sicily, Piedmont, and Austrian Italy—the threats and hostile attitude of the Court of Vienna—the spirited revolt of the Sicilians—the increased tyranny of German generals in Lombardy—the crash of the Parisian Revolution—the rise of the populace of Milan against Raderzky, the declaration of Charles Albert, and advance of the Sardinian troops—the battle of Gotto—the exultation of feeling in Rome and Florence—the flight of the Grand Duke of Tuscany—the revolution in Naples—the treachery of Pope and King—the dreadful massacre in Naples—the disasters of Charles Albert—the bombardment of Brescia—the glorious defence of Venice—the flight of the Pope from Rome—the arrival of Mazzini—the proclamation of the Republic from the Capitol—the invasion of the Roman States by the armies of Spain, Austria, France, and Naples—the fall of Venice and of Rome—and the whole chain of events down to the Pontiff's return."—*Athenæum*.

"We predict that posterity will accept General Pepe as the historian of the great Italian movement of the nineteenth century. His work is worthy of all commendation."—*Standard*.

THE  
REV. R. MILMAN'S LIFE OF TASSO.

2 vols., post 8vo, 21s. bound.

"Mr. Milman's book has considerable merit. He has evidently, in his interesting biography of Tasso, undertaken a labour of love. His diligence has been great, his materials are copious and well-arranged, and his sketches of the poet's contemporaries form agreeable episodes in the narrative of Tasso's works and woes."—*Edinburgh Review*.

"The present work, from the touching interest of its subject, is likely to be extensively read."—*Athenæum*.

"Mr. Milman's biography is a very good one. The work will find a place in every library."—*Britannia*.

"A most valuable addition to our literary treasures—fraught with deep and thrilling interest."—*Morning Post*.

"Mr. Milman's Memoir of Tasso is a work of considerable interest; entering fully into the particulars of the great poet's life, and giving a general review of his works."—*John Bull*.

MEMOIRS AND CORRESPONDENCE OF  
SIR ROBERT MURRAY KEITH, K.B.,  
*Minister Plenipotentiary at the Courts of Dresden, Copenhagen, and Vienna,  
from 1769 to 1793; with Biographical Memoirs of*  
QUEEN CAROLINE MATILDA, SISTER OF GEORGE III.  
EDITED BY MRS. GILLESPIE SMYTH.

2 vols., post 8vo, with Portraits, 21s. bound.

Sir Robert Murray Keith, it will be recollected, was one of the ablest diplomatists of the last century, and held the post of Ambassador at the Court of Copenhagen, when Caroline Matilda, Queen of Denmark, the unfortunate sister of George III., was involved in the conspiracy of Struensee, and was only saved from the severest punishment her vindictive enemy the Queen-Mother could inflict, by the spirited interposition of the British Ambassador. Sir Robert Keith also for a long period represented his Sovereign at the Courts of Dresden and Vienna; and his papers, edited by a member of his family, throw considerable light on the diplomatic history of the reign of George III., besides conveying many curious particulars of the great men and events of the period. Among the variety of interesting documents comprised in these volumes, will be found—Letters from Frederick, King of Prussia; Caroline Matilda, Queen of Denmark; Princes Ferdinand of Brunswick, Kaunitz, and Czartoriski; the Dukes of Cumberland, York, Queensbury, Montagu, and Newcastle; Lords Stormont, St. Asaph, Heathfield, Hardwicke, Darlington, Auckland, Apsley, Barrington, Stair; Counts Bentinck and Rosenberg; Baron Trenck; Field-Marschals Conway and Keith; Sirs Walter Scott, Joseph Yorke, Nathaniel Wraxall, John Sebright; Dr. Robertson, Mr. Pitt, Howard, Mrs. Piozzi, Mrs. Montagu, &c., &c.

"A large portion of this important and highly interesting work consists of letters, that we venture to say will bear a comparison for sterling wit, lively humour, entertaining gossip, piquant personal anecdotes, and brilliant pictures of social life, in its highest phases, both at home and abroad, with those of Horace Walpole himself."—*Court Journal*.

## CAPTAIN CRAWFORD'S REMINISCENCES

OF ADMIRALS SIR E. OWEN, SIR B. HALLOWELL CAREW,  
AND OTHER DISTINGUISHED COMMANDERS.

2 vols., post 8vo, with Portraits, 21s. bound.

"A work which cannot fail of being popular in every portion of our sea-girt isle, and of being read with delight by all who feel interested in the right hand of our country—its Navy."—*Plymouth Herald*.

## REVELATIONS OF PRINCE TALLEYRAND.

By M. COLMACHE,

THE PRINCE'S PRIVATE SECRETARY.

Second Edition, 1 volume, post 8vo, with Portrait, 10s. 6d. bound.

"A more interesting work has not issued from the press for many years. It is in truth a complete Boswell sketch of the greatest diplomatist of the age."—*Sunday Times*.

Now ready, VOLUME XI., price 7s., of

## M. A. THIERS' HISTORY OF FRANCE, FROM THE PERIOD OF THE CONSULATE IN 1800, TO THE BATTLE OF WATERLOO.

A SEQUEL TO HIS HISTORY OF THE FRENCH REVOLUTION.

Having filled at different times the high offices of Minister of the Interior, of Finance, of Foreign Affairs, and President of the Council, M. Thiers has enjoyed facilities beyond the reach of every other biographer of Napoleon for procuring, from exclusive and authentic sources, the choicest materials for his present work. As guardian to the archives of the state, he had access to diplomatic papers and other documents of the highest importance, hitherto known only to a privileged few, and the publication of which cannot fail to produce a great sensation. From private sources, M. Thiers, it appears, has also derived much valuable information. Many interesting memoirs, diaries, and letters, all hitherto unpublished, and most of them destined for political reasons to remain so, have been placed at his disposal; while all the leading characters of the empire, who were alive when the author undertook the present history, have supplied him with a mass of incidents and anecdotes which have never before appeared in print, and the accuracy and value of which may be inferred from the fact of these parties having been themselves eye-witnesses of, or actors in, the great events of the period.

\*\* To prevent disappointment, the public are requested to be particular in giving their orders for "COLBURN'S AUTHORISED TRANSLATION."

## HISTORY OF THE HOUSE OF COMMONS; FROM THE CONVENTION PARLIAMENT OF 1688-9, TO THE PASSING OF THE REFORM BILL IN 1832.

By WM. CHARLES TOWNSEND, ESQ., M.A.,  
Recorder of Macclesfield. 3 vols. 8vo, 12s. bound.

"We have here a collection of biographical notices of all the Speakers who have presided during the hundred and forty-four years above defined, and of several Members of Parliament the most distinguished in that period. Much useful and curious information is scattered throughout the volumes."—*Quarterly Review*.

## DIARY AND MEMOIRS OF SOPHIA DOROTHEA, CONSORT OF GEORGE I.

Now first published from the Originals.  
Cheaper Edition, 2 vols., 8vo, with Portrait, 12s. bound.

"A work abounding in the romance of real life."—*Messenger*.  
"A book of marvellous revelations, establishing beyond all doubt the perfect innocence of the beautiful, highly-gifted, and inhumanly-treated Sophia Dorothea."—*Naval and Military Gazette*.

## LETTERS OF MARY QUEEN OF SCOTS.

Illustrative of Her Personal History.

Edited, with an Historical Introduction and Notes,  
By AGNES STRICKLAND.

Cheaper Edition, with numerous Additions, uniform with Miss Strickland's "Lives of the Queens of England." 2 vols., post 8vo, with Portrait, &c., 12s. bound.

"The best collection of authentic memorials relative to the Queen of Scots that has ever appeared."—*Morning Chronicle*.

## MEMOIRS OF MADEMOISELLE DE MONTPENSIER.

Written by HERSELF. 3 vols., post 8vo, with Portrait.

"One of the most delightful and deeply-interesting works we have read for a long time."—*Weekly Chronicle*.

## LADY BLESSINGTON'S JOURNAL OF HER CONVERSATIONS WITH LORD BYRON.

Cheaper Edition, in 8vo, embellished with Portraits of Lady Blessington and Lord Byron, price only 7s. bound.

"The best thing that has been written on Lord Byron."—*Spectator*.

"Universally acknowledged to be delightful."—*Athenaeum*.

**NARRATIVE OF A TWO YEARS'**  
**RESIDENCE AT NINEVEH;**  
 AND  
**TRAVELS IN MESOPOTAMIA, ASSYRIA, AND SYRIA,**  
 WITH REMARKS ON THE CHALDEANS, NESTORIANS, YEZIDEES, &c.  
 By the Rev. J. P. FLETCHER. Two vols., post 8vo, 2ls. bound.

These Travels embrace not only Nineveh and its antiquities, but various new and interesting particulars respecting the Yezidees, the Nestorians, and Oriental Christians, as well as notices of the country between Mosul and Aleppo, which has been explored by few European travellers. The intimate relations with the natives of the country entered into by Mr. Fletcher, who resided some years at Mosul, during his inquiries into the condition of the Oriental Churches, have furnished him with a vast fund of anecdote and illustration. The work also comprises disquisitions on the ancient cities of Mesopotamia, and on the successive empires established between the Tigris and Euphrates, with remarks on the hypothesis advocated by Major Rawlinson as regards the early Assyrian kings.

**OPINIONS OF THE PRESS.**

"A work of great merit—the remarks of a highly intelligent and acute observer. The work is not less acceptable as a book of travel than it is valuable as an auxiliary to the archaeology of the Holy Scriptures."—*Standard*.

"At a time when the startling discoveries of Mr. Layard have called public attention to the cradle of Asiatic civilisation, the notes of a two years' residence on the mighty plain of Nineveh, and of excursions into the remotest parts of Assyria, from the pen of another traveller, cannot fail to excite more than ordinary interest. Mr. Fletcher, well versed in the questions connected with the geography of Scripture, and with the history and position of the different Churches of the East, made his observations on the countries which he visited, not as an ordinary traveller who picks up his knowledge casually, here and there, but as an experienced student, who knows beforehand upon what points he is to direct his inquiries. His volumes form an instructive and agreeable pendant to Mr. Layard's more exclusively antiquarian researches. The reader will meet with much valuable information which he would look for in vain elsewhere."—*John Bull*.

"A book which lets us more into the secret of the habits and ideas of the natives of Eastern Asia, more especially of the Christian population, than any work we could point out. Mr. Fletcher brings fresh and valuable information from that new centre of antiquarian research. He had the rare good fortune to be present at the first discoveries of M. Botta; and he is not without claims to be ranked as a discoverer himself. But his disposition and his opportunities make him a better describer of the living than of the dead. The circle of his inquiries was by no means confined to Nineveh, but extended to the whole Christian population of Asiatic Turkey, of whose habits, ideas, observances, and general condition he gives a minute, interesting, and, we are convinced, authentic account. The condition of the Eastern Churches is exciting much curiosity at present, and his detailed description of them will be most interesting to the religious world. Our extracts will sufficiently show what varied, interesting, and useful matter these volumes contain."—*Daily News*.

"Two volumes abounding in lively and graphic sketches of scenes visited and of characters encountered."—*Athenæum*.

"There is a great deal of original hypothesis and much gratifying information in these volumes. Mr. Fletcher is an acute observer, and a well-read historian. His work deserves to be popular, and cannot fail to increase our knowledge of the countries of which it treats."—*Evangelical Magazine*.

## DIARY OF A LADY'S TRAVELS IN NORTHERN AFRICA.

2 Vols., post 8vo, 21s. bound.

"These exceedingly interesting volumes contain a very lively and graphic narrative of the author's experience amongst the curiously mixed population of Barbary, with many important facts, and much useful intelligence."—*Weekly Chronicle*.

"These volumes of a very clever and observant lady are full of entertaining matter, amusing anecdotes, and life-like sketches of the places visited."—*Morning Herald*.

## NARRATIVE OF AN OVERLAND JOURNEY ROUND THE WORLD.

By SIR GEORGE SIMPSON,

*Governor-in-Chief of the Hudson's Bay Company's Territories in North America.*

2 vols., 8vo, with Map, &c., 31s. 6d. bound.

"A more valuable or instructive work, or one more full of perilous adventure and heroic enterprise, we have never met with."—*John Bull*.

"It deserves to be a standard work in all libraries, and it will become so."—*Messenger*.

## MR. ROSS' YACHT VOYAGE TO DENMARK, NORWAY, AND SWEDEN, IN LORD RODNEY'S CUTTER "THE IRIS."

Second Edition, 1 vol., 6s. bound.

"There is not a sporting man in the country who could peruse these volumes without deriving a considerable amount of pleasure and profit from their pages. No one should think of visiting Norway, Denmark, or Sweden, without consulting them."—*Era*.

## FIVE YEARS IN KAFFIRLAND: WITH SKETCHES OF THE LATE WAR IN THAT COUNTRY.

By Mrs. HARRIET WARD (Wife of Captain Ward, 91st. Regt.)

Second Edition, 2 vols., post 8vo, with Portraits, &c., 21s. bound.

## THE WANDERER IN ITALY, SWITZERLAND, FRANCE, AND SPAIN.

By T. ADOLPHUS TROLLOPE, Esq. 1 vol., 6s. bound.

PRINCIPAL CONTENTS.—Venice—Rome—Florence—Zurich—Lucerne—Berne—Interlaken—Cortado—Arles—Beziers—Toulouse—Pau—Orthez—St. Sebastian—Azpeitia—Saragossa—Jaca—Panticosa—Bayonne, &c.

"A delightful table-book for seaside or fireside—for any place where there are cultivated tastes. The volume is a gallery of pleasant pictures far more than a guide-book."—*Athenæum*.

## LORD LINDSAY'S LETTERS ON THE HOLY LAND.

FOURTH EDITION, Revised and Corrected, 1 vol., post 8vo, 6s. bound.

"Lord Lindsay has felt and recorded what he saw with the wisdom of a philosopher, and the faith of an enlightened Christian."—*Quarterly Review*.

---

## THE CRESCENT AND THE CROSS;

OR,

## ROMANCE AND REALITIES OF EASTERN TRAVEL.

By ELIOT WARBURTON, Esq.

EIGHTH AND CHEAPER EDITION, 1 vol., with numerous Illustrations, 10s. 6d. bound.

"Independently of its value as an original narrative, and its useful and interesting information, this work is remarkable for the colouring power and play of fancy with which its descriptions are enlivened. Among its greatest and most lasting charms is its reverent and serious spirit."—*Quarterly Review*.

"We could not recommend a better book as a travelling companion."—*United Service Magazine*.

---

## HOCHELAGA;

OR,

## ENGLAND IN THE NEW WORLD.

Edited by ELIOT WARBURTON, Esq.,

Author of "The Crescent and the Cross."

FOURTH AND CHEAPER EDITION, 2 vols., post 8vo, with Illustrations, 10s. 6d. bound.

"We recommend 'Hochelaga' most heartily, in case any of our readers may as yet be unacquainted with it."—*Quarterly Review*.

"This work has already reached a third edition. We shall be surprised if it do not go through many. It possesses almost every qualification of a good book—grace, variety, and vigour of style—a concentrated power of description, which has all the effect of elaborate painting—information carefully collected and judiciously communicated—sound and enlarged views of important questions—a hearty and generous love of country—and the whole pervaded by a refined but sometimes caustic humour, which imparts a constant attraction to its pages. We can cordially recommend it to our readers, as well for the amusement of its lighter portions, the vivid brilliancy of its descriptions, and the solid information it contains respecting Canada, and the position generally of England in the new world."—*John Bull*.

## LIGHTS AND SHADES OF MILITARY LIFE.

Edited by Lieut.-Gen. Sir CHARLES NAPIER, G.C.B., Commander-in-Chief in India, &c. 1 vol., 8vo, 10s. 6d. bound.

"A narrative of stirring interest, which should be in the hands of every officer in her Majesty's service."—*Globe*.

"One of the most interesting and, as regards General Napier's share of it, one of the most original productions of the day."—*Indian News*.

## SIR JAMES ALEXANDER'S ACADIE;

OR, SEVEN YEARS' EXPLORATION IN CANADA, &c.

2 vols., post 8vo, with numerous Illustrations, 12s. bound.

"Replete with valuable information on Canada for the English settler, the English soldier, and the English Government; with various charms of adventure and description for the desultory reader."—*Morning Chronicle*.

"No other writer on Canada can compare with the gallant author of the present volumes in the variety and interest of his narrative."—*John Bull*.

## STORY OF THE PENINSULAR WAR.

A COMPANION VOLUME TO MR. GLEIG'S

"STORY OF THE BATTLE OF WATERLOO."

With six Portraits and Map, 5s. bound.

"Every page of this work is fraught with undying interest. We needed such a book as this; one that could give to the rising generation of soldiers a clear notion of the events which led to the expulsion of the French from the Peninsular."—*United Service Gazette*.

## LADY LISTER KAYE'S BRITISH HOMES AND FOREIGN WANDERINGS.

2 vols., post 8vo, 10s. bound.

"Unrivalled as these volumes are, considered as portfolios of aristocratic sketches, they are not less interesting on account of the romantic history with which the sketches are interwoven."—*John Bull*.

## THE NEMESIS IN CHINA;

COMPRISING A COMPLETE

HISTORY OF THE WAR IN THAT COUNTRY;

With a Particular Account of the Colony of Hong Kong.

From Notes of Captain W. H. HALL, R.N., and Personal Observations by W. D. BERNARD, Esq., A.M., Oxon.

CHEAPER EDITION, with a new Introduction, 1 vol., with Maps and Plates, 6s. bound.

"Capt. Hall's narrative of the services of the *Nemesis* is full of interest, and will, we are sure, be valuable hereafter, as affording most curious materials for the history of steam navigation."—*Quarterly Review*.

"A work which will take its place beside that of Captain Cook."—*Weekly Chronicle*.

# THE YEAR-BOOK OF THE COUNTRY; OR, THE FIELD, THE FOREST, AND THE FIRESIDE.

By WILLIAM HOWITT,

AUTHOR OF "THE BOOK OF THE SEASONS," &c. SECOND AND CHEAPER EDITION. 1 VOLUME, WITH ILLUSTRATIONS, 6s. BOUND.

## OPINIONS OF THE PRESS.

"The world is always happy to hear from Mr. Howitt concerning 'the seasons and their signs'—the garden, the woodland, and their ever-changing shows of beauty—and the characters and humours which animate and chequer rural life. He treats of these topics with that affluence of poetical imagination and experience which there is no counterfeiting—with that thorough love which, coming from the heart of the writer, goes direct to the heart of the reader. The present volume is as fresh in spirit and as rich in matter as if it were the first of its family. The illustrations by Mr. Foster are excellent. The book is at once welcome to read and goodly to see. It is richly, poetically, picturesquely various. We cannot doubt of its having a welcome as wide as its range of contents, and as cordial as the love of man and of nature, which every line of it breathes."—*Athenæum*.

"To all lovers of country life we recommend this excellent volume, as abounding in thoughts and suggestions eminently calculated to enlarge the sphere of their enjoyment as well as their usefulness; and to all lovers of the town we recommend it as likely to reform their tastes, and awaken them to pure delights which they have not yet tasted. The work is a complete country companion for the whole year—in the field, in the forest, and at the fireside. It is divided into twelve sections, each of which relates to a particular month of the year, and not only describes all the natural features of the season, but the habits of life and customs appropriate to each."—*Morning Post*.

"A highly amusing book, supplying, from rural anecdote, description, and observation, something appropriate to each season. The illustrations are very beautiful."—*Standard*.

"A perfect transcript of rural life in all its phases. In every respect a most attractive book. Mr. Howitt paints nature as it is, and gives descriptions of its endless charms with an elegance of manner that wins its way with readers of every class."—*Messenger*.

"This very attractive and delightful work is evidently one written *con amore*. Mr. Howitt's productions have always displayed an intense, and, so to speak, elegant and cultivated love of Old England's rural beauties; and the present book will form an admirable companion to his 'Book of the Seasons.' In the present instance there is an abundant and interestingly applied variety of matter illustrative of human pleasures and pursuits in the country. A country life, indeed, is here seen in all its points of view—in the field, the forest, and by the fireside. It is curious to observe the variety of subjects treated of, either in prose or poetry, in these right pleasant and entertaining pages. The natural characteristics, peculiar customs, and usual avocations incident to each month in the year are described in a striking manner. Anecdotes, sketches of character, &c., are introduced with considerable skill and effect, adding much to the interesting nature of the book. The 'Autumnal Excursions' form some of the most attractive parts of the volume; and the legends scattered throughout are told with peculiar spirit and effect. Indeed, the work is altogether a charming one; and the illustrations, admirably engraved on wood, from exceedingly clever and pretty designs, by Mr. Birket Foster, are quite worthy of the pages in which they appear."—*Morning Advertiser*.

## MR. DISRAELI'S CONINGSBY

CHEAP STANDARD EDITION, WITH A NEW PREFACE.

In 1 vol., with Portrait, 6s. bound.

"We are glad to see that the finest work of Disraeli has been sent out in the same shape as those of Dickens, Bulwer, and other of our best novelists, at such a price as to place them within the reach of the most moderate means. 'Coningsby' has passed from the popularity of a season to an enduring reputation as a standard work. It is a valuable contribution to popular literature."—*Weekly Chronicle*.

## ZOOLOGICAL RECREATIONS.

By W. J. BRODERIP, Esq., F.R.S.

CHEAPER EDITION, 1 vol., post 8vo, 6s. bound.

"We believe we do not exaggerate in saying that, since the publication of White's 'Natural History of Selborne,' and of the 'Introduction to Entomology,' by Kirby and Spence, no work in our language is better calculated than the 'Zoological Recreations' to fulfil the avowed aim of its author—to furnish a hand-book which may cherish or awaken a love for natural history."—*Quarterly Review*.

## TALES OF HUNGARY.

BY FRANCIS and THERESA PULSZKY. Cheaper Edition.

3 vols., 15s. bound.

"The authors of the present charming tales have not only produced these most interesting volumes, but have opened a region of fiction which will be eagerly explored by many readers."—*Messenger*.

## THE DREAMER AND THE WORKER.

By R. H. HORNE, Esq.,

Author of "Orion," &c. Cheaper Edition. 2 vols., post 8vo., 10s. bound.

## ADVENTURES OF A GREEK LADY,

THE ADOPTED DAUGHTER OF THE LATE QUEEN CAROLINE.

WRITTEN BY HERSELF. 2 vols., post 8vo, 12s. bound.

"The chief interest of this more than ordinarily interesting book lies in the notices it furnishes of the unfortunate Queen Caroline. From the close of 1814 till her Royal Highness's return to England the author was never absent from her for a single day. All is ingeniously and artlessly told, and the plain truth finds its way at once to the reader's judgment and feelings."—*Court Journal*.

## POPULAR NEW NOVELS AND ROMANCES.

### BEAUTY AND INTELLECT;

OR, SECOND LOVE.

By Mrs. TROLLOPE. 3 vols.

### TIME, THE AVENGER.

By the Author of "Emilia Wyndham."  
3 vols.

### MERKLAND.

By the Author of "Margaret Maitland."  
3 vols.

### LOVE AND AMBITION.

By the Author of "Rockingham." 3 vols.

### MADAM DORRINGTON

OF THE DENE.

By WILLIAM HOWITT. 3 vols.

### NATHALIE.

By JULIA KAVANAGH, Author of  
"Woman in France." 3 vols.

### LIGHT AND DARKNESS.

By Mrs. CROWE, Author of "The Night-  
Side of Nature," &c. 3 vols.

### THE WILMINGTONS.

By the Author of "Emilia Wyndham,"  
"Mordaunt Hall," &c. 3 vols.

### ANNE DYSART;

OR, THE SCOTCH MINISTER'S  
DAUGHTER. 3 vols.

### REGINALD HASTINGS.

By ELIOT Warburton, Esq. Third  
and Cheaper Edition. 10s. 6d. bound.

### The OLD WORLD and the NEW.

By Mrs. TROLLOPE. 3 vols.

### THE DAUGHTER OF NIGHT.

By S. W. FULLOM, Esq. 3 vols.

### CLAUDE.

By MISS MOLESWORTH. 2 vols.

### PETTICOAT GOVERNMENT.

By Mrs. TROLLOPE. 3 vols.

### PRIDE AND IRRESOLUTION.

A Second Series of

"THE DISCIPLINE OF LIFE."

By LADY EMILY PONSONBY. 3 vols.

PASSAGES IN THE LIFE OF

### Mrs. MARGARET MAITLAND

OF SUNNYSIDE. Written by Herself.  
1 vol.

### OUR COUNTY.

By JOHN MILLS, Esq., Author of the  
"Old English Gentleman," &c. 3 vols.

### FRESTON TOWER,

OR, THE EARLY DAYS OF CARDINAL  
WOLSEY.

By the Rev. R. COBBOLD. 3 vols.

### THE PETREL.

A TALE OF THE SEA.  
By a Naval Officer. 3 vols.

# THE ARMY AND NAVY.

Published on the 1st of every Month, Price 3s. 6d.

## COLBURN'S UNITED SERVICE MAGAZINE, AND NAVAL AND MILITARY JOURNAL.

The attention of the public, and particularly that of the United Services and the Army and Navy of the East India Company, is respectfully invited to this periodical, which has now been established twenty-five years, and embraces subjects of such extensive variety and of such powerful interest as must render it scarcely less acceptable to readers in general than to the members of those professions for whose use it is more particularly intended.

Independently of a succession of Original Papers on innumerable interesting subjects, Personal Narratives, Historical Incidents, Correspondence, &c., each number comprises Biographical Memoirs of Eminent Officers of all branches of service, Reviews of New Publications, either immediately relating to the Army or Navy, or involving subjects of utility or interest to the members of either, Full Reports of Trials by Courts Martial, Distribution of the Army and Navy, General Orders, Circulars, Promotions, Appointments, Births, Marriages, Obituary, &c., with all the Naval and Military Intelligence of the Month.

---

### OPINIONS OF THE PRESS.

“This is confessedly one of the ablest and most attractive periodicals of which the British press can boast, presenting a wide field of entertainment to the general as well as the professional reader. The suggestions for the benefit of the two Services are numerous, and distinguished by vigour of sense, acute and practical observation, an ardent love of discipline, tempered by a high sense of justice, honour, humanity, and a tender regard for the welfare and personal comfort of our soldiers and seamen.”—*Globe*.

“At the head of those periodicals which furnish useful and valuable information to their peculiar classes of readers, as well as amusement to the general body of the public, must be placed the ‘United Service Magazine, and Naval and Military Journal.’ It numbers among its contributors almost all those gallant spirits who have done no less honour to their country by their swords than by their pens, and abounds with the most interesting discussions on naval and military affairs, and stirring narratives of deeds of arms in all parts of the world. Every information of value and interest to both the Services is culled with the greatest diligence from every available source, and the correspondence of various distinguished officers which enrich its pages is a feature of great attraction. In short, the ‘United Service Magazine’ can be recommended to every reader who possesses that attachment to his country which should make him look with the deepest interest on its naval and military resources.”—

## OPINIONS OF THE PRESS ON COLBURN'S UNITED SERVICE MAGAZINE.

---

"This truly national periodical is always full of the most valuable matter for professional men. It abounds with excellent articles, the personal memoirs of distinguished officers of both Services, results of valuable military and naval experience, fragments of interesting travels, and light tales of adventure, all of which are well blended, and form a most harmonious ensemble."—*Morning Herald*.

"Colburn's United Service Magazine' is always a welcome visitor. Its numbers contain an absolute redundancy of able and important articles, the value of which is not merely confined to any peculiar distinctive interest that military and naval men may attach to them. Independent of its attractions to the two Services, there is a mass of sterling reading which no class of intelligent persons will fail to appreciate."—*Morning Post*.

"A magazine which is not only an honour to the Services that patronize it, but also to the literature of the country."—*Standard*.

"To military and naval men, and to that class of readers who hover on the skirts of the Services, and take a world of pains to inform themselves of all the goings on, the modes and fashions, the movements and adventures connected with ships and barracks, this periodical is indispensable. It is a repertory of facts and criticisms—narratives of past experience, and fictions that are as good as if they were true—tables and returns—new inventions and new books bearing upon the army and the navy—correspondence crowded with intelligence—and sundry unclaimed matters that lie in close neighbourhood with the professions, and contribute more or less to the stock of general useful information."—*Atlas*.

"The 'United Service Magazine' is an invaluable repository of excellent articles on naval and military warfare, with respect to the science, the statistics, and the management of the two branches of the Service. It is, moreover, a most useful chronicler of all current events relating to our mercantile and national marine, and to every branch of our army, whether under Government or in the service of the East India Company. Its attention to colonial affairs and miscellaneous subjects is most useful."—*Weekly Dispatch*.

"This is one of the most permanently useful of the magazines, containing matter valuable not only to the naval and military reader, but to the historian and politician. It has, moreover, sketches of manners, scenery, and adventure, from the pens of some of the most popular writers of the day. Its digest of news is admirable, its lists of the posts among which our armies and fleets are divided are of the last utility, while its amusing and able correspondence is another excellent feature."—*Brighton Guardian*.

---

COLBURN AND CO., PUBLISHERS,  
18, Great Marlborough Street.

TO BE HAD OF ALL BOOKSELLERS THROUGHOUT THE KINGDOM





3 2044 056 194 269